### SPECIFICATION SHFFT

**COLLECTION: WASTES** 

PRODUCT CODE: IND-SHATTAF-BLK



### **DESCRIPTION:**

luxury brass shattaf handset wall mounted with 100cm hose and wall bracket minimum operating pressure 0.2 LP

### FINISH:


Brushed Black

### **MINIMUM OPERATING PRESSURE:**

0.2 bar LP

### **FLOW RATE AT 3.0 BAR FLOW PRESSURE:**

8.62 V/min










# TECHNICAL DRAWING

**COLLECTION: WASTES** 

PRODUCT CODE: IND-SHATTAF-BLK





## SPECIFICATION SHEET

**COLLECTION: WASTES** 

PRODUCT CODE: IND-230-BLK



### **DESCRIPTION:**

contemporary 1/4 turn angle valve wall mounted with integrated filter ceramic cartridge 1/2" inlet 1/2" outlet

### FINISH:

Brushed Black



tel: 01934 744466 email: sales@vado.com www.vado.com


where inspiration flows taps | showering | accessories



# TECHNICAL DRAWING

**COLLECTION: WASTES** 

**PRODUCT CODE: IND-230-BLK** 





### SPECIFICATION SHEET

**COLLECTION: I-TECH** 

PRODUCT CODE: PRO-5001-N/P



### **DESCRIPTION:**

protherm in-line thermostatic valve supplied with 15mm compression fittings 22mm compression fittings available seperately thermostatic ceramic cartridge minimum operating pressure 0.2 bar LP

### FINISH:

Chrome

### **FLOW REGULATOR:**


N

### **MINIMUM OPERATING PRESSURE:**

0.2 bar LP

#### **FLOW RATE AT 3.0 BAR FLOW PRESSURE:**

31 l/min





tel: 01934 744466 email: sales@vado.com www.vado.com



taps | showering | accessories



# TECHNICAL DRAWING

**COLLECTION:** I-TECH

PRODUCT CODE: PRO-5001-N/P

