
SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-132-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

WITH SHOWER KIT

No

WITH EASY-FIT BRACKETS

Νo

WITH INTEGRATED DIVERTER

No

WITH THERMOSTATIC TECHNOLOGY

No

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

WITH BATH SPOUT

Yes

WITH AIR-INJECTION TECHNOLOGY

Νo

WITH WATER FLOW STRAIGHTENER

Yes

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-132-C/P

WITH WATER FLOW AERATOR

Νo

CONNECTIONS / FITTINGS

 2×10 mm (1/2") flexipipe connection on valve $2 \times 1/2" \times 1/2"$ flexipipe $1 \times 1/2" \times 1/2"$ 150cm shower hose 4×600 mm flexipipe connections

SPARE PARTS

ceramic cartridge CAR-K40A

DECK HOLE DRILL DIAMETER

Valve: 32mm Spout: 28mm Diverter: 28mm Handset: 28mm

STYLE

Oval

HOLES

4 Hole

MOUNTING

Deck Mounted

PLUMBING SYSTEM SUITABILITY

Pumped System, Pressurised System

COLLECTION NAME

Life

FINISH

Chrome

RECOMMENDED FLOW REGULATOR

FR-FLEXI/8-PLA

MINIMUM OPERATING PRESSURE

3.0 Bar HP

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-132-C/P

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales@vado.com

www.vado.com






TECHNICAL DRAWING

COLLECTION: LIFE

PRODUCT CODE: LIF-132-C/P



tel: 01934 744466 email: sales@vado.com

www.vado.com



