
SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-137-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE STYLE
Bath Filler Oval

WITH WATER FLOW STRAIGHTENER HOLES
Yes 2 Hole

CONNECTIONS / FITTINGS MOUNTING
2 x 3/4" 50mm male threaded connections Deck Mounted

SPARE PARTS PLUMBING SYSTEM SUITABILITY

cold ceramic cartridge C-302-RTC hot ceramic cartridge Gravity System, Pumped System, Combination Boiler, C-302-LTC Pressurised System

DECK HOLE DRILL DIAMETER

2 x 28-30mm

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-137-C/P

COLLECTION NAME

Life

FINISH

Chrome

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

MINIMUM OPERATING PRESSURE

0.2 Bar LP

GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales@vado.com

www.vado.com





TECHNICAL DRAWING

COLLECTION: LIFE

PRODUCT CODE: LIF-137-C/P

