
SPECIFICATION SHEET

COLLECTION: ELEMENTS

PRODUCT CODE: ELW-135/NH-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Filler

WITH WATER FLOW STRAIGHTENER

Yes

WITH SWIVEL SPOUT

with Fixed Spout

CONNECTIONS / FITTINGS

 $2 \times 3/4$ " x 3/4" 600mm flexipipe connections 3/4" male inlet connections

SPARE PARTS

cold ceramic cartridge C-303-RTC hot ceramic cartridge C-303-LTC $\,$

DECK HOLE DRILL DIAMETER

Valve: 35mm Spout: 30mm

HOLES

3 Hole

MOUNTING

Deck Mounted

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: ELEMENTS

PRODUCT CODE: ELW-135/NH-CP

COLLECTION NAME

Elements

FINISH

Chrome

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

MINIMUM OPERATING PRESSURE

1.0 Bar MP

GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales@vado.com www.vado.com






TECHNICAL DRAWING

COLLECTION: ELEMENTS

PRODUCT CODE: ELW-135/NH-CP



tel: 01934 744466 email: sales@vado.com

www.vado.com



