


# SPECIFICATION SHEET

COLLECTION: AVA

PRODUCT CODE: AX-AVA-230+K-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Bath Shower Mixer

## PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

## HANDLES

2 Handle

## MATERIAL

Brass

## HOLES

2 Hole

## MOUNTING

Deck Mounted

## WITH INTEGRATED DIVERTER

Yes

## WITH EASY-FIT BRACKETS

No

## WITH SHOWER KIT

Yes

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: AVA

PRODUCT CODE: AX-AVA-230+K-CP

WITH SWIVEL SPOUT

with Fixed Spout

WITH THERMOSTATIC TECHNOLOGY

No

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

MINIMUM OPERATING PRESSURE

0.2 Bar LP

FLOW RATE AT 3.0 BAR FLOW PRESSURE

Bath fill at 3 bar water pressure allows for 48 l/m, at 1 bar allows for 27.2 l/m. Showering at 3 bar water pressure allows for 22.4 l/m, at 1 bar allows for 11.5 l/m.

WITH BATH SPOUT

Yes

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

British standard 180mm fixing centres allowing easy retro fit, Water supply requires 3/4" connection.

DECK HOLE DRILL DIAMETER

28-40mm

SPARE PARTS

Cold ceramic cartridge C-302-RTC, Hot ceramic cartridge C-302-LTC, Neoperl twist lock diverter N-0054-01-CP.

# SPECIFICATION SHEET

COLLECTION: AVA

PRODUCT CODE: AX-AVA-230+K-CP

STYLE

Round

FINISH

Chrome

COLLECTION NAME

Ava

GUARANTEE

10 Year Guarantee



# TECHNICAL DRAWING

COLLECTION: AVA

PRODUCT CODE: AX-AVA-230+K-CP

