
SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-150S-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Kitchen Tap

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME

Life

DECK HOLE DRILL DIAMETER

35mm

SPARE PARTS

ceramic cartridge CAR-K35A

HANDLES

Single Lever

WITH WATER FLOW AERATOR

No

WITH SWIVEL SPOUT

1

WITH WATER FLOW STRAIGHTENER

No

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-150S-C/P

MOUNTING

Deck Mounted

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

tel: 01934 744466 email: sales@vado.com


WHERE INSPIRATION FLOWS www.vado.com TAPS | SHOWERS | ACCESSORIES



TECHNICAL DRAWING

COLLECTION: LIFE

PRODUCT CODE: LIF-150S-C/P



tel: 01934 744466 email: sales@vado.com

www.vado.com



