
## SPECIFICATION SHEET

COLLECTION: ASCENT

PRODUCT CODE: ASC-150-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

#### TAP TYPE

Kitchen Tap

#### PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

#### **COLLECTION NAME**

Ascent

#### SPARE PARTS

ceramic cartridge CAR-K35A

#### **HANDLES**

Single Lever

#### WITH WATER FLOW AERATOR

No

#### WITH SWIVEL SPOUT

1

#### WITH WATER FLOW STRAIGHTENER

No

#### MOUNTING

Deck Mounted

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

COLLECTION: ASCENT

PRODUCT CODE: ASC-150-C/P

MINIMUM OPERATING PRESSURE

0.5 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

tel: 01934 744466 email: sales@vado.com

www.vado.com






### TECHNICAL DRAWING

COLLECTION: ASCENT

PRODUCT CODE: ASC-150-C/P





www.vado.com



