
SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-249T-RRK-MB





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

SHOWER TYPE

Shower Column

WITH AIR-INJECTION TECHNOLOGY

No

WITH CROSS-SPRAY TECHNOLOGY

Νo

ADJUSTABLE FIXING FOR EASY RETRO FIT

No

SHOWER HEAD SIZE

260mm

WITH SHOWER KIT

Yes

VALVE TYPE

Exposed

WITH EASY-FIT BRACKETS

Yes

WITH INTEGRATED DIVERTER

Yes

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-249T-RRK-MB

WITH THERMOSTATIC TECHNOLOGY

Yes

WITH WATER FLOW STRAIGHTENER

Νo

INSTALLATION TOLERANCES

476mm height adjustment tolerance: min 786mm - max 1262mm, 24mm depth adjustment tolerance: min 66mm - max 90mm

HANDLES

2 Handle

SPARE PARTS

Thermostatic cartridge V-704-34S, Flow cartridge C-801-33/2P

STYLE

Round, Contemporary

MOUNTING

Wall Mounted

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME

Safari

FINISH

Matt Black

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP



WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-249T-RRK-MB

GUARANTEE

10 Year Guarantee

tel: 01934 744466 email: sales@vado.com www.vado.com





TECHNICAL DRAWING

COLLECTION: SAFARI

PRODUCT CODE: SAF-249T-RRK-MB

