
# SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-200/CC-PEW





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

#### TAP TYPE

Basin Mixer

#### **FINISH**

Pewter

## **COLLECTION NAME**

Safari

# GUARANTEE

10 Year Guarantee

#### **BASIN MIXER SIZE**

Mono Basin Mixer

#### PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

# MINIMUM OPERATING PRESSURE

1.0 Bar MP

#### MAXIMUM OPERATING PRESSURE

5.0 Bar HP

#### MATERIAL

Brass

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-200/CC-PEW

#### HOLES

1 Hole

#### MOUNTING

Deck Mounted

#### WASTE

Universal Basin Waste

#### RECOMMENDED FLOW REGULATOR

5L/min flow regulator fitted as standard

#### WITH ECOTURN COLD START TECHNOLOGY

No

#### WITH WATER FLOW STRAIGHTENER

Yes

### WITH SWIVEL SPOUT

with Fixed Spout

# WITH WATER FLOW AERATOR

No

#### **CONNECTIONS / FITTINGS**

2 1/2" 450mm flexipipe connection

### DECK HOLE DRILL DIAMETER

35mm

### SPARE PARTS

Ceramic cartridge C-001-A30

# STYLE

Round





# SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-200/CC-PEW

#### NOTES

Cold-start technology

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

TAPS I SHOWERS I FURNITURE



# TECHNICAL DRAWING

COLLECTION: SAFARI

PRODUCT CODE: SAF-200/CC-PEW

