
SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-131T-PEW





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

PLUMBING SYSTEM SUITABILITY

Gravity System, Combination Boiler

HANDLES

2 Handle

HOLES

2 Hole

MOUNTING

Deck Mounted

WITH INTEGRATED DIVERTER

No

WITH EASY-FIT BRACKETS

No

WITH SHOWER KIT

Νo

WITH THERMOSTATIC TECHNOLOGY

No

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-131T-PEW

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

thermostatic cartridge V-704-34S, diverter cartridge C-801-33/2P, 2x 3/4" 50mm threaded connection on legs

DECK HOLE DRILL DIAMETER

28-35mm

STYLE

Round

FINISH

Pewter

COLLECTION NAME

Safari

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-131T-PEW

GUARANTEE

10 Year Guarantee

tel: 01934 744466 email: sales@vado.com www.vado.com





TECHNICAL DRAWING

COLLECTION: SAFARI

PRODUCT CODE: SAF-131T-PEW

