
SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-149-RRK-PEW





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

SHOWER TYPE

Shower Column

WITH AIR-INJECTION TECHNOLOGY

No

WITH CROSS-SPRAY TECHNOLOGY

Νo

ADJUSTABLE FIXING FOR EASY RETRO FIT

No

SHOWER HEAD SIZE

260mm

WITH SHOWER KIT

Yes

VALVE TYPE

Exposed

WITH EASY-FIT BRACKETS

Nc

WITH INTEGRATED DIVERTER

Yes

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-149-RRK-PEW

WITH THERMOSTATIC TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

No

INSTALLATION TOLERANCES

476mm heigh adjustment tolerance: min 786mm - max 1262mm. 30mm depth adjustment tolerance: min 60mm - max 90mm:

CONNECTIONS / FITTINGS

2 x 1/2" to 3/4" offset connectors

HANDLES

Single Lever

SPARE PARTS

Flow Cartridge C-007-N35

STYLE

Round

MOUNTING

Wall Mounted

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME

Safari

FINISH

Pewter

MINIMUM OPERATING PRESSURE

1.0 Bar MP



WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-149-RRK-PEW

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

10 Year Guarantee

tel: 01934 744466 email: sales@vado.com

WHERE INSPIRATION FLOWS www.vado.com TAPS | SHOWERS | FURNITURE



TECHNICAL DRAWING

COLLECTION: SAFARI

PRODUCT CODE: SAF-149-RRK-PEW

