

## SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-109S-SQ-SBR





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

### TAP TYPE

Basin Mixer

### **FINISH**

Satin Brass

### **COLLECTION NAME**

Safari

### GUARANTEE

10 Year Guarantee

### PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

### MINIMUM OPERATING PRESSURE

1.0 Bar MP

### MAXIMUM OPERATING PRESSURE

5.0 Bar HP

### MATERIAL

Brass

### HANDLES

1 Handle

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



### SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-109S-SQ-SBR

### HOLES

2 Hole

### MOUNTING

Wall Mounted

### MIN-MAX WALL MOUNT

Min: 58mm. Max: 68mm.

### WASTE

None (Smooth Bodied)

### RECOMMENDED FLOW REGULATOR

5l/m flow regulator as standard

### WITH ECOTURN COLD START TECHNOLOGY

No

### WITH WATER FLOW STRAIGHTENER

No

### WITH SWIVEL SPOUT

with Fixed Spout

### WITH WATER FLOW AERATOR

No

### **CONNECTIONS / FITTINGS**

2 x 1/2" female inlets

### WALL HOLE DRILL DIAMETER

Spout: 45-55mm. Handle: 40-55mm

### SPARE PARTS

Ceramic cartridge C-002-N30. Tile-to-mortar guide included.



# SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-109S-SQ-SBR

STYLE

Round, Lever Handles







### TECHNICAL DRAWING

COLLECTION: SAFARI

PRODUCT CODE: SAF-109S-SQ-SBR

