


SPECIFICATION SHEET

COLLECTION: KNURLED ACCENTS
PRODUCT CODE: IND-ORI237-BGMK



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Filler

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

HANDLES

2 Handle

HOLES

2 Hole

MOUNTING

Deck Mounted

WITH WATER FLOW STRAIGHTENER

No

CONNECTIONS / FITTINGS

2 x 3/4" 48mm fitted tails

DECK HOLE DRILL DIAMETER

2 x 28-30mm

MINIMUM OPERATING PRESSURE

0.2 Bar LP

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: KNURLED ACCENTS
PRODUCT CODE: IND-ORI237-BGMK

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

SPARE PARTS

cold ceramic cartridge C-302-RTC, hot ceramic cartridge C-302-LTC

STYLE

Round, Knurled

FINISH

Brushed Gunmetal

COLLECTION NAME

Knurled Accents

GUARANTEE

15 Year Guarantee



TECHNICAL DRAWING

COLLECTION: KNURLED ACCENTS
PRODUCT CODE: IND-ORI237-BGMK

