
SPECIFICATION SHEET

COLLECTION: ORIGINS

PRODUCT CODE: IND-ORI233A-BGM





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

HANDLES

Single Lever

MOUNTING

Floor Mounted

WITH INTEGRATED DIVERTER

No

WITH EASY-FIT BRACKETS

No

WITH SHOWER KIT

Yes

WITH THERMOSTATIC TECHNOLOGY

Νo

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: ORIGINS

PRODUCT CODE: IND-ORI233A-BGM

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

RECOMMENDED FLOW REGULATOR

FR-FLEXI/8-PLA

WITH BATH SPOUT

Yes

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

INSTALLATION TOLERANCES

Clearance 950mm from floor to spout

CONNECTIONS / FITTINGS

2 x 1/2" female threaded connections

SPARE PARTS

Ceramic cartridge C-004-N40

STYLE

Round

FINISH

Brushed Gunmetal

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: ORIGINS

PRODUCT CODE: IND-ORI233A-BGM

COLLECTION NAME

Origins

GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales@vado.com

www.vado.com





TECHNICAL DRAWING

COLLECTION: ORIGINS

PRODUCT CODE: IND-ORI233A-BGM

