


SPECIFICATION SHEET

COLLECTION: EDIT

PRODUCT CODE: IND-EDI137-BGM



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Filler

FINISH

Brushed Gunmetal

COLLECTION NAME

Edit

GUARANTEE

15 Year Guarantee

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

HANDLES

2 Handle

HOLES

2 Hole

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: EDIT

PRODUCT CODE: IND-EDI137-BGM

MOUNTING

Deck Mounted

WITH ECOTURN COLD START TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

No

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

2 x 3/4" 48mm threaded inlet connections

DECK HOLE DRILL DIAMETER

2 x 28-30mm

SPARE PARTS

cold ceramic cartridge C-302-RTC, hot ceramic cartridge C-302-LTC

STYLE

Round, Square

TECHNICAL DRAWING

COLLECTION: EDIT

PRODUCT CODE: IND-EDI137-BGM

