
# SPECIFICATION SHEET

COLLECTION: ELEMENTS

PRODUCT CODE: IND-ELW101F-BGM





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

# TAP TYPE

Basin Mixer

# **FINISH**

Brushed Gunmetal

# **COLLECTION NAME**

Elements

# GUARANTEE

15 Year Guarantee

Pressurised System

# PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler,

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

HANDLES

2 Handle

HOLES

3 Hole

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

COLLECTION: ELEMENTS

PRODUCT CODE: IND-ELW101F-BGM

# MOUNTING

Deck Mounted

# WASTE

Pop-up Waste

#### RECOMMENDED FLOW REGULATOR

5 l/m flow regulator fitted as standard

# WITH ECOTURN COLD START TECHNOLOGY

No

# WITH WATER FLOW STRAIGHTENER

Nο

# WITH SWIVEL SPOUT

with Swivel Spout

# WITH WATER FLOW AERATOR

Yes

# CONNECTIONS / FITTINGS

2 x 1/2" nut x 600mm flexipipe connections

# DECK HOLE DRILL DIAMETER

valve deck mount drill hole diameter 27mm, spout deck mount drill hole diameter 30mm

# SPARE PARTS

cold ceramic cartridge C-206-RTC, hot ceramic cartridge C-206-LTC






# TECHNICAL DRAWING

COLLECTION: ELEMENTS

PRODUCT CODE: IND-ELW101F-BGM





www.vado.com



