
SPECIFICATION SHEET

COLLECTION: ELEMENTS

PRODUCT CODE: IND-ELW237-BGM





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Filler

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

HANDLES

2 Handle

MATERIAL

Brass

HOLES

2 Hole

MOUNTING

Deck Mounted

WITH WATER FLOW STRAIGHTENER

No

WITH SWIVEL SPOUT

with Fixed Spout

CONNECTIONS / FITTINGS

2 x 3/4" 48mm threaded inlet connections

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: ELEMENTS

PRODUCT CODE: IND-ELW237-BGM

DECK HOLE DRILL DIAMETER

28-30mm

MINIMUM OPERATING PRESSURE

0.2 Bar LP

RECOMMENDED FLOW REGULATOR

5 l/m flow regulator fitted as standard

SPARE PARTS

Cold ceramic cartridge C-302-RTC, Hot ceramic cartridge C-302-LTC

STYLE

Round

FINISH

Brushed Gunmetal

COLLECTION NAME

Elements

GUARANTEE

15 Year Guarantee





TECHNICAL DRAWING

COLLECTION: ELEMENTS

PRODUCT CODE: IND-ELW237-BGM

