





SPECIFICATIONS GUIDE

2026 ISSUE No. 1

15*
year guarantee



WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO

WELCOME TO **VADO**

Congratulations on starting the journey to create your customers perfect bathroom, we are here to help you every step of the way.



-  @vado_uk
-  /VADO.UK
-  /vadouk
-  /company/vado

PROUD TO BELONG TO **SOMETHING BIGGER**

VADO is proud to be part of the Norcros Group, a family of market-leading brands shaping the future of bathroom design. Alongside brands like Grant Westfield and Merlyn, we deliver a complete bathroom solution that combines style, quality, and innovation.



NORCROS

 GRANT WESTFIELD

MERLYN™



WE'RE BACKED BY THE **UK & IRELAND'S NO.1 BATHROOM PRODUCTS** GROUP

As part of the Norcros group, we are **united in our commitment to responsible innovation and better living**. Together, our brands create **design-led, sustainable products** that enhance the way people live, work, and enjoy their spaces. By harnessing our collective expertise, we deliver beautifully crafted solutions that inspire modern living while driving a more sustainable future.



"Living our purpose means contributing to a more sustainable future for the communities that we live and work in, every day, to help build a better tomorrow."

Thomas Willcocks
Norcros Chief Executive Officer

A NAME YOU CAN TRUST

When recommending **VADO** to your customers, you can be confident that our credentials speak for themselves. To provide them with **reassurance and peace of mind**, sharing our trade partnerships from some of the most prestigious locations around the globe may prove the difference.

The exceptional quality of our products, outstanding customer service, and our agility to support large scale developments, have allowed us to partner with the world's leading construction businesses to make **VADO** a **globally trusted brand**.

This cityscape shows a small snapshot of a variety of renowned projects we have been involved with.

Hotels

- **El Pasha Hotel**, Ibiza
- **Al Manshar Rotana Hotel**, Kuwait
- **Sheraton Hotel**, Warsaw

Prestigious Apartments

- **Marine Wharf**, London
- **One Angel Square**, Manchester
- **Factory No1**, Bristol

Famous Landmarks

- **Angaga Island Resort**, Maldives
- **Chedi Hotel**, Oman
- **Eastern & Oriental Hotel**, Malaysia

Recent Projects

- **Escapade Silverstone**, Towcester
- **Berkeley 250 City Road**, London
- **Hotel La Tour**, Milton Keynes

The Shard,
London, UK

**Four Seasons
Hotel**,
Hong Kong

Burj Khalifa, Dubai, UAE

JW Marriott Marquis,
Dubai, UAE

**Harbourside
Apartments**,
Glasgow, UK

LEADING COMPONENTRY FITTED AS STANDARD

We only fit the very best European components, to ensure our products stand the test of time, even in the busiest bathrooms:



† For your water safety and additional reassurance, products from our portfolio are WRAS approved.



INTERNATIONALLY RECOGNISED

Deansgate Square,
Manchester, UK

Central Market,
Abu Dhabi, UAE



The Gherkin,
London, UK

Intercontinental
Resort,
Balaclava,
Mauritius

Hilton Park Lane, London, UK

Peckforton Castle,
Cheshire, UK

CONTENTS

FURNITURE	34		LIFE	120
			SAFARI VANITIES	34
			SAFARI FINISHING TOUCHES	43
			SAFARI BASINS	44
			CAMEO VANITIES	50
			CAMEO FINISHING TOUCHES	53
			CAMEO BASINS	55
BOOTH & CO.	59		FLUSH SYSTEMS	141
			TAPS	59
			KITCHEN MIXERS	68
			SHOWERS	69
			ACCESSORIES	73
			WASTES	75
TAPS	77		STUDFAST INFO	182
			ARRONDI	77
			OMIKA	82
			NOTION	85
			EDIT	88
			ORIGINS	91
			ELEMENTS	98
			SAFARI	102
			CAMEO	113
			TOILETS	145
			WASTES & FITTINGS	149
		WASTES & FITTINGS	141	
			SHOWERING PACKAGES	159
			SHOWER COLUMNS	176
			ZONE SHOWERS	183
			TABLET IO SHOWERS	186
			ARRONDI SHOWERS	188
			KNURLED SHOWERS	190
			OMIKA SHOWERS	192
			ALTITUDE SHOWERS	194
			NOTION SHOWERS	197
			ORIGINS SHOWERS	201





	ELEMENTS SHOWERS	202		WALL OUTLETS	290
	CELSIUS SHOWERS	205		BRACKETS & ELBOWS	291
	LIFE SHOWERS	208	ACCESSORIES 292		
	SAFARI SHOWERS	209		KNURLED ACCENTS	292
	CAMEO SHOWERS	212		OMIKA	293
	PHASE SHOWERS	213		SPA	296
	PHOTON SHOWERS	214		ELEMENTS	297
	MIX² SHOWERS	215		LIFE	302
	VALVE COMPONENT KITS	217		SHAMA	305
	EXPOSED SHOWER VALVES	245		ZOO	308
	MANUAL SHOWER VALVES	248		MUSE	311
	DIVERTERS & STOP VALVES	253		PHASE	315
SHOWERING SOLUTIONS 254				PHOTON	318
	RIGID RISERS	254		LEVEL	322
	SAFARI SHOWERS	256		BASKETS	325
	CAMEO SHOWERS	260		MIRRORS & LIGHTING	328
	ARRONDI SHOWERS	262		H2ECO	334
	OMIKA SHOWERS	263	POLICIES AND GUARANTEES 340		
	SLIDE RAIL KITS	264			
	HANDSETS/KITS	270			
	FIXED SHOWER HEADS & ARMS	277			
	RAILS/HOSES	288			

WE UNDERSTAND YOUR CUSTOMER

We have gained a lot of knowledge and experience throughout our **36 years trading**, so we'd like to think we know a thing or two about selling **premium quality products**. That's why you can be confident that at **VADO** we make it our priority to know about your customers and tailor our offer to them, to make your job of selling **VADO** easy.

Your customers are important and if they have already contacted you, they are a step closer to buying their perfect bathroom.

The next step is to simplify the process of decision making, which is why our **Consumer Guide** is the ultimate manual to help your customers plan and select the right look.



LET'S INSPIRE



Our **Consumer Guide** aims to provide the perfect starting point for **gaining inspiration and advice** for selecting stylish brassware.

With lots of **useful information** and **simplified product selection** pages, this guide has been developed in conjunction with your customers, to ensure they get the best possible buying experience with you.

This catalogue makes it easier for your customers to discover their desired **VADO** essentials, but it also enables you to remain the **expert** throughout the buying process.



YOUR ULTIMATE GUIDE TO SPECIFYING VADO

We understand that for you reputation is everything, which is why we are focused on helping you to get it right every time.

YOU ARE THE
SPECIALIST



The purpose of our Specification Manual is to make you a **VADO** specialist, allowing you to effectively recommend any **VADO** product with complete confidence.

Not only have we simplified the buying process for your customer, we have simplified it for you.

This places you, our valued customer, in full control; from initial query through to install.

With **VADO**, you're the expert.

TRAIN WITH **THE BEST**

At **VADO**, we believe in sharing all of our expertise and knowledge, using our state-of-the-art training facilities.



Our Hydrologics Studio in Cheddar has been designed with you in mind and provides a unique learning environment to gain tailored training and product knowledge to become a true **VADO** professional.

Please contact your **VADO** Area Sales Manager to book training for you and your team.



VADO is a partner at Material Source based in Manchester, serving the North West's architecture and design community. A first-of-its-kind facility showcasing best-in-class products and brands; at Material Source, you will find everything you need for every project.



A visit to our state-of-the-art facility at Material Lab, London, allows you to discover the latest trends and network with fellow Retailers, Architects and Interior Designers alike, a must for keeping you at the forefront of **VADO** product innovation.

VISUALISE OUR PRODUCTS IN 3D

STEP 1 BROWSE

Visit the **VADO** website to discover the variety of styles and designs we offer.


STEP 2 360 VIEW

Whilst you are browsing your favourite **VADO** products, click the 360° button on any product page to view a 3D model of our products at every angle.

STEP 3 EXPERIENCE



Undecided on style or finish? Why not view **VADO** products in your bathroom before purchasing. Simply click the AR button (📦AR) on your selected product, place the 3D model on your basin, bath or wall to bring your bathroom design to life.



We offer an **easy-to-use vanity builder**, allowing you to mix and match pieces from our Safari and Cameo collections to create your perfect solution.

UNLEASH YOUR SALES POTENTIAL

To assist you throughout the selling process, our premium bathroom brassware also features on a variety of valued computer software sites, namely **Virtual Worlds, Inno+, EQ Software and Bimstore.**

Each platform contains the entire **VADO** portfolio*, with up to date RRP's and imagery; a great tool to support your business.



Create 3D digital bathrooms with virtual reality capability to allow your customers to visualise their new room with **VADO** products in situ.



Design bathrooms for your customers, using photorealistic renders to allow your customers to visualise their new room with **VADO** products in situ.



Produce order forms and invoices, control stock, plan production and improve efficiency to make your administration process quick and easy. EQ Software is also compatible with Inno+ and Virtual Worlds.



Increase the level of detail in your designs with the use of Building Information Modelling (BIM). A core selection of **VADO** products are now available to download from the Bimstore Library and follow all essential industry standards.

A SUSTAINABLE SOLUTION

VADO are proud to craft products that seamlessly blend exquisite design with an indulgent user experience, all while championing sustainability. Expertly engineered to conserve water and minimise consumption, our innovative solutions protect precious natural resources, reduce utility bills and pave the way for a greener, more sustainable future.

Together, we can make every drop count.



WATER AND
ENERGY SMART
BRASSWARE

H₂ECO®

Look out for products with this **H₂ECO®** to be confident you are fitting the best in water smart brassware, providing immediate savings on your water and energy bills without compromising performance.


HONEYCOMB AIR AERATOR



ECOturn®

Our **ECOturn®** technology minimises hot water waste by encouraging you to use cold for simple tasks, reducing boiler usage, saving energy and extending boiler lifespan - helping you save money effortlessly.

BOILER ENGAGES



SCAN TO VIEW
OUR WATER
SAVING TIPS



We are proud that all **VADO** packaging is 100% recyclable, protecting the environment for future generations.

EVERY DROP MATTERS



Scan to
discover more



SMARTER TAPS, LOWER IMPACT

Safari's cold-start taps offer **energy saving benefits** by activating hot water only when it's needed. A simple yet effective way to lower your household energy consumption - **one conscious choice at a time.**

FLOW CONTROL, YOUR WAY

Safari basin mixers have a choice of flow regulation as standard, **giving you the power to optimise water use** to suit your lifestyle. Designed to help you **use less, without feeling like you're missing out.**



WATER SAVING

Eco-conscious design is at the heart of the Safari collection. All shower heads and handsets are flow-regulated as standard at **9L/min and 6L/min**.

Save water. Save money. Enjoy every drop.

NEW

PARTNERSHIP WITH THE HYGIENE BANK

THE HYGIENE
BANK

We're delighted to announce our new partnership with The Hygiene Bank, a UK charity with the core mission to end hygiene poverty in the UK. The Hygiene Bank believe that everyone deserves to feel clean, confident, and cared for. Yet for many, everyday essentials like soap, shampoo, or toothpaste are out of reach.

For us, the partnership feels especially meaningful. Working in bathrooms, we know the importance of everyday care and wellbeing and we're proud to support a cause that helps restore confidence and dignity through something so simple, yet so vital.

Through their network, The Hygiene Bank collects and distributes hygiene products to those who need them most, making a real difference in local communities.



The Hygiene Bank is a registered charity in England and Wales number: 1181267 and Scotland: SC049895

SUPPORTING THE HYGIENE BANK
TO MAKE **HYGIENE ESSENTIALS**
ACCESSIBLE TO ALL.

-  @thehygienebank
-  /thehygienebank/
-  @thehygienebank
-  /company/the-hygiene-bank

VADO price list

product code	ex-vat	inc-vat	page
--------------	--------	---------	------

A

AQB-149T-RRK-RO-CP	£541.67	£650.00	177
AQB-149T-RRK-SQ-CP	£541.67	£650.00	178
AQB-20X30/SA-A-C/P	£320.83	£385.00	279
AQB-20X30-C/P	£254.17	£305.00	283
AQB-HANDSET/RO-DB-CP	£87.50	£105.00	271
AQB-HANDSET/SQ-DB-CP	£87.50	£105.00	271
AQB-0V/30/SA-C/P	£320.83	£385.00	279
AQB-0V/30-C/P	£254.17	£305.00	283
AQB-RO/15/SA-C/P	£154.17	£185.00	280
AQB-RO/20/SA-C/P	£237.50	£285.00	278
AQB-RO/20-C/P	£170.83	£205.00	282
AQB-RO/30/SA-C/P	£320.83	£385.00	278
AQB-RO/30-C/P	£254.17	£305.00	282
AQB-RO/40-C/P	£337.50	£405.00	282
AQB-RO/50-C/P	£420.83	£505.00	282
AQB-SFMKWO/RO-C/P	£158.33	£190.00	275
AQB-SFMKWO/SQ-C/P	£158.33	£190.00	276
AQB-SFSRK/RO-C/P	£216.67	£260.00	268
AQB-SFSRK/SQ-C/P	£216.67	£260.00	268
AQB-SQ/20/SA-A-C/P	£237.50	£285.00	278
AQB-SQ/20-C/P	£170.83	£205.00	282
AQB-SQ/30/SA-A-C/P	£320.83	£385.00	278
AQB-SQ/30-C/P	£254.17	£305.00	282
AQB-SQ/40-C/P	£337.50	£405.00	282
AQB-SQ/50-C/P	£420.83	£505.00	282
AQB-WMSQ-C/P	£579.17	£695.00	284
ARR-100/CC-CP	£233.33	£280.00	78
ARR-100/SB-CP	£216.67	£260.00	78
ARR-100E/SB-CP	£283.33	£340.00	78
ARR-100M/CC-CP	£216.67	£260.00	78
ARR-101-CP	£316.67	£380.00	79
ARR-109-CP	£316.67	£380.00	79
ARR-132T-CP	£916.67	£1,100.00	80
ARR-133-CP	£1,208.33	£1,450.00	81
ARR-140-CP	£133.33	£160.00	81
ARR-150-CP	£375.00	£450.00	81
ARR-150-CP	£375.00	£450.00	138
ARR-201-CP	£316.67	£380.00	79
ARR-209-CP	£316.67	£380.00	79
ARR-232T-CP	£916.67	£1,100.00	80
ARR-HEAD/SA-CP	£333.33	£400.00	262
ARR-HEAD/SA-CP	£333.33	£400.00	277
ARR-SFMKWO-CP	£229.17	£275.00	262
ARR-SFMKWO-CP	£229.17	£275.00	274
ARR-SFSRK+O-CP	£316.67	£380.00	262
ARR-SFSRK+O-CP	£316.67	£380.00	267
ASC-150-C/P	£191.67	£230.00	140
ATM-149T-RRK-RO-CP	£541.67	£650.00	179
ATM-HANDSET/MF-DB-CP	£87.50	£105.00	271
ATM-HANDSET/SF-DB-CP	£70.83	£85.00	272
ATM-HEADRO/B/SA-C/P	£241.67	£290.00	279
ATM-HEADSO/B/SA-A-CP	£241.67	£290.00	279
ATM-MFSRK-C/P	£216.67	£260.00	266
ATM-MFSRKWO-CP	£250.00	£300.00	264
ATM-SFSRK/2-C/P	£200.00	£240.00	269

B

BAS-2000-C/P	£104.17	£125.00	325
BAS-2001-C/P	£45.83	£55.00	326
BAS-2002-C/P	£54.17	£65.00	327
BAS-2004-C/P	£141.67	£170.00	327
BAS-2012-C/P	£87.50	£105.00	326
BAS-2013-C/P	£104.17	£125.00	327
BAS-2014-C/P	£95.83	£115.00	326
BAS-2015L-C/P	£70.83	£85.00	326
BAS-2015M-C/P	£54.17	£65.00	326
BAS-2016L-C/P	£79.17	£95.00	327
BAS-2016M-C/P	£70.83	£85.00	327
BC-395-BN	£58.33	£70.00	76
BC-AXB-100/SB-BN	£250.00	£300.00	60
BC-AXB-100/SB-CP	£208.33	£250.00	60
BC-AXB-100-BN	£275.00	£330.00	60
BC-AXB-100-CP	£229.17	£275.00	60
BC-AXB-101-BN	£425.00	£510.00	61
BC-AXB-101-CP	£354.17	£425.00	61
BC-AXB-106-BN	£225.00	£270.00	61
BC-AXB-106-CP	£187.50	£225.00	61
BC-AXB-109-BN	£425.00	£510.00	61
BC-AXB-109-CP	£354.17	£425.00	61
BC-AXB-110-BN	£275.00	£330.00	61
BC-AXB-110-CP	£229.17	£275.00	61
BC-AXB-120-BN	£625.00	£750.00	63
BC-AXB-120-CP	£520.83	£625.00	63
BC-AXB-123TRRK-BN	£1,979.17	£2,375.00	72
BC-AXB-123TRRK-CP	£1,583.33	£1,900.00	72
BC-AXB-128/2-BN	£783.33	£940.00	70
BC-AXB-128/2-CP	£729.17	£875.00	70
BC-AXB-128/3-BN	£825.00	£990.00	70
BC-AXB-128/3-CP	£770.83	£925.00	70
BC-AXB-131-BN	£625.00	£750.00	63
BC-AXB-131-CP	£520.83	£625.00	63
BC-AXB-133A-BN	£1,250.00	£1,500.00	63
BC-AXB-133A-CP	£1,041.67	£1,250.00	63
BC-AXB-136-BN	£275.00	£330.00	62
BC-AXB-136-CP	£229.17	£275.00	62
BC-AXB-137-BN	£525.00	£630.00	62
BC-AXB-137-CP	£437.50	£525.00	62
BC-AXB-140-BN	£125.00	£150.00	62
BC-AXB-140-BN	£125.00	£150.00	66
BC-AXB-140-CP	£104.17	£125.00	62
BC-AXB-140-CP	£104.17	£125.00	66
BC-AXB-148/2-BN	£737.50	£885.00	70
BC-AXB-148/2-CP	£687.50	£825.00	70
BC-AXB-148-BN	£675.00	£810.00	70
BC-AXB-148-CP	£625.00	£750.00	70
BC-AXB-149TRRK-BN	£1,770.83	£2,125.00	72
BC-AXB-149TRRK-CP	£1,416.67	£1,700.00	72
BC-AXB-150-BN	£333.33	£400.00	68
BC-AXB-153-CP	£333.33	£400.00	68
BC-AXB-180-BN	£70.83	£85.00	73
BC-AXB-180-CP	£58.33	£70.00	73
BC-AXB-181-BN	£75.00	£90.00	73

product code	ex-vat	inc-vat	page
--------------	--------	---------	------

BC-AXB-181-CP	£62.50	£75.00	73
BC-AXB-182-BN	£79.17	£95.00	73
BC-AXB-182-CP	£66.67	£80.00	73
BC-AXB-183-BN	£83.33	£100.00	74
BC-AXB-183-CP	£70.83	£85.00	74
BC-AXB-184-45-BN	£125.00	£150.00	74
BC-AXB-184-45-CP	£104.17	£125.00	74
BC-AXB-186-BN	£50.00	£60.00	74
BC-AXB-186-CP	£41.67	£50.00	74
BC-AXB-188-BN	£125.00	£150.00	74
BC-AXB-188-CP	£104.17	£125.00	74
BC-AXB-200/SB-BN	£250.00	£300.00	64
BC-AXB-200/SB-CP	£208.33	£250.00	64
BC-AXB-200-BN	£275.00	£330.00	64
BC-AXB-200-CP	£229.17	£275.00	64
BC-AXB-201-BN	£425.00	£510.00	65
BC-AXB-201-CP	£354.17	£425.00	65
BC-AXB-206-BN	£225.00	£270.00	65
BC-AXB-206-CP	£187.50	£225.00	65
BC-AXB-209-BN	£425.00	£510.00	65
BC-AXB-209-CP	£354.17	£425.00	65
BC-AXB-210-BN	£275.00	£330.00	65
BC-AXB-210-CP	£229.17	£275.00	65
BC-AXB-220-BN	£625.00	£750.00	67
BC-AXB-220-CP	£520.83	£625.00	67
BC-AXB-231-BN	£625.00	£750.00	67
BC-AXB-231-CP	£520.83	£625.00	67
BC-AXB-233A-BN	£1,250.00	£1,500.00	67
BC-AXB-233A-CP	£1,041.67	£1,250.00	67
BC-AXB-236-BN	£275.00	£330.00	66
BC-AXB-236-CP	£229.17	£275.00	66
BC-AXB-237-BN	£525.00	£630.00	66
BC-AXB-237-CP	£437.50	£525.00	66
BC-AXB-250-BN	£333.33	£400.00	68
BC-AXB-253-CP	£333.33	£400.00	68
BC-AXB-398-BN	£58.33	£70.00	76
BC-AXB-398-CP	£50.00	£60.00	76
BC-AXB-461-BN	£100.00	£120.00	76
BC-AXB-461-CP	£83.33	£100.00	76
BC-AXB-HEAD/SA-BN	£312.50	£375.00	71
BC-AXB-HEAD/SA-CP	£250.00	£300.00	71
BC-AXB-OUTLET-BN	£83.33	£100.00	71
BC-AXB-OUTLET-CP	£66.67	£80.00	71
BC-AXB-SFMKWO2-BN	£270.83	£325.00	71
BC-AXB-SFMKWO2-CP	£216.67	£260.00	71
BC-AXB-SFSRK2-BN	£395.83	£475.00	71
BC-AXB-SFSRK2-CP	£316.67	£380.00	71
BC-KITB-STOW-BN	£33.33	£40.00	76

C

CAM-100/CC-CP	£175.00	£210.00	114
CAM-100/CC-LP-CP	£175.00	£210.00	114
CAM-100/CC-LP-MB	£191.67	£230.00	114
CAM-100/CC-LP-MW	£191.67	£230.00	114
CAM-100/CC-LP-SBR	£191.67	£230.00	114
CAM-100/CC-MB	£191.67	£230.00	114
CAM-100/CC-MW	£191.67	£230.00	114

product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page
CAM-100/CC-SBR	£191.67	£230.00	114	CAM-148D/3-TRIM-CP	£183.33	£220.00	233	CAM-209S-LP-CP	£225.00	£270.00	117
CAM-100/SB-CP	£158.33	£190.00	114	CAM-148D/3-TRIM-MB	£200.00	£240.00	233	CAM-209S-LP-MB	£250.00	£300.00	117
CAM-100/SB-MB	£175.00	£210.00	114	CAM-148D/3-TRIM-MW	£200.00	£240.00	233	CAM-209S-LP-MW	£250.00	£300.00	117
CAM-100/SB-MW	£175.00	£210.00	114	CAM-148D/3-TRIM-SBR	£200.00	£240.00	233	CAM-209S-LP-SBR	£250.00	£300.00	117
CAM-100/SB-SBR	£175.00	£210.00	114	CAM-148D-CP	£495.83	£595.00	212	CAM-209S-MB	£250.00	£300.00	117
CAM-100E/SB-CP	£241.67	£290.00	114	CAM-148D-MB	£512.50	£615.00	212	CAM-209S-MW	£250.00	£300.00	117
CAM-100E/SB-LP-CP	£241.67	£290.00	114	CAM-148D-MW	£512.50	£615.00	212	CAM-209S-SBR	£250.00	£300.00	117
CAM-100E/SB-LP-MB	£266.67	£320.00	114	CAM-148D-SBR	£512.50	£615.00	212	CAM-245A-CP	£183.33	£220.00	251
CAM-100E/SB-LP-MW	£266.67	£320.00	114	CAM-148D-TRIM-CP	£183.33	£220.00	242	CAM-245A-MB	£200.00	£240.00	251
CAM-100E/SB-LP-SBR	£266.67	£320.00	114	CAM-148D-TRIM-MB	£200.00	£240.00	242	CAM-245A-MW	£200.00	£240.00	251
CAM-100E/SB-MB	£266.67	£320.00	114	CAM-148D-TRIM-MW	£200.00	£240.00	242	CAM-245A-SBR	£200.00	£240.00	251
CAM-100E/SB-MW	£266.67	£320.00	114	CAM-148D-TRIM-SBR	£200.00	£240.00	242	CAM-247A-CP	£233.33	£280.00	251
CAM-100E/SB-SBR	£266.67	£320.00	114	CAM-149T-CP	£250.00	£300.00	246	CAM-247A-MB	£250.00	£300.00	251
CAM-100M/CC-CP	£166.67	£200.00	115	CAM-149T-MB	£275.00	£330.00	246	CAM-247A-MW	£250.00	£300.00	251
CAM-100M/CC-LP-CP	£166.67	£200.00	115	CAM-149T-MW	£275.00	£330.00	246	CAM-247A-SBR	£250.00	£300.00	251
CAM-100M/CC-LP-MB	£183.33	£220.00	115	CAM-149T-RRK-CP	£520.83	£625.00	180	CAM-BC12-GW	£333.33	£400.00	57
CAM-100M/CC-LP-MW	£183.33	£220.00	115	CAM-149T-RRK-MB	£579.17	£695.00	180	CAM-BC4L-GW	£100.00	£120.00	56
CAM-100M/CC-LP-SBR	£183.33	£220.00	115	CAM-149T-RRK-MW	£579.17	£695.00	180	CAM-BC4R-GW	£100.00	£120.00	56
CAM-100M/CC-MB	£183.33	£220.00	115	CAM-149T-RRK-SBR	£579.17	£695.00	180	CAM-BC5-GW	£120.83	£145.00	57
CAM-100M/CC-MW	£183.33	£220.00	115	CAM-149T-SBR	£275.00	£330.00	246	CAM-BC6-GW	£145.83	£175.00	57
CAM-100M/CC-SBR	£183.33	£220.00	115	CAM-150-CP	£275.00	£330.00	119	CAM-BC8-GW	£187.50	£225.00	57
CAM-109S-CP	£225.00	£270.00	115	CAM-150-CP	£275.00	£330.00	140	CAM-BC0-CP	£6.67	£8.00	44
CAM-109S-LP-CP	£225.00	£270.00	115	CAM-150-MB	£300.00	£360.00	119	CAM-BC0-CP	£6.67	£8.00	54
CAM-109S-LP-MB	£250.00	£300.00	115	CAM-150-MB	£300.00	£360.00	140	CAM-BC0-MB	£8.33	£10.00	44
CAM-109S-LP-MW	£250.00	£300.00	115	CAM-150-MW	£300.00	£360.00	119	CAM-BC0-MB	£8.33	£10.00	54
CAM-109S-LP-SBR	£250.00	£300.00	115	CAM-150-MW	£300.00	£360.00	140	CAM-BC0-MW	£8.33	£10.00	44
CAM-109S-MB	£250.00	£300.00	115	CAM-150-SBR	£300.00	£360.00	119	CAM-BC0-MW	£8.33	£10.00	54
CAM-109S-MW	£250.00	£300.00	115	CAM-150-SBR	£300.00	£360.00	140	CAM-BC0-PEW	£8.33	£10.00	44
CAM-109S-SBR	£250.00	£300.00	115	CAM-200/CC-CP	£175.00	£210.00	116	CAM-BC0-PEW	£8.33	£10.00	54
CAM-123T-CP	£300.00	£360.00	118	CAM-200/CC-LP-CP	£175.00	£210.00	116	CAM-BC0-SBR	£8.33	£10.00	44
CAM-123T-MB	£329.17	£395.00	118	CAM-200/CC-LP-MB	£191.67	£230.00	116	CAM-BC0-SBR	£8.33	£10.00	54
CAM-123T-MW	£329.17	£395.00	118	CAM-200/CC-LP-MW	£191.67	£230.00	116	CAM-BM12-AW	£416.67	£500.00	56
CAM-123T-SBR	£329.17	£395.00	118	CAM-200/CC-LP-SBR	£191.67	£230.00	116	CAM-BM12-CB	£500.00	£600.00	56
CAM-131T-CP	£350.00	£420.00	118	CAM-200/CC-MB	£191.67	£230.00	116	CAM-BM12-PC	£500.00	£600.00	56
CAM-131T-MB	£383.33	£460.00	118	CAM-200/CC-MW	£191.67	£230.00	116	CAM-BM4L-AW	£145.83	£175.00	55
CAM-131T-MW	£383.33	£460.00	118	CAM-200/CC-SBR	£191.67	£230.00	116	CAM-BM4L-CB	£183.33	£220.00	55
CAM-131T-SBR	£383.33	£460.00	118	CAM-200/SB-CP	£158.33	£190.00	116	CAM-BM4L-PC	£183.33	£220.00	55
CAM-137-CP	£283.33	£340.00	118	CAM-200/SB-MB	£175.00	£210.00	116	CAM-BM4R-AW	£145.83	£175.00	55
CAM-137-MB	£312.50	£375.00	118	CAM-200/SB-MW	£175.00	£210.00	116	CAM-BM4R-CB	£183.33	£220.00	55
CAM-137-MW	£312.50	£375.00	118	CAM-200/SB-SBR	£175.00	£210.00	116	CAM-BM4R-PC	£183.33	£220.00	55
CAM-137-SBR	£312.50	£375.00	118	CAM-200E/SB-CP	£241.67	£290.00	116	CAM-BM5-AW	£208.33	£250.00	55
CAM-140-CP	£83.33	£100.00	119	CAM-200E/SB-LP-CP	£241.67	£290.00	116	CAM-BM5-CB	£233.33	£280.00	55
CAM-140-MB	£91.67	£110.00	119	CAM-200E/SB-LP-MB	£266.67	£320.00	116	CAM-BM5-PC	£233.33	£280.00	55
CAM-140-MW	£91.67	£110.00	119	CAM-200E/SB-LP-MW	£266.67	£320.00	116	CAM-BM6-AW	£250.00	£300.00	55
CAM-140-SBR	£91.67	£110.00	119	CAM-200E/SB-LP-SBR	£266.67	£320.00	116	CAM-BM6-CB	£300.00	£360.00	55
CAM-148D/2-CP	£562.50	£675.00	212	CAM-200E/SB-MB	£266.67	£320.00	116	CAM-BM6-PC	£300.00	£360.00	55
CAM-148D/2-MB	£579.17	£695.00	212	CAM-200E/SB-MW	£266.67	£320.00	116	CAM-BM8-AW	£291.67	£350.00	56
CAM-148D/2-MW	£579.17	£695.00	212	CAM-200E/SB-SBR	£266.67	£320.00	116	CAM-BM8-CB	£350.00	£420.00	56
CAM-148D/2-SBR	£579.17	£695.00	212	CAM-200M/CC-CP	£166.67	£200.00	117	CAM-BM8-PC	£350.00	£420.00	56
CAM-148D/2-TRIM-CP	£183.33	£220.00	238	CAM-200M/CC-LP-CP	£166.67	£200.00	117	CAM-BMO-CP	£8.33	£10.00	44
CAM-148D/2-TRIM-MB	£200.00	£240.00	238	CAM-200M/CC-LP-MB	£183.33	£220.00	117	CAM-BMO-CP	£8.33	£10.00	54
CAM-148D/2-TRIM-MW	£200.00	£240.00	238	CAM-200M/CC-LP-MW	£183.33	£220.00	117	CAM-BMO-MB	£10.00	£12.00	44
CAM-148D/2-TRIM-SBR	£200.00	£240.00	238	CAM-200M/CC-LP-SBR	£183.33	£220.00	117	CAM-BMO-MB	£10.00	£12.00	54
CAM-148D/3-CP	£579.17	£695.00	212	CAM-200M/CC-MB	£183.33	£220.00	117	CAM-BMO-MW	£10.00	£12.00	44
CAM-148D/3-MB	£595.83	£715.00	212	CAM-200M/CC-MW	£183.33	£220.00	117	CAM-BMO-MW	£10.00	£12.00	54
CAM-148D/3-MW	£595.83	£715.00	212	CAM-200M/CC-SBR	£183.33	£220.00	117	CAM-BMO-PEW	£10.00	£12.00	44
CAM-148D/3-SBR	£595.83	£715.00	212	CAM-209S-CP	£225.00	£270.00	117	CAM-BMO-PEW	£10.00	£12.00	54

VADO price list

product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page
CAM-BMO-SBR	£10.00	£12.00	44	CAM-HAN4R-CP	£20.83	£25.00	53	CAM-M6I-SQ-MW	£333.33	£400.00	330
CAM-BMO-SBR	£10.00	£12.00	54	CAM-HAN4R-MB	£25.00	£30.00	53	CAM-M6I-SQ-SBR	£333.33	£400.00	330
CAM-BMOV-AW	£166.67	£200.00	58	CAM-HAN4R-MW	£25.00	£30.00	53	CAM-M6I-SQ-SC	£333.33	£400.00	330
CAM-BMOV-CB	£187.50	£225.00	58	CAM-HAN4R-SBR	£25.00	£30.00	53	CAM-M8I-RO-MB	£333.33	£400.00	329
CAM-BMOV-GW	£150.00	£180.00	58	CAM-HAN5-CP	£25.00	£30.00	53	CAM-M8I-RO-MW	£333.33	£400.00	329
CAM-BMOV-PC	£187.50	£225.00	58	CAM-HAN5-MB	£29.17	£35.00	53	CAM-M8I-RO-PEW	£333.33	£400.00	329
CAM-BMRO-AW	£145.83	£175.00	58	CAM-HAN5-MW	£29.17	£35.00	53	CAM-M8I-RO-SBR	£333.33	£400.00	329
CAM-BMRO-CB	£166.67	£200.00	58	CAM-HAN5-SBR	£29.17	£35.00	53	CAM-M8I-RO-SC	£333.33	£400.00	329
CAM-BMRO-GW	£133.33	£160.00	58	CAM-HAN6-CP	£29.17	£35.00	53	CAM-M8I-SQ-MB	£458.33	£550.00	330
CAM-BMRO-PC	£166.67	£200.00	58	CAM-HAN6-MB	£33.33	£40.00	53	CAM-M8I-SQ-MW	£458.33	£550.00	330
CAM-F1200-AB	£833.33	£1,000.00	52	CAM-HAN6-MW	£33.33	£40.00	53	CAM-M8I-SQ-SBR	£458.33	£550.00	330
CAM-F1200-AW	£833.33	£1,000.00	52	CAM-HAN6-SBR	£33.33	£40.00	53	CAM-M8I-SQ-SC	£458.33	£550.00	330
CAM-F1200-CB	£833.33	£1,000.00	52	CAM-HAN8-CP	£37.50	£45.00	54	CAM-MFSRK-CP	£150.00	£180.00	260
CAM-F1200-NO	£833.33	£1,000.00	52	CAM-HAN8-MB	£41.67	£50.00	54	CAM-MFSRK-CP	£150.00	£180.00	265
CAM-F1200-PC	£833.33	£1,000.00	52	CAM-HAN8-MW	£41.67	£50.00	54	CAM-MFSRK-MB	£166.67	£200.00	260
CAM-F400FM-AB	£291.67	£350.00	51	CAM-HAN8-SBR	£41.67	£50.00	54	CAM-MFSRK-MB	£166.67	£200.00	265
CAM-F400FM-AW	£291.67	£350.00	51	CAM-HANB-CP	£15.00	£18.00	53	CAM-MFSRK-MW	£166.67	£200.00	260
CAM-F400FM-CB	£291.67	£350.00	51	CAM-HANB-MB	£16.67	£20.00	53	CAM-MFSRK-MW	£166.67	£200.00	265
CAM-F400FM-NO	£291.67	£350.00	51	CAM-HANB-MW	£16.67	£20.00	53	CAM-MFSRK-SBR	£166.67	£200.00	260
CAM-F400FM-PC	£291.67	£350.00	51	CAM-HANB-SBR	£16.67	£20.00	53	CAM-MFSRK-SBR	£166.67	£200.00	265
CAM-F400WH-AB	£229.17	£275.00	51	CAM-HANK-CP	£12.50	£15.00	53	CAM-OUTLET-CP	£58.33	£70.00	261
CAM-F400WH-AW	£229.17	£275.00	51	CAM-HANK-MB	£15.00	£18.00	53	CAM-OUTLET-CP	£58.33	£70.00	291
CAM-F400WH-CB	£229.17	£275.00	51	CAM-HANK-MW	£15.00	£18.00	53	CAM-OUTLET-MB	£62.50	£75.00	261
CAM-F400WH-NO	£229.17	£275.00	51	CAM-HANK-SBR	£15.00	£18.00	53	CAM-OUTLET-MB	£62.50	£75.00	291
CAM-F400WH-PC	£229.17	£275.00	51	CAM-HEAD/SA-CP	£150.00	£180.00	261	CAM-OUTLET-MW	£62.50	£75.00	261
CAM-F500-AB	£416.67	£500.00	51	CAM-HEAD/SA-CP	£150.00	£180.00	280	CAM-OUTLET-MW	£62.50	£75.00	291
CAM-F500-AW	£416.67	£500.00	51	CAM-HEAD/SA-MB	£166.67	£200.00	261	CAM-OUTLET-SBR	£62.50	£75.00	261
CAM-F500-CB	£416.67	£500.00	51	CAM-HEAD/SA-MB	£166.67	£200.00	280	CAM-OUTLET-SBR	£62.50	£75.00	291
CAM-F500-NO	£416.67	£500.00	51	CAM-HEAD/SA-MW	£166.67	£200.00	261	CAM-SFMK-CP	£83.33	£100.00	261
CAM-F500-PC	£416.67	£500.00	51	CAM-HEAD/SA-MW	£166.67	£200.00	280	CAM-SFMK-CP	£83.33	£100.00	274
CAM-F600-AB	£458.33	£550.00	51	CAM-HEAD/SA-SBR	£166.67	£200.00	261	CAM-SFMK-MB	£91.67	£110.00	261
CAM-F600-AW	£458.33	£550.00	51	CAM-HEAD/SA-SBR	£166.67	£200.00	280	CAM-SFMK-MB	£91.67	£110.00	274
CAM-F600-CB	£458.33	£550.00	51	CAM-LEGS-FRONT-AB	£108.33	£130.00	52	CAM-SFMK-MW	£91.67	£110.00	261
CAM-F600-NO	£458.33	£550.00	51	CAM-LEGS-FRONT-AW	£108.33	£130.00	52	CAM-SFMK-MW	£91.67	£110.00	274
CAM-F600-PC	£458.33	£550.00	51	CAM-LEGS-FRONT-CB	£108.33	£130.00	52	CAM-SFMK-SBR	£91.67	£110.00	261
CAM-F800-AB	£583.33	£700.00	52	CAM-LEGS-FRONT-MB	£108.33	£130.00	52	CAM-SFMK-SBR	£91.67	£110.00	274
CAM-F800-AW	£583.33	£700.00	52	CAM-LEGS-FRONT-PC	£108.33	£130.00	52	CAM-SFMKWO-CP	£116.67	£140.00	260
CAM-F800-CB	£583.33	£700.00	52	CAM-LEGS-REAR-AB	£83.33	£100.00	52	CAM-SFMKWO-CP	£116.67	£140.00	275
CAM-F800-NO	£583.33	£700.00	52	CAM-LEGS-REAR-AW	£83.33	£100.00	52	CAM-SFMKWO-MB	£133.33	£160.00	260
CAM-F800-PC	£583.33	£700.00	52	CAM-LEGS-REAR-CB	£83.33	£100.00	52	CAM-SFMKWO-MB	£133.33	£160.00	275
CAM-FBTW-AB	£270.83	£325.00	147	CAM-LEGS-REAR-MB	£83.33	£100.00	52	CAM-SFMKWO-MW	£133.33	£160.00	260
CAM-FBTW-AW	£270.83	£325.00	147	CAM-LEGS-REAR-PC	£83.33	£100.00	52	CAM-SFMKWO-MW	£133.33	£160.00	275
CAM-FBTW-CB	£270.83	£325.00	147	CAM-M5I-RO-MB	£250.00	£300.00	329	CAM-SFMKWO-SBR	£133.33	£160.00	260
CAM-FBTW-NO	£270.83	£325.00	147	CAM-M5I-RO-MW	£250.00	£300.00	329	CAM-SFMKWO-SBR	£133.33	£160.00	275
CAM-FBTW-PC	£270.83	£325.00	147	CAM-M5I-RO-PEW	£250.00	£300.00	329	CAM-SP-TSHP-CP	£12.50	£15.00	148
CAM-HAN12L-CP	£29.17	£35.00	54	CAM-M5I-RO-SBR	£250.00	£300.00	329	CAM-TS1-RO	£62.50	£75.00	148
CAM-HAN12L-MB	£33.33	£40.00	54	CAM-M5I-RO-SC	£250.00	£300.00	329	CAM-TS2-RO	£62.50	£75.00	148
CAM-HAN12L-MW	£33.33	£40.00	54	CAM-M5I-SQ-MB	£291.67	£350.00	330	CAM-TS3-SQ	£62.50	£75.00	148
CAM-HAN12L-SBR	£33.33	£40.00	54	CAM-M5I-SQ-MW	£291.67	£350.00	330	CAM-TS4-RO-AW	£62.50	£75.00	148
CAM-HAN12R-CP	£29.17	£35.00	54	CAM-M5I-SQ-SBR	£291.67	£350.00	330	CAM-TSHC-MB	£8.33	£10.00	148
CAM-HAN12R-MB	£33.33	£40.00	54	CAM-M5I-SQ-SC	£291.67	£350.00	330	CAM-TSHC-MW	£8.33	£10.00	148
CAM-HAN12R-MW	£33.33	£40.00	54	CAM-M6I-RO-MB	£291.67	£350.00	329	CAM-TSHC-PEW	£8.33	£10.00	148
CAM-HAN12R-SBR	£33.33	£40.00	54	CAM-M6I-RO-MW	£291.67	£350.00	329	CAM-TSHC-SBR	£8.33	£10.00	148
CAM-HAN4L-CP	£20.83	£25.00	53	CAM-M6I-RO-PEW	£291.67	£350.00	329	CAM-WC-BTW-RO	£229.17	£275.00	146
CAM-HAN4L-MB	£25.00	£30.00	53	CAM-M6I-RO-SBR	£291.67	£350.00	329	CAM-WC-BTW-RO-AW	£416.67	£500.00	147
CAM-HAN4L-MW	£25.00	£30.00	53	CAM-M6I-RO-SC	£291.67	£350.00	329	CAM-WC-BTW-SQ	£229.17	£275.00	147
CAM-HAN4L-SBR	£25.00	£30.00	53	CAM-M6I-SQ-MB	£333.33	£400.00	330	CAM-WC-WH-RO	£208.33	£250.00	146

product code	ex-vat	inc-vat	page
CAM-WC-WH-RO-AW	£375.00	£450.00	146
CAM-WC-WH-SQ	£208.33	£250.00	146
CAM-WT12-AW	£291.67	£350.00	58
CAM-WT12-CB	£333.33	£400.00	58
CAM-WT12-GW	£270.83	£325.00	58
CAM-WT12-PC	£333.33	£400.00	58
CAM-WT6-AW	£170.83	£205.00	58
CAM-WT6-CB	£208.33	£250.00	58
CAM-WT6-GW	£154.17	£185.00	58
CAM-WT6-PC	£208.33	£250.00	58
CAM-WT8-AW	£208.33	£250.00	58
CAM-WT8-CB	£250.00	£300.00	58
CAM-WT8-GW	£187.50	£225.00	58
CAM-WT8-PC	£250.00	£300.00	58
CEL-123T-C/P	£304.17	£365.00	96
CEL-128D/2-C/P	£625.00	£750.00	207
CEL-128D/2-TRIM-C/P	£200.00	£240.00	244
CEL-131T+K-C/P	£391.67	£470.00	96
CEL-131T+SRK-C/P	£370.83	£445.00	174
CEL-131T-C/P	£345.83	£415.00	96
CEL-148D/2/RO-C/P	£562.50	£675.00	206
CEL-148D/2/RO-TRIM	£183.33	£220.00	238
CEL-148D/2/SQ-C/P	£562.50	£675.00	207
CEL-148D/2/SQ-TRIM	£183.33	£220.00	238
CEL-148D/3/RO-C/P	£579.17	£695.00	206
CEL-148D/3/RO-TRIM	£183.33	£220.00	234
CEL-148D/3/SQ-C/P	£579.17	£695.00	207
CEL-148D/3/SQ-TRIM	£183.33	£220.00	234
CEL-148D/RO-C/P	£495.83	£595.00	206
CEL-148D/RO-TRIM-C/P	£183.33	£220.00	242
CEL-148D/SQ-C/P	£495.83	£595.00	207
CEL-148D/SQ-TRIM-C/P	£183.33	£220.00	242
CEL-149-1/2-C/P	£266.67	£320.00	247
CEL-1701-1/2-11-C/P	£412.50	£495.00	173
CEL-1701-1/2-ORA-CP	£400.00	£480.00	172
CEL-1701-3/4-11-C/P	£483.33	£580.00	173
CON-BV028D/2-BR	£425.00	£510.00	244
CON-BV048D/2-BR	£379.17	£455.00	236
CON-BV048D/3-BR	£395.83	£475.00	232
CON-BV048D-BR	£312.50	£375.00	240
CUC-1004-C/P	£191.67	£230.00	139
CUC-1006-C/P	£300.00	£360.00	139
CUC-1007-C/P	£300.00	£360.00	140
CUC-1008-S/S	£208.33	£250.00	137
CUC-1009-S/S	£208.33	£250.00	137
CUC-1060-C/P	£191.67	£230.00	140
CUC-1061-C/P	£383.33	£460.00	138
CUC-1062-S/S	£300.00	£360.00	137
CUC-1063-S/S	£300.00	£360.00	137
CUC-3001-C/P	£266.67	£320.00	138
CUC-3002-C/P	£250.00	£300.00	138
CUC-3003-C/P	£383.33	£460.00	138

D

DX-17120-CELRO-CP	£641.67	£770.00	171
DX-17120-CELSQ-CP	£641.67	£770.00	172
DX-172250-CELRO-CP	£825.00	£990.00	170

product code	ex-vat	inc-vat	page
DX-172250-LIF-CP	£1,025.00	£1,230.00	171
DX-172250-NOT-CP	£937.50	£1,125.00	170
DX-172251-CELRO-CP	£770.83	£925.00	169
DX-172251-CELSQ-CP	£770.83	£925.00	168
DX-172251-LIF-CP	£937.50	£1,125.00	167
DX-172251-MIX-CP	£866.67	£1,040.00	168
DX-172251-PHA-CP	£862.50	£1,035.00	169
DX-172252-CELSQ-CP	£941.67	£1,130.00	167
DX-173252-CELSQ-CP	£1,008.33	£1,210.00	166
DX-174251-CELSQ-CP	£825.00	£990.00	166

E

EDI-100/CC-C/P	£250.00	£300.00	88
EDI-100/SB-C/P	£233.33	£280.00	88
EDI-100E/SB-C/P	£300.00	£360.00	89
EDI-100M/CC-CP	£216.67	£260.00	89
EDI-100M/CC-CP	£216.67	£260.00	89
EDI-109S/A-C/P	£333.33	£400.00	89
EDI-130+K-CP	£366.67	£440.00	90
EDI-137-CP	£316.67	£380.00	90
EDI-140-C/P	£150.00	£180.00	90
EDI-145A-C/P	£183.33	£220.00	249
EDI-147A-C/P	£250.00	£300.00	249
ELA-150S-C/P	£191.67	£230.00	140
ELE-128D/2-C/P	£625.00	£750.00	204
ELE-128D/2-TRIM-C/P	£200.00	£240.00	244
ELE-148D/2/SQ-CP	£562.50	£675.00	204
ELE-148D/2-C/P	£562.50	£675.00	203
ELE-148D/2-TRIM-C/P	£183.33	£220.00	236
ELE-148D/3/SQ-CP	£579.17	£695.00	204
ELE-148D/3-C/P	£579.17	£695.00	203
ELE-148D/3-TRIM-C/P	£183.33	£220.00	232
ELE-148D/SQ-CP	£495.83	£595.00	204
ELE-148D/SQ-TRIM-CP	£183.33	£220.00	241
ELE-148D2/SQ-TRIM-CP	£183.33	£220.00	237
ELE-148D3/SQ-TRIM-CP	£183.33	£220.00	232
ELE-148D-C/P	£495.83	£595.00	203
ELE-148D-TRIM-C/P	£183.33	£220.00	240
ELE-180A-C/P	£62.50	£75.00	299
ELE-180-C/P	£54.17	£65.00	299
ELE-180S-C/P	£62.50	£75.00	301
ELE-181-C/P	£62.50	£75.00	300
ELE-182A-C/P	£62.50	£75.00	301
ELE-182B-C/P	£79.17	£95.00	300
ELE-182-C/P	£54.17	£65.00	299
ELE-183-C/P	£54.17	£65.00	300
ELE-184-45-C/P	£70.83	£85.00	301
ELE-184-C/P	£79.17	£95.00	301
ELE-185-C/P	£70.83	£85.00	301
ELE-186-C/P	£37.50	£45.00	300
ELE-188-C/P	£104.17	£125.00	300
ELE-CMA/12IN-C/P	£79.17	£95.00	286
ELE-CMA/4IN-C/P	£54.17	£65.00	259
ELE-CMA/4IN-MB	£58.33	£70.00	259
ELE-CMA/4IN-PEW	£58.33	£70.00	259
ELE-CMA/4IN-SBR	£58.33	£70.00	259
ELE-CMA/6IN-C/P	£62.50	£75.00	286

product code	ex-vat	inc-vat	page
ELE-OUTLET2-CP	£54.17	£65.00	290
ELE-OUTLETBRACK3-CP	£70.83	£85.00	291
ELE-SR/900-C/P	£125.00	£150.00	289
ELW-100F/CC-C/P	£245.83	£295.00	99
ELW-100F/SB-C/P	£229.17	£275.00	99
ELW-101F-C/P	£333.33	£400.00	99
ELW-109FLA-C/P	£333.33	£400.00	100
ELW-126L-3/4-C/P	£366.67	£440.00	101
ELW-135/NH-CP	£366.67	£440.00	101
ELW-230+K-CP	£366.67	£440.00	100
ELW-237-CP	£312.50	£375.00	100
ERI-HANDSET/MF-DB-CP	£37.50	£45.00	271
ERI-HANDSET/SF-DB-CP	£29.17	£35.00	272
ERI-MFSRK-DB-C/P	£83.33	£100.00	267
ERI-SFMK-C/P	£54.17	£65.00	274
ERI-SFSRK-DB-C/P	£66.67	£80.00	269
EVO-HANDSET/MF-DB-CP	£45.83	£55.00	271
EVO-MFSRK/B-DB-C/P	£166.67	£200.00	267
EVO-MFSRK-DB-C/P	£166.67	£200.00	267
EVO-MFSRKWO-CP	£200.00	£240.00	264

F

FR-100/5-B-PLA	£11.67	£14.00	334
FR-100/5-PLA	£11.67	£14.00	334
FR-106/4-PLA	£8.33	£10.00	334
FR-106/5-PLA	£8.33	£10.00	334
FR-106/6-PLA	£8.33	£10.00	334
FR-106/9-PLA	£8.33	£10.00	334
FR-FLEXI/5-PLA	£8.33	£10.00	334
FR-FLEXI/8-PLA	£8.33	£10.00	334
FR-FLEXI/9-PLA	£8.33	£10.00	334
FR-SHOWER/6-C/P	£13.33	£16.00	334
FR-SHOWER/9-C/P	£13.33	£16.00	334
FR-SHOWER/9-PLA	£8.33	£10.00	334

I

IND-1389-RO-BGM	£108.33	£130.00	155
IND-1389-RO-BLK	£108.33	£130.00	155
IND-1389-RO-BRG	£108.33	£130.00	155
IND-1389-RO-BRN	£108.33	£130.00	155
IND-1389-RO-BRZ	£108.33	£130.00	155
IND-1389-RO-PB	£108.33	£130.00	155
IND-149RRK-RO-BGM	£687.50	£825.00	178
IND-149RRK-RO-BLK	£687.50	£825.00	178
IND-149RRK-RO-BRG	£687.50	£825.00	178
IND-149RRK-RO-BRN	£687.50	£825.00	178
IND-149RRK-RO-BRZ	£687.50	£825.00	178
IND-18501-BGM	£66.67	£80.00	325
IND-18501-BLK	£66.67	£80.00	325
IND-18501-BRG	£66.67	£80.00	325
IND-18501-BRN	£66.67	£80.00	325
IND-18501-BRZ	£66.67	£80.00	325
IND-195-RO-BGM	£87.50	£105.00	142
IND-195-RO-BLK	£87.50	£105.00	142
IND-195-RO-BRG	£87.50	£105.00	142
IND-195-RO-BRN	£87.50	£105.00	142
IND-195-RO-BRZ	£87.50	£105.00	142

VADO price list

product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page
IND-195-SQ-BGM	£87.50	£105.00	142	IND-EDI100M/SB-BRN	£270.83	£325.00	89	IND-ELW109FLA-BRN	£416.67	£500.00	100
IND-195-SQ-BLK	£87.50	£105.00	142	IND-EDI100M/SB-BRZ	£270.83	£325.00	89	IND-ELW109FLA-BRZ	£416.67	£500.00	100
IND-195-SQ-BRG	£87.50	£105.00	142	IND-EDI109S/A-BGM	£416.67	£500.00	89	IND-ELW237-BGM	£395.83	£475.00	100
IND-195-SQ-BRN	£87.50	£105.00	142	IND-EDI109S/A-BLK	£416.67	£500.00	89	IND-ELW237-BLK	£395.83	£475.00	100
IND-195-SQ-BRZ	£87.50	£105.00	142	IND-EDI109S/A-BRG	£416.67	£500.00	89	IND-ELW237-BRG	£395.83	£475.00	100
IND-230-BGM	£45.83	£55.00	150	IND-EDI109S/A-BRN	£416.67	£500.00	89	IND-ELW237-BRN	£395.83	£475.00	100
IND-230-BLK	£45.83	£55.00	150	IND-EDI109S/A-BRZ	£416.67	£500.00	89	IND-ELW237-BRZ	£395.83	£475.00	100
IND-230-BRG	£45.83	£55.00	150	IND-EDI137-BGM	£395.83	£475.00	90	IND-IRDSPOUT-BGM	£416.67	£500.00	135
IND-230-BRN	£45.83	£55.00	150	IND-EDI137-BLK	£395.83	£475.00	90	IND-IRDSPOUT-BLK	£416.67	£500.00	135
IND-230-BRZ	£45.83	£55.00	150	IND-EDI137-BRG	£395.83	£475.00	90	IND-IRDSPOUT-BRG	£416.67	£500.00	135
IND-2389-RO-BGM	£195.83	£235.00	156	IND-EDI137-BRN	£395.83	£475.00	90	IND-IRDSPOUT-BRN	£416.67	£500.00	135
IND-2389-RO-BLK	£195.83	£235.00	156	IND-EDI137-BRZ	£395.83	£475.00	90	IND-IRDSPOUT-BRZ	£416.67	£500.00	135
IND-2389-RO-BRG	£195.83	£235.00	156	IND-EDI140-BGM	£145.83	£175.00	90	IND-IRWSPOUT-BGM	£416.67	£500.00	135
IND-2389-RO-BRN	£195.83	£235.00	156	IND-EDI140-BLK	£145.83	£175.00	90	IND-IRWSPOUT-BLK	£416.67	£500.00	135
IND-2389-RO-BRZ	£195.83	£235.00	156	IND-EDI140-BRG	£145.83	£175.00	90	IND-IRWSPOUT-BRG	£416.67	£500.00	135
IND-395-BGM	£66.67	£80.00	152	IND-EDI140-BRN	£145.83	£175.00	90	IND-IRWSPOUT-BRN	£416.67	£500.00	135
IND-395-BLK	£66.67	£80.00	152	IND-EDI140-BRZ	£145.83	£175.00	90	IND-IRWSPOUT-BRZ	£416.67	£500.00	135
IND-395-BRG	£66.67	£80.00	152	IND-EDI145A-BGM	£229.17	£275.00	249	IND-NOT109FS/A-BGM	£416.67	£500.00	86
IND-395-BRN	£66.67	£80.00	152	IND-EDI145A-BLK	£229.17	£275.00	249	IND-NOT109FS/A-BLK	£416.67	£500.00	86
IND-395-BRZ	£66.67	£80.00	152	IND-EDI145A-BRG	£229.17	£275.00	249	IND-NOT109FS/A-BRG	£416.67	£500.00	86
IND-395CAP/SQ-BGM	£25.00	£30.00	153	IND-EDI145A-BRN	£229.17	£275.00	249	IND-NOT109FS/A-BRN	£416.67	£500.00	86
IND-395CAP/SQ-BLK	£25.00	£30.00	153	IND-EDI145A-BRZ	£229.17	£275.00	249	IND-NOT109FS/A-BRZ	£416.67	£500.00	86
IND-395CAP/SQ-BRG	£25.00	£30.00	153	IND-EDI147A-BGM	£312.50	£375.00	249	IND-NOT145A-BLK	£229.17	£275.00	249
IND-395CAP/SQ-BRN	£25.00	£30.00	153	IND-EDI147A-BLK	£312.50	£375.00	249	IND-NOT145A-BRG	£229.17	£275.00	249
IND-395CAP/SQ-BRZ	£25.00	£30.00	153	IND-EDI147A-BRG	£312.50	£375.00	249	IND-NOT145A-BRN	£229.17	£275.00	249
IND-395-PB	£66.67	£80.00	152	IND-EDI147A-BRN	£312.50	£375.00	249	IND-NOT145A-BRZ	£229.17	£275.00	249
IND-461/RO-BGM	£108.33	£130.00	152	IND-EDI147A-BRZ	£312.50	£375.00	249	IND-NOT147A-BGM	£312.50	£375.00	249
IND-461/RO-BLK	£108.33	£130.00	152	IND-EFSA/RO-BGM	£108.33	£130.00	285	IND-NOT147A-BLK	£312.50	£375.00	249
IND-461/RO-BRG	£108.33	£130.00	152	IND-EFSA/RO-BLK	£108.33	£130.00	285	IND-NOT147A-BRG	£312.50	£375.00	249
IND-461/RO-BRN	£108.33	£130.00	152	IND-EFSA/RO-BRG	£108.33	£130.00	285	IND-NOT147A-BRN	£312.50	£375.00	249
IND-461/RO-BRZ	£108.33	£130.00	152	IND-EFSA/RO-BRN	£108.33	£130.00	285	IND-NOT147A-BRZ	£312.50	£375.00	249
IND-461/RO-PB	£108.33	£130.00	152	IND-EFSA/RO-BRZ	£108.33	£130.00	285	IND-NOT200/SB-BGM	£291.67	£350.00	85
IND-81389/SQ-PB	£195.83	£235.00	154	IND-EFSA/SQ-BGM	£108.33	£130.00	285	IND-NOT200/SB-BLK	£291.67	£350.00	85
IND-CMA/RO/4IN-BGM	£87.50	£105.00	286	IND-EFSA/SQ-BLK	£108.33	£130.00	285	IND-NOT200/SB-BRG	£291.67	£350.00	85
IND-CMA/RO/4IN-BLK	£87.50	£105.00	286	IND-EFSA/SQ-BRG	£108.33	£130.00	285	IND-NOT200/SB-BRN	£291.67	£350.00	85
IND-CMA/RO/4IN-BRG	£87.50	£105.00	286	IND-EFSA/SQ-BRN	£108.33	£130.00	285	IND-NOT200/SB-BRZ	£291.67	£350.00	85
IND-CMA/RO/4IN-BRN	£87.50	£105.00	286	IND-EFSA/SQ-BRZ	£108.33	£130.00	285	IND-NOT233-BGM	£1,500.00	£1,800.00	86
IND-CMA/RO/4IN-BRZ	£87.50	£105.00	286	IND-EFSA/SQ-PB	£108.33	£130.00	263	IND-NOT233-BLK	£1,500.00	£1,800.00	86
IND-CMA/RO/4IN-PB	£87.50	£105.00	286	IND-EFSA/SQ-PB	£108.33	£130.00	284	IND-NOT233-BRG	£1,500.00	£1,800.00	86
IND-DCV-1/2-BGM	£25.00	£30.00	150	IND-ELE148D/2-BGM	£608.33	£730.00	203	IND-NOT233-BRN	£1,500.00	£1,800.00	86
IND-DCV-1/2-BLK	£25.00	£30.00	150	IND-ELE148D/2-BLK	£608.33	£730.00	203	IND-NOT233-BRZ	£1,500.00	£1,800.00	86
IND-DCV-1/2-BRG	£25.00	£30.00	150	IND-ELE148D/2-BRG	£608.33	£730.00	203	IND-OMI/HEAD-PB	£370.83	£445.00	263
IND-DCV-1/2-BRN	£25.00	£30.00	150	IND-ELE148D/2-BRN	£608.33	£730.00	203	IND-OMI/HEAD-PB	£370.83	£445.00	284
IND-DCV-1/2-BRZ	£25.00	£30.00	150	IND-ELE148D/2-BRZ	£608.33	£730.00	203	IND-OMI/SFMKWQ/A-PB	£270.83	£325.00	263
IND-EDI100/SB-BGM	£291.67	£350.00	88	IND-ELW100F/SB-BGM	£291.67	£350.00	99	IND-OMI/SFMKWQ/A-PB	£270.83	£325.00	274
IND-EDI100/SB-BLK	£291.67	£350.00	88	IND-ELW100F/SB-BLK	£291.67	£350.00	99	IND-OMI100/SB-PB	£354.17	£425.00	82
IND-EDI100/SB-BRG	£291.67	£350.00	88	IND-ELW100F/SB-BRG	£291.67	£350.00	99	IND-OMI109-PB	£458.33	£550.00	83
IND-EDI100/SB-BRN	£291.67	£350.00	88	IND-ELW100F/SB-BRN	£291.67	£350.00	99	IND-OMI133-PB	£1,562.50	£1,875.00	84
IND-EDI100/SB-BRZ	£291.67	£350.00	88	IND-ELW100F/SB-BRZ	£291.67	£350.00	99	IND-OMI180-PB	£133.33	£160.00	294
IND-EDI100E/SB-BGM	£375.00	£450.00	89	IND-ELW101F-BGM	£416.67	£500.00	99	IND-OMI181-PB	£133.33	£160.00	295
IND-EDI100E/SB-BLK	£375.00	£450.00	89	IND-ELW101F-BLK	£416.67	£500.00	99	IND-OMI184-45-PB	£216.67	£260.00	295
IND-EDI100E/SB-BRG	£375.00	£450.00	89	IND-ELW101F-BRG	£416.67	£500.00	99	IND-OMI185-20-PB	£241.67	£290.00	294
IND-EDI100E/SB-BRN	£375.00	£450.00	89	IND-ELW101F-BRN	£416.67	£500.00	99	IND-OMI185-50-PB	£412.50	£495.00	294
IND-EDI100E/SB-BRZ	£375.00	£450.00	89	IND-ELW101F-BRZ	£416.67	£500.00	99	IND-ORI140-BGM	£166.67	£200.00	95
IND-EDI100M/SB-BGM	£270.83	£325.00	89	IND-ELW109FLA-BGM	£416.67	£500.00	100	IND-ORI140-BLK	£166.67	£200.00	95
IND-EDI100M/SB-BLK	£270.83	£325.00	89	IND-ELW109FLA-BLK	£416.67	£500.00	100	IND-ORI140-BRG	£166.67	£200.00	95
IND-EDI100M/SB-BRG	£270.83	£325.00	89	IND-ELW109FLA-BRG	£416.67	£500.00	100	IND-ORI140-BRN	£166.67	£200.00	95

product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page
IND-ORI140-BRZ	£166.67	£200.00	95	IND-OUTLET/RO2-BLK	£66.67	£80.00	290	IND-SHA180-BRN	£83.33	£100.00	305
IND-ORI145A-BGM	£229.17	£275.00	250	IND-OUTLET/RO2-BRG	£66.67	£80.00	290	IND-SHA180-BRZ	£83.33	£100.00	305
IND-ORI145A-BLK	£229.17	£275.00	250	IND-OUTLET/RO2-BRN	£66.67	£80.00	290	IND-SHA181-BLK	£104.17	£125.00	307
IND-ORI145A-BRG	£229.17	£275.00	250	IND-OUTLET/RO2-BRZ	£66.67	£80.00	290	IND-SHA181-BRG	£104.17	£125.00	307
IND-ORI145A-BRN	£229.17	£275.00	250	IND-OUTLET/SQ-BGM	£66.67	£80.00	290	IND-SHA181-BRN	£104.17	£125.00	307
IND-ORI145A-BRZ	£229.17	£275.00	250	IND-OUTLET/SQ-BLK	£66.67	£80.00	290	IND-SHA181-BRZ	£104.17	£125.00	307
IND-ORI147A-BGM	£312.50	£375.00	250	IND-OUTLET/SQ-BRG	£66.67	£80.00	290	IND-SHA184-45-BGM	£145.83	£175.00	307
IND-ORI147A-BLK	£312.50	£375.00	250	IND-OUTLET/SQ-BRN	£66.67	£80.00	290	IND-SHA184-45-BLK	£145.83	£175.00	307
IND-ORI147A-BRG	£312.50	£375.00	250	IND-OUTLET/SQ-BRZ	£66.67	£80.00	290	IND-SHA184-45-BRG	£145.83	£175.00	307
IND-ORI147A-BRN	£312.50	£375.00	250	IND-PHO182A-BGM	£108.33	£130.00	320	IND-SHA184-45-BRN	£145.83	£175.00	307
IND-ORI147A-BRZ	£312.50	£375.00	250	IND-PHO182A-BLK	£108.33	£130.00	320	IND-SHA184-45-BRZ	£145.83	£175.00	307
IND-ORI200/SB-BGM	£291.67	£350.00	92	IND-PHO182A-BRG	£108.33	£130.00	320	IND-SHA186-BGM	£62.50	£75.00	306
IND-ORI200/SB-BGMK	£291.67	£350.00	92	IND-PHO182A-BRN	£108.33	£130.00	320	IND-SHA186-BLK	£62.50	£75.00	306
IND-ORI200/SB-BLK	£291.67	£350.00	92	IND-PHO182A-BRZ	£108.33	£130.00	320	IND-SHA186-BRG	£62.50	£75.00	306
IND-ORI200/SB-BLKK	£291.67	£350.00	92	IND-PHO185A-BGM	£154.17	£185.00	320	IND-SHA186-BRN	£62.50	£75.00	306
IND-ORI200/SB-BRG	£291.67	£350.00	92	IND-PHO185A-BLK	£154.17	£185.00	320	IND-SHA186-BRZ	£62.50	£75.00	306
IND-ORI200/SB-BRGK	£291.67	£350.00	92	IND-PHO185A-BRG	£154.17	£185.00	320	IND-SHA186-PB	£62.50	£75.00	306
IND-ORI200/SB-BRN	£291.67	£350.00	92	IND-PHO185A-BRN	£154.17	£185.00	320	IND-SHATTAF/163-BGM	£354.17	£425.00	151
IND-ORI200/SB-BRNK	£291.67	£350.00	92	IND-PHO185A-BRZ	£154.17	£185.00	320	IND-SHATTAF/163-BLK	£354.17	£425.00	151
IND-ORI200/SB-BRZ	£291.67	£350.00	92	IND-RQ/20-BGM	£195.83	£235.00	281	IND-SHATTAF/163-BRG	£354.17	£425.00	151
IND-ORI200/SB-BRZK	£291.67	£350.00	92	IND-RQ/20-BLK	£195.83	£235.00	281	IND-SHATTAF/163-BRN	£354.17	£425.00	151
IND-ORI200E/SB-BGM	£375.00	£450.00	93	IND-RQ/20-BRG	£195.83	£235.00	281	IND-SHATTAF/163-BRZ	£354.17	£425.00	151
IND-ORI200E/SB-BGMK	£375.00	£450.00	93	IND-RQ/20-BRN	£195.83	£235.00	281	IND-SHATTAF-BGM	£154.17	£185.00	151
IND-ORI200E/SB-BLK	£375.00	£450.00	93	IND-RQ/20-BRZ	£195.83	£235.00	281	IND-SHATTAF-BLK	£154.17	£185.00	151
IND-ORI200E/SB-BLKK	£375.00	£450.00	93	IND-RQ/25-BGM	£262.50	£315.00	281	IND-SHATTAF-BRG	£154.17	£185.00	151
IND-ORI200E/SB-BRG	£375.00	£450.00	93	IND-RQ/25-BLK	£262.50	£315.00	281	IND-SHATTAF-BRN	£154.17	£185.00	151
IND-ORI200E/SB-BRGK	£375.00	£450.00	93	IND-RQ/25-BRG	£262.50	£315.00	281	IND-SHATTAF-BRZ	£154.17	£185.00	151
IND-ORI200E/SB-BRN	£375.00	£450.00	93	IND-RQ/25-BRN	£262.50	£315.00	281	IND-SPA1801-30-BGM	£87.50	£105.00	297
IND-ORI200E/SB-BRNK	£375.00	£450.00	93	IND-RQ/25-BRZ	£262.50	£315.00	281	IND-SPA1801-30-BLK	£87.50	£105.00	297
IND-ORI200E/SB-BRZ	£375.00	£450.00	93	IND-RQ/30-BGM	£325.00	£390.00	281	IND-SPA1801-30-BRG	£87.50	£105.00	297
IND-ORI200E/SB-BRZK	£375.00	£450.00	93	IND-RQ/30-BLK	£325.00	£390.00	281	IND-SPA1801-30-BRN	£87.50	£105.00	297
IND-ORI209SA-BGM	£395.83	£475.00	93	IND-RQ/30-BRG	£325.00	£390.00	281	IND-SPA1801-30-BRZ	£87.50	£105.00	297
IND-ORI209SA-BGMK	£395.83	£475.00	93	IND-RQ/30-BRN	£325.00	£390.00	281	IND-SPA180-BGM	£66.67	£80.00	296
IND-ORI209SA-BLK	£395.83	£475.00	93	IND-RQ/30-BRZ	£325.00	£390.00	281	IND-SPA180-BGMK	£66.67	£80.00	292
IND-ORI209SA-BLKK	£395.83	£475.00	93	IND-SFMKWO/RO-BGM	£175.00	£210.00	276	IND-SPA180-BLK	£66.67	£80.00	296
IND-ORI209SA-BRG	£395.83	£475.00	93	IND-SFMKWO/RO-BLK	£175.00	£210.00	276	IND-SPA180-BLKK	£66.67	£80.00	292
IND-ORI209SA-BRGK	£395.83	£475.00	93	IND-SFMKWO/RO-BRG	£175.00	£210.00	276	IND-SPA180-BRG	£66.67	£80.00	296
IND-ORI209SA-BRN	£395.83	£475.00	93	IND-SFMKWO/RO-BRN	£175.00	£210.00	276	IND-SPA180-BRGK	£66.67	£80.00	292
IND-ORI209SA-BRNK	£395.83	£475.00	93	IND-SFMKWO/RO-BRZ	£175.00	£210.00	276	IND-SPA180-BRN	£66.67	£80.00	296
IND-ORI209SA-BRZ	£395.83	£475.00	93	IND-SFMKWO/SQ-BGM	£175.00	£210.00	276	IND-SPA180-BRNK	£66.67	£80.00	292
IND-ORI209SA-BRZK	£395.83	£475.00	93	IND-SFMKWO/SQ-BLK	£175.00	£210.00	276	IND-SPA180-BRZ	£66.67	£80.00	296
IND-ORI233A-BGM	£1,062.50	£1,275.00	97	IND-SFMKWO/SQ-BRG	£175.00	£210.00	276	IND-SPA180-BRZK	£66.67	£80.00	292
IND-ORI233A-BLK	£1,062.50	£1,275.00	97	IND-SFMKWO/SQ-BRN	£175.00	£210.00	276	IND-SPA184-45-BGM	£87.50	£105.00	298
IND-ORI233A-BRG	£1,062.50	£1,275.00	97	IND-SFMKWO/SQ-BRZ	£175.00	£210.00	276	IND-SPA184-45-BGMK	£87.50	£105.00	292
IND-ORI233A-BRN	£1,062.50	£1,275.00	97	IND-SFSRK/RO-ATM-BGM	£250.00	£300.00	269	IND-SPA184-45-BLK	£87.50	£105.00	298
IND-ORI233A-BRZ	£1,062.50	£1,275.00	97	IND-SFSRK/RO-ATM-BLK	£250.00	£300.00	269	IND-SPA184-45-BLKK	£87.50	£105.00	292
IND-ORI237-BGM	£395.83	£475.00	94	IND-SFSRK/RO-ATM-BRG	£250.00	£300.00	269	IND-SPA184-45-BRG	£87.50	£105.00	298
IND-ORI237-BGMK	£395.83	£475.00	94	IND-SFSRK/RO-ATM-BRN	£250.00	£300.00	269	IND-SPA184-45-BRGK	£87.50	£105.00	292
IND-ORI237-BLK	£395.83	£475.00	94	IND-SFSRK/RO-ATM-BRZ	£250.00	£300.00	269	IND-SPA184-45-BRN	£87.50	£105.00	298
IND-ORI237-BLKK	£395.83	£475.00	94	IND-SFSRK/SQ-BGM	£250.00	£300.00	268	IND-SPA184-45-BRNK	£87.50	£105.00	292
IND-ORI237-BRG	£395.83	£475.00	94	IND-SFSRK/SQ-BLK	£250.00	£300.00	268	IND-SPA184-45-BRZ	£87.50	£105.00	298
IND-ORI237-BRGK	£395.83	£475.00	94	IND-SFSRK/SQ-BRG	£250.00	£300.00	268	IND-SPA184-45-BRZK	£87.50	£105.00	292
IND-ORI237-BRN	£395.83	£475.00	94	IND-SFSRK/SQ-BRN	£250.00	£300.00	268	IND-SPA185B-BGM	£270.83	£325.00	298
IND-ORI237-BRNK	£395.83	£475.00	94	IND-SFSRK/SQ-BRZ	£250.00	£300.00	268	IND-SPA185B-BLK	£270.83	£325.00	298
IND-ORI237-BRZ	£395.83	£475.00	94	IND-SHA180-BGM	£83.33	£100.00	305	IND-SPA185B-BRG	£270.83	£325.00	298
IND-ORI237-BRZK	£395.83	£475.00	94	IND-SHA180-BLK	£83.33	£100.00	305	IND-SPA185B-BRN	£270.83	£325.00	298
IND-OUTLET/RO2-BGM	£66.67	£80.00	290	IND-SHA180-BRG	£83.33	£100.00	305	IND-SPA185B-BRZ	£270.83	£325.00	298

VADO price list

product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page
IND-SPA186-BGM	£45.83	£55.00	297	IND-T148/2-NOT-BRN	£695.83	£835.00	198	LEV-182-C/P	£54.17	£65.00	322
IND-SPA186-BGMK	£45.83	£55.00	292	IND-T148/2-NOT-BRZ	£695.83	£835.00	198	LEV-183-C/P	£54.17	£65.00	323
IND-SPA186-BLK	£45.83	£55.00	297	IND-T148/2-OMI-PB	£695.83	£835.00	193	LEV-184-45-C/P	£70.83	£85.00	324
IND-SPA186-BLKK	£45.83	£55.00	292	IND-T148-ALT-BGM	£629.17	£755.00	196	LEV-184-C/P	£79.17	£95.00	324
IND-SPA186-BRG	£45.83	£55.00	297	IND-T148-ALT-BLK	£629.17	£755.00	196	LEV-185B-C/P	£229.17	£275.00	323
IND-SPA186-BRGK	£45.83	£55.00	292	IND-T148-ALT-BRG	£629.17	£755.00	196	LEV-185-C/P	£70.83	£85.00	324
IND-SPA186-BRN	£45.83	£55.00	297	IND-T148-ALT-BRN	£629.17	£755.00	196	LEV-186-C/P	£37.50	£45.00	323
IND-SPA186-BRNK	£45.83	£55.00	292	IND-T148-ALT-BRZ	£629.17	£755.00	196	LEV-188-C/P	£104.17	£125.00	324
IND-SPA186-BRZ	£45.83	£55.00	297	IND-T148-NOT-BGM	£629.17	£755.00	199	LIF-100/CC-C/P	£216.67	£260.00	120
IND-SPA186-BRZK	£45.83	£55.00	292	IND-T148-NOT-BLK	£629.17	£755.00	199	LIF-100/SB-C/P	£200.00	£240.00	120
IND-SQ/30-BGM	£325.00	£390.00	281	IND-T148-NOT-BRG	£629.17	£755.00	199	LIF-100M/CC-C/P	£200.00	£240.00	122
IND-SQ/30-BLK	£325.00	£390.00	281	IND-T148-NOT-BRN	£629.17	£755.00	199	LIF-109S/A-200-C/P	£300.00	£360.00	121
IND-SQ/30-BRG	£325.00	£390.00	281	IND-T148-NOT-BRZ	£629.17	£755.00	199	LIF-109S/A-C/P	£312.50	£375.00	121
IND-SQ/30-BRN	£325.00	£390.00	281	IND-Z128/2-BGM	£783.33	£940.00	184	LIF-110/SB-C/P	£208.33	£250.00	122
IND-SQ/30-BRZ	£325.00	£390.00	281	IND-Z128/2-BLK	£783.33	£940.00	184	LIF-123T+K-CP	£370.83	£445.00	124
IND-SYN240/W-PB	£416.67	£500.00	83	IND-Z128/2-BRG	£783.33	£940.00	184	LIF-123T-CP	£304.17	£365.00	124
IND-SYN240/W-PB	£416.67	£500.00	87	IND-Z128/2-BRN	£783.33	£940.00	184	LIF-130+K-C/P	£341.67	£410.00	122
IND-T128/3-H-ALT-BGM	£783.33	£940.00	194	IND-Z128/2-BRZ	£783.33	£940.00	184	LIF-131T+K-CP	£391.67	£470.00	124
IND-T128/3-H-ALT-BLK	£783.33	£940.00	194	IND-Z128/2-H-BGM	£783.33	£940.00	185	LIF-131T-CP	£345.83	£415.00	124
IND-T128/3-H-ALT-BRG	£783.33	£940.00	194	IND-Z128/2-H-BLK	£783.33	£940.00	185	LIF-132/NS-C/P	£558.33	£670.00	123
IND-T128/3-H-ALT-BRN	£783.33	£940.00	194	IND-Z128/2-H-BRG	£783.33	£940.00	185	LIF-132-C/P	£641.67	£770.00	123
IND-T128/3-H-ALT-BRZ	£783.33	£940.00	194	IND-Z128/2-H-BRN	£783.33	£940.00	185	LIF-137-C/P	£283.33	£340.00	122
IND-T128/3-H-BGMK	£783.33	£940.00	191	IND-Z128/2-H-BRZ	£783.33	£940.00	185	LIF-140-C/P	£125.00	£150.00	125
IND-T128/3-H-BLKK	£783.33	£940.00	191	IND-Z143-BGM	£145.83	£175.00	185	LIF-145A-C/P	£183.33	£220.00	251
IND-T128/3-H-BRGK	£783.33	£940.00	191	IND-Z143-BLK	£145.83	£175.00	185	LIF-147A-C/P	£250.00	£300.00	251
IND-T128/3-H-BRNK	£783.33	£940.00	191	IND-Z143-BRG	£145.83	£175.00	185	LIF-148D/2-C/P	£562.50	£675.00	208
IND-T128/3-H-BRZK	£783.33	£940.00	191	IND-Z143-BRN	£145.83	£175.00	185	LIF-148D/2-TRIM-C/P	£183.33	£220.00	237
IND-T128/3-H-NOT-BGM	£783.33	£940.00	197	IND-Z143-BRZ	£145.83	£175.00	185	LIF-148D/3-C/P	£579.17	£695.00	208
IND-T128/3-H-NOT-BLK	£783.33	£940.00	197	IND-Z143-H-BGM	£145.83	£175.00	184	LIF-148D/3-TRIM-C/P	£183.33	£220.00	233
IND-T128/3-H-NOT-BRG	£783.33	£940.00	197	IND-Z143-H-BLK	£145.83	£175.00	184	LIF-148D-C/P	£495.83	£595.00	208
IND-T128/3-H-NOT-BRN	£783.33	£940.00	197	IND-Z143-H-BRG	£145.83	£175.00	184	LIF-148D-TRIM-C/P	£183.33	£220.00	241
IND-T128/3-H-NOT-BRZ	£783.33	£940.00	197	IND-Z143-H-BRN	£145.83	£175.00	184	LIF-150S-C/P	£300.00	£360.00	125
IND-T128/3-H-OMI-PB	£783.33	£940.00	193	IND-Z143-H-BRZ	£145.83	£175.00	184	LIF-150S-C/P	£300.00	£360.00	139
IND-T148/2-ALT-BGM	£695.83	£835.00	195	IND-Z-HALO-BG	£20.83	£25.00	185	LIF-180-C/P	£54.17	£65.00	303
IND-T148/2-ALT-BLK	£695.83	£835.00	195	IND-Z-HALO-BLK	£20.83	£25.00	185	LIF-181-C/P	£79.17	£95.00	303
IND-T148/2-ALT-BRG	£695.83	£835.00	195	IND-Z-HALO-BN	£20.83	£25.00	185	LIF-182-C/P	£54.17	£65.00	303
IND-T148/2-ALT-BRN	£695.83	£835.00	195	IND-Z-HALO-BRG	£20.83	£25.00	185	LIF-183-C/P	£54.17	£65.00	303
IND-T148/2-ALT-BRZ	£695.83	£835.00	195	IND-Z-HALO-BRN	£20.83	£25.00	185	LIF-184-45-C/P	£70.83	£85.00	304
IND-T148/2-BGMK	£695.83	£835.00	191	IND-Z-HALO-BRZ	£20.83	£25.00	185	LIF-184-C/P	£79.17	£95.00	304
IND-T148/2-BLKK	£695.83	£835.00	191	IND-Z-HALO-PB	£20.83	£25.00	185	LIF-185-C/P	£70.83	£85.00	304
IND-T148/2-BRGK	£695.83	£835.00	191	IND-Z-HALO-PZ	£20.83	£25.00	185	LIF-186-C/P	£37.50	£45.00	303
IND-T148/2-BRNK	£695.83	£835.00	191	INF-180-C/P	£70.83	£85.00	319	LIF-188-C/P	£104.17	£125.00	304
IND-T148/2-BRZK	£695.83	£835.00	191	INF-188-C/P	£87.50	£105.00	297	LIF-200/CC-CP	£216.67	£260.00	121
IND-T148/2-H-ALT-BGM	£695.83	£835.00	196	INS-OUTLET-C/P	£54.17	£65.00	290	LIF-200/SB-CP	£200.00	£240.00	121
IND-T148/2-H-ALT-BLK	£695.83	£835.00	196	INS-SFMKWO-C/P	£158.33	£190.00	275	LIF-233-CP	£954.17	£1,145.00	123
IND-T148/2-H-ALT-BRG	£695.83	£835.00	196	INS-SFSRK-C/P	£250.00	£300.00	267	LIF-OUTLET-C/P	£54.17	£65.00	290
IND-T148/2-H-ALT-BRN	£695.83	£835.00	196	IR-100/LIF-C/P	£333.33	£400.00	134	LIF-SFMKWO-C/P	£158.33	£190.00	275
IND-T148/2-H-ALT-BRZ	£695.83	£835.00	196	IR-100/ZOO-C/P	£333.33	£400.00	134	M			
IND-T148/2-H-BGMK	£695.83	£835.00	191	IR-109/NOT-C/P	£433.33	£520.00	134	MIX-128D/2-C/P	£625.00	£750.00	216
IND-T148/2-H-BLKK	£695.83	£835.00	191	IR-DSPOUT-C/P	£333.33	£400.00	135	MIX-128D/2-TRIM-C/P	£200.00	£240.00	244
IND-T148/2-H-BRGK	£695.83	£835.00	191	IR-WSPOUT-C/P	£333.33	£400.00	135	MIX-148D/2-C/P	£562.50	£675.00	216
IND-T148/2-H-BRNK	£695.83	£835.00	191	L				MIX-148D/2-TRIM-C/P	£183.33	£220.00	239
IND-T148/2-H-BRZK	£695.83	£835.00	191	LEV-180-C/P	£54.17	£65.00	322	MIX-148D/3-C/P	£579.17	£695.00	216
IND-T148/2-H-OMI-PB	£695.83	£835.00	193	LEV-180S-C/P	£54.17	£65.00	322	MIX-148D/3-TRIM-C/P	£183.33	£220.00	235
IND-T148/2-NOT-BGM	£695.83	£835.00	198	LEV-181-C/P	£62.50	£75.00	323	MIX-148D-C/P	£495.83	£595.00	216
IND-T148/2-NOT-BLK	£695.83	£835.00	198	LEV-182B-C/P	£104.17	£125.00	306	MIX-148D-TRIM-C/P	£183.33	£220.00	243
IND-T148/2-NOT-BRG	£695.83	£835.00	198								

product code	ex-vat	inc-vat	page
MIX-CMA/150-C/P	£62.50	£75.00	287
MIX-SFMKWO-C/P	£141.67	£170.00	276
MIX-WED2-CP	£70.83	£85.00	291
MUS-082B-BLK-CP	£58.33	£70.00	313
MUS-082B-BLK-MB	£66.67	£80.00	313
MUS-082B-BLK-SBR	£66.67	£80.00	313
MUS-082B-WHT-CP	£58.33	£70.00	313
MUS-082B-WHT-MW	£66.67	£80.00	313
MUS-082B-WHT-SBR	£66.67	£80.00	313
MUS-083-BLK	£41.67	£50.00	313
MUS-083-WHT	£41.67	£50.00	313
MUS-085-15-BLK	£25.00	£30.00	313
MUS-085-15-WHT	£25.00	£30.00	313
MUS-085-30-BLK	£41.67	£50.00	313
MUS-085-30-WHT	£41.67	£50.00	313
MUS-180-BLK-CP	£58.33	£70.00	312
MUS-180-BLK-MB	£66.67	£80.00	312
MUS-180-BLK-SBR	£66.67	£80.00	312
MUS-180-WHT-CP	£58.33	£70.00	312
MUS-180-WHT-MW	£66.67	£80.00	312
MUS-180-WHT-SBR	£66.67	£80.00	312
MUS-184-45-CP	£104.17	£125.00	312
MUS-184-45-MB	£116.67	£140.00	312
MUS-184-45-MW	£116.67	£140.00	312
MUS-184-45-SBR	£116.67	£140.00	312
MUS-184-60-CP	£125.00	£150.00	312
MUS-184-60-MB	£137.50	£165.00	312
MUS-184-60-MW	£137.50	£165.00	312
MUS-184-60-SBR	£137.50	£165.00	312
MUS-18502-3-MB	£133.33	£160.00	314
MUS-18502-3-MW	£133.33	£160.00	314
MUS-18502-3-PEW	£133.33	£160.00	314
MUS-18502-3-SBR	£133.33	£160.00	314
MUS-18502-3-SS	£116.67	£140.00	314
MUS-18502-6-MB	£183.33	£220.00	314
MUS-18502-6-MW	£183.33	£220.00	314
MUS-18502-6-PEW	£183.33	£220.00	314
MUS-18502-6-SBR	£183.33	£220.00	314
MUS-18502-6-SS	£166.67	£200.00	314
MUS-18502-9-MB	£233.33	£280.00	314
MUS-18502-9-MW	£233.33	£280.00	314
MUS-18502-9-PEW	£233.33	£280.00	314
MUS-18502-9-SBR	£233.33	£280.00	314
MUS-18502-9-SS	£216.67	£260.00	314
MUS-186-CP	£33.33	£40.00	312
MUS-186-MB	£37.50	£45.00	312
MUS-186-MW	£37.50	£45.00	312
MUS-186-SBR	£37.50	£45.00	312
MUS-HTR-CAP-MB	£4.17	£5.00	157
MUS-HTR-CAP-MW	£4.17	£5.00	157
MUS-HTR-CAP-PEW	£4.17	£5.00	157
MUS-HTR-CVALVE-MB	£41.67	£50.00	157
MUS-HTR-CVALVE-MW	£41.67	£50.00	157
MUS-HTR-CVALVE-PEW	£41.67	£50.00	157
MUS-HTR-PK-MB	£25.00	£30.00	158
MUS-HTR-PK-MW	£25.00	£30.00	158
MUS-HTR-PK-PEW	£25.00	£30.00	158

product code	ex-vat	inc-vat	page
MUS-HTR-R01200-MB	£133.33	£160.00	157
MUS-HTR-R01200-MW	£133.33	£160.00	157
MUS-HTR-R01200-PEW	£133.33	£160.00	157
MUS-HTR-SVALVE-MB	£41.67	£50.00	157
MUS-HTR-SVALVE-MW	£41.67	£50.00	157
MUS-HTR-SVALVE-PEW	£41.67	£50.00	157

N

product code	ex-vat	inc-vat	page
NEB-HANDSET-RO-DB-CP	£70.83	£85.00	270
NEB-HANDSET-SQ-DB-CP	£70.83	£85.00	270
NEB-MFSRK/RO/B-DB-CP	£183.33	£220.00	266
NEB-MFSRK/RO-DB-C/P	£183.33	£220.00	266
NEB-MFSRK/SQ/B-DB-CP	£183.33	£220.00	266
NEB-MFSRK/SQ-DB-C/P	£183.33	£220.00	266
NEB-MFSRKWO-RO-CP	£216.67	£260.00	264
NEB-RO/20-CP	£158.33	£190.00	281
NEB-RO/20-SA-CP	£233.33	£280.00	277
NEB-RO/25-CP	£208.33	£250.00	281
NEB-RO/25-SA-CP	£283.33	£340.00	277
NEB-RO/30-CP	£262.50	£315.00	281
NEB-RO/30-SA-CP	£333.33	£400.00	277
NEB-SQ/20-CP	£158.33	£190.00	282
NEB-SQ/20-SA-CP	£233.33	£280.00	278
NEB-SQ/30-CP	£262.50	£315.00	281
NEB-SQ/30-SA-CP	£333.33	£400.00	278
NOT-100EF/SB-C/P	£300.00	£360.00	86
NOT-109FS/A-220-C/P	£350.00	£420.00	86
NOT-109FS/A-C/P	£333.33	£400.00	86
NOT-1280/2-C/P	£625.00	£750.00	200
NOT-1280/2-TRIM-C/P	£200.00	£240.00	244
NOT-140A-CP	£133.33	£160.00	86
NOT-145A-C/P	£183.33	£220.00	249
NOT-147A-C/P	£250.00	£300.00	249
NOT-1480/2-C/P	£562.50	£675.00	200
NOT-1480/2-TRIM-C/P	£183.33	£220.00	236
NOT-1480/3-C/P	£579.17	£695.00	200
NOT-1480/3-TRIM-C/P	£183.33	£220.00	232
NOT-1480-C/P	£495.83	£595.00	200
NOT-1480-TRIM-C/P	£183.33	£220.00	240
NOT-200/CC-C/P	£250.00	£300.00	85
NOT-200/SB-C/P	£233.33	£280.00	85
NOT-233-CP	£1,200.00	£1,440.00	86
NOT-CAPSULE-C/P	£312.50	£375.00	273

O

product code	ex-vat	inc-vat	page
OMI-100/CC-C/P	£300.00	£360.00	82
OMI-100/SB-C/P	£283.33	£340.00	82
OMI-100E/SB-C/P	£366.67	£440.00	83
OMI-109-C/P	£416.67	£500.00	83
OMI-133-C/P	£1,250.00	£1,500.00	84
OMI-135/NS-C/P	£566.67	£680.00	84
OMI-180-C/P	£104.17	£125.00	294
OMI-181-C/P	£104.17	£125.00	295
OMI-184-45-C/P	£175.00	£210.00	295
OMI-184-60-C/P	£229.17	£275.00	295
OMI-185-10-C/P	£104.17	£125.00	294
OMI-185-20-C/P	£191.67	£230.00	294

product code	ex-vat	inc-vat	page
OMI-185-50-C/P	£333.33	£400.00	294
OMI-300/CC-CP	£250.00	£300.00	83
OMI-HEAD-C/P	£279.17	£335.00	263
OMI-HEAD-C/P	£279.17	£335.00	284
OMI-SFMKWO/A-CP	£229.17	£275.00	263
OMI-SFMKWO/A-CP	£229.17	£275.00	274
OMI-WMHEAD-C/P	£1,250.00	£1,500.00	263
OMI-WMHEAD-C/P	£1,250.00	£1,500.00	284
ORA-HANDSET-DB-RO-CP	£54.17	£65.00	270
ORA-HANDSET-DB-SQ-CP	£54.17	£65.00	270
ORA-MFSRK/RO-CP	£150.00	£180.00	265
ORA-MFSRK/SQ-CP	£150.00	£180.00	265
ORA-MFSRKWO-RO-CP	£200.00	£240.00	264
ORI-140-C/P	£133.33	£160.00	95
ORI-145A-C/P	£183.33	£220.00	250
ORI-147A-C/P	£250.00	£300.00	250
ORI-1480/2-C/P	£562.50	£675.00	201
ORI-1480/2-TRIM-C/P	£183.33	£220.00	236
ORI-1480-C/P	£495.83	£595.00	201
ORI-1480-TRIM-C/P	£183.33	£220.00	240
ORI-150S-C/P	£233.33	£280.00	97
ORI-150S-C/P	£233.33	£280.00	139
ORI-200/CC-C/P	£250.00	£300.00	92
ORI-200/CC-CPK	£250.00	£300.00	92
ORI-200/SB-C/P	£233.33	£280.00	92
ORI-200/SB-CPK	£233.33	£280.00	92
ORI-200E/SB-CP	£300.00	£360.00	93
ORI-200E/SB-CPK	£300.00	£360.00	93
ORI-209S/A-CP	£316.67	£380.00	93
ORI-209S/A-CPK	£316.67	£380.00	93
ORI-230+K-CP	£366.67	£440.00	94
ORI-230+K-CPK	£366.67	£440.00	94
ORI-233A-CP	£850.00	£1,020.00	97
ORI-237-CP	£316.67	£380.00	94
ORI-237-CPK	£316.67	£380.00	94

P

product code	ex-vat	inc-vat	page
PEX-221-C/P	£33.33	£40.00	150
PEX-230-C/P	£33.33	£40.00	150
PEX-230-MB	£37.50	£45.00	150
PEX-230-MW	£37.50	£45.00	150
PEX-230-PEW	£37.50	£45.00	150
PEX-230-SBR	£37.50	£45.00	150
PEX-392-S-C/P	£25.00	£30.00	154
PEX-460/UK-1.1/4-C/P	£54.17	£65.00	153
PEX-KITA-C/P	£16.67	£20.00	154
PEX-KITB-STOW-C/P	£29.17	£35.00	154
PEX-KITB-STOW-C/P	£29.17	£35.00	154
PHA-109FS/A-C/P	£312.50	£375.00	127
PHA-130+K-C/P	£341.67	£410.00	128
PHA-137-C/P	£283.33	£340.00	128
PHA-145A-C/P	£183.33	£220.00	252
PHA-147A-C/P	£250.00	£300.00	252
PHA-1480/2-C/P	£562.50	£675.00	213
PHA-1480/2-TRIM-C/P	£183.33	£220.00	239
PHA-1480/3-C/P	£579.17	£695.00	213
PHA-1480/3-TRIM-C/P	£183.33	£220.00	234

VADO price list

product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page
PHA-148D-C/P	£495.83	£595.00	213	SAF-100/CC-LP-SBR	£191.67	£230.00	102	SAF-109S-SQ-LP-CP	£225.00	£270.00	105
PHA-148D-TRIM-C/P	£183.33	£220.00	243	SAF-100/CC-MB	£191.67	£230.00	102	SAF-109S-SQ-LP-MB	£250.00	£300.00	105
PHA-149RRK-CP	£662.50	£795.00	177	SAF-100/CC-PEW	£191.67	£230.00	102	SAF-109S-SQ-LP-PEW	£250.00	£300.00	105
PHA-180-C/P	£54.17	£65.00	316	SAF-100/CC-SBR	£191.67	£230.00	102	SAF-109S-SQ-LP-SBR	£250.00	£300.00	105
PHA-181-C/P	£62.50	£75.00	316	SAF-100/SB-CP	£158.33	£190.00	102	SAF-109S-SQ-MB	£250.00	£300.00	105
PHA-182-C/P	£54.17	£65.00	316	SAF-100/SB-MB	£175.00	£210.00	102	SAF-109S-SQ-PEW	£250.00	£300.00	105
PHA-183-C/P	£54.17	£65.00	316	SAF-100/SB-PEW	£175.00	£210.00	102	SAF-109S-SQ-SBR	£250.00	£300.00	105
PHA-184-45-C/P	£70.83	£85.00	317	SAF-100/SB-SBR	£175.00	£210.00	102	SAF-123T-CP	£291.67	£350.00	106
PHA-184-C/P	£79.17	£95.00	317	SAF-100E/SB-CP	£225.00	£270.00	103	SAF-123T-MB	£320.83	£385.00	106
PHA-185-C/P	£70.83	£85.00	317	SAF-100E/SB-LP-CP	£225.00	£270.00	103	SAF-123T-PEW	£320.83	£385.00	106
PHA-186-C/P	£37.50	£45.00	317	SAF-100E/SB-LP-MB	£250.00	£300.00	103	SAF-123T-SBR	£320.83	£385.00	106
PHA-188-C/P	£104.17	£125.00	317	SAF-100E/SB-LP-PEW	£250.00	£300.00	103	SAF-130+K-CP	£316.67	£380.00	106
PHA-200F/CC-C/P	£216.67	£260.00	126	SAF-100E/SB-LP-SBR	£250.00	£300.00	103	SAF-130+K-MB	£350.00	£420.00	106
PHA-200F/SB-C/P	£200.00	£240.00	126	SAF-100E/SB-MB	£250.00	£300.00	103	SAF-130+K-PEW	£350.00	£420.00	106
PHA-200FW/CC-CP	£216.67	£260.00	127	SAF-100E/SB-PEW	£250.00	£300.00	103	SAF-130+K-SBR	£350.00	£420.00	106
PHA-200FW/SB-CP	£200.00	£240.00	127	SAF-100E/SB-SBR	£250.00	£300.00	103	SAF-131T-CP	£325.00	£390.00	106
PHA-200MF/CC-C/P	£200.00	£240.00	127	SAF-100M/CC-CP	£166.67	£200.00	103	SAF-131T-MB	£358.33	£430.00	106
PHA-210-C/P	£245.83	£295.00	128	SAF-100M/CC-LP-CP	£166.67	£200.00	103	SAF-131T-PEW	£358.33	£430.00	106
PHO-100F/CC-C/P	£216.67	£260.00	130	SAF-100M/CC-LP-MB	£183.33	£220.00	103	SAF-131T-SBR	£358.33	£430.00	106
PHO-100F/SB-C/P	£200.00	£240.00	130	SAF-100M/CC-LP-PEW	£183.33	£220.00	103	SAF-133-CP	£875.00	£1,050.00	107
PHO-100FW/CC-CP	£216.67	£260.00	130	SAF-100M/CC-LP-SBR	£183.33	£220.00	103	SAF-133-MB	£958.33	£1,150.00	107
PHO-100FW/SB-CP	£200.00	£240.00	130	SAF-100M/CC-MB	£183.33	£220.00	103	SAF-133-PEW	£958.33	£1,150.00	107
PHO-100M/CC-C/P	£200.00	£240.00	131	SAF-100M/CC-PEW	£183.33	£220.00	103	SAF-133-SBR	£958.33	£1,150.00	107
PHO-109FS-A-C/P	£312.50	£375.00	131	SAF-100M/CC-SBR	£183.33	£220.00	103	SAF-137-CP	£250.00	£300.00	106
PHO-130+K-C/P	£341.67	£410.00	131	SAF-100M/SB-CP	£150.00	£180.00	103	SAF-137-MB	£275.00	£330.00	106
PHO-137-C/P	£283.33	£340.00	131	SAF-100M/SB-MB	£166.67	£200.00	103	SAF-137-PEW	£275.00	£330.00	106
PHO-145A-C/P	£183.33	£220.00	252	SAF-100M/SB-PEW	£166.67	£200.00	103	SAF-137-SBR	£275.00	£330.00	106
PHO-147A-C/P	£250.00	£300.00	252	SAF-100M/SB-SBR	£166.67	£200.00	103	SAF-140-CP	£75.00	£90.00	107
PHO-148D/2-C/P	£562.50	£675.00	214	SAF-101-CP	£225.00	£270.00	104	SAF-140-MB	£83.33	£100.00	107
PHO-148D/2-TRIM-C/P	£183.33	£220.00	239	SAF-101-LP-CP	£225.00	£270.00	104	SAF-140-PEW	£83.33	£100.00	107
PHO-148D/3-C/P	£579.17	£695.00	214	SAF-101-LP-MB	£250.00	£300.00	104	SAF-140-SBR	£83.33	£100.00	107
PHO-148D/3-TRIM-C/P	£183.33	£220.00	235	SAF-101-LP-PEW	£250.00	£300.00	104	SAF-145A-CP	£183.33	£220.00	250
PHO-148D-C/P	£495.83	£595.00	214	SAF-101-LP-SBR	£250.00	£300.00	104	SAF-145A-MB	£200.00	£240.00	250
PHO-148D-TRIM-C/P	£183.33	£220.00	243	SAF-101-MB	£250.00	£300.00	104	SAF-145A-PEW	£200.00	£240.00	250
PHO-180A-C/P	£62.50	£75.00	319	SAF-101-PEW	£250.00	£300.00	104	SAF-145A-SBR	£200.00	£240.00	250
PHO-180-C/P	£54.17	£65.00	319	SAF-101-SBR	£250.00	£300.00	104	SAF-147A-CP	£233.33	£280.00	250
PHO-180S-C/P	£54.17	£65.00	319	SAF-102-CP	£266.67	£320.00	104	SAF-147A-MB	£250.00	£300.00	250
PHO-181-C/P	£62.50	£75.00	319	SAF-102-MB	£291.67	£350.00	104	SAF-147A-PEW	£250.00	£300.00	250
PHO-182A-C/P	£87.50	£105.00	320	SAF-102-PEW	£291.67	£350.00	104	SAF-147A-SBR	£250.00	£300.00	250
PHO-182-C/P	£54.17	£65.00	320	SAF-102-SBR	£291.67	£350.00	104	SAF-148D/2-CP	£562.50	£675.00	210
PHO-183-C/P	£54.17	£65.00	320	SAF-109-CP	£233.33	£280.00	104	SAF-148D/2-MB	£579.17	£695.00	210
PHO-184-45-C/P	£70.83	£85.00	321	SAF-109-LP-CP	£233.33	£280.00	104	SAF-148D/2-PEW	£579.17	£695.00	210
PHO-184-C/P	£79.17	£95.00	321	SAF-109-LP-MB	£258.33	£310.00	104	SAF-148D/2-SBR	£579.17	£695.00	210
PHO-185A-CP	£125.00	£150.00	320	SAF-109-LP-PEW	£258.33	£310.00	104	SAF-148D/2-TRIM-CP	£183.33	£220.00	237
PHO-185-C/P	£125.00	£150.00	321	SAF-109-LP-SBR	£258.33	£310.00	104	SAF-148D/2-TRIM-MB	£200.00	£240.00	237
PHO-186-C/P	£37.50	£45.00	321	SAF-109-MB	£258.33	£310.00	104	SAF-148D/2-TRIM-PEW	£200.00	£240.00	237
PHO-188-C/P	£104.17	£125.00	321	SAF-109-PEW	£258.33	£310.00	104	SAF-148D/2-TRIM-SBR	£200.00	£240.00	237
PRIMABOX4/B-MF-C/P	£275.00	£330.00	174	SAF-109-SBR	£258.33	£310.00	104	SAF-148D/3-CP	£579.17	£695.00	210
PRIMABOX4/B-SF-C/P	£258.33	£310.00	175	SAF-109S-CP	£216.67	£260.00	105	SAF-148D/3-MB	£595.83	£715.00	210
PRO-5001/C-22MM	£25.00	£30.00	158	SAF-109S-LP-CP	£216.67	£260.00	105	SAF-148D/3-PEW	£595.83	£715.00	210
PRO-5001-N/P	£133.33	£160.00	158	SAF-109S-LP-MB	£241.67	£290.00	105	SAF-148D/3-SBR	£595.83	£715.00	210
S				SAF-109S-LP-PEW	£241.67	£290.00	105	SAF-148D/3-TRIM-CP	£183.33	£220.00	233
SAF-100/CC-CP	£175.00	£210.00	102	SAF-109S-LP-SBR	£241.67	£290.00	105	SAF-148D/3-TRIM-MB	£200.00	£240.00	233
SAF-100/CC-LP-CP	£175.00	£210.00	102	SAF-109S-MB	£241.67	£290.00	105	SAF-148D/3-TRIM-PEW	£200.00	£240.00	233
SAF-100/CC-LP-MB	£191.67	£230.00	102	SAF-109S-PEW	£241.67	£290.00	105	SAF-148D/3-TRIM-SBR	£200.00	£240.00	233
SAF-100/CC-LP-PEW	£191.67	£230.00	102	SAF-109S-SBR	£241.67	£290.00	105	SAF-148D-CP	£495.83	£595.00	210
				SAF-109S-SQ-CP	£225.00	£270.00	105	SAF-148D-MB	£512.50	£615.00	210

product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page
SAF-148D-PEW	£512.50	£615.00	210	SAF-201-LP-PEW	£250.00	£300.00	110	SAF-248D-TRIM-CP	£183.33	£220.00	241
SAF-148D-SBR	£512.50	£615.00	210	SAF-201-LP-SBR	£250.00	£300.00	110	SAF-248D-TRIM-MB	£200.00	£240.00	241
SAF-148D-TRIM-CP	£183.33	£220.00	241	SAF-201-MB	£250.00	£300.00	110	SAF-248D-TRIM-PEW	£200.00	£240.00	241
SAF-148D-TRIM-MB	£200.00	£240.00	241	SAF-201-PEW	£250.00	£300.00	110	SAF-248D-TRIM-SBR	£200.00	£240.00	241
SAF-148D-TRIM-PEW	£200.00	£240.00	241	SAF-201-SBR	£250.00	£300.00	110	SAF-249T-CP	£245.83	£295.00	246
SAF-148D-TRIM-SBR	£200.00	£240.00	241	SAF-202-CP	£266.67	£320.00	110	SAF-249T-MB	£270.83	£325.00	246
SAF-149T-CP	£245.83	£295.00	246	SAF-202-MB	£291.67	£350.00	110	SAF-249T-PEW	£270.83	£325.00	246
SAF-149T-MB	£270.83	£325.00	246	SAF-202-PEW	£291.67	£350.00	110	SAF-249T-RRK-CP	£495.83	£595.00	181
SAF-149T-PEW	£270.83	£325.00	246	SAF-202-SBR	£291.67	£350.00	110	SAF-249T-RRK-MB	£541.67	£650.00	181
SAF-149T-RRK-CP	£495.83	£595.00	181	SAF-209-CP	£233.33	£280.00	110	SAF-249T-RRK-PEW	£541.67	£650.00	181
SAF-149T-RRK-MB	£541.67	£650.00	181	SAF-209-LP-CP	£233.33	£280.00	110	SAF-249T-RRK-SBR	£541.67	£650.00	181
SAF-149T-RRK-PEW	£541.67	£650.00	181	SAF-209-LP-MB	£258.33	£310.00	110	SAF-249T-SBR	£270.83	£325.00	246
SAF-149T-RRK-SBR	£541.67	£650.00	181	SAF-209-LP-PEW	£258.33	£310.00	110	SAF-BC4-GW	£116.67	£140.00	46
SAF-149T-SBR	£270.83	£325.00	246	SAF-209-LP-SBR	£258.33	£310.00	110	SAF-BC5-GW	£133.33	£160.00	46
SAF-150-CP	£225.00	£270.00	107	SAF-209-MB	£258.33	£310.00	110	SAF-BC6-GW	£150.00	£180.00	46
SAF-150-CP	£225.00	£270.00	139	SAF-209-PEW	£258.33	£310.00	110	SAF-BC8-GW	£166.67	£200.00	47
SAF-150-MB	£250.00	£300.00	107	SAF-209-SBR	£258.33	£310.00	110	SAF-BM10-AW	£375.00	£450.00	45
SAF-150-MB	£250.00	£300.00	139	SAF-223T-CP	£291.67	£350.00	111	SAF-BM10-GW	£354.17	£425.00	47
SAF-150-PEW	£250.00	£300.00	107	SAF-223T-MB	£320.83	£385.00	111	SAF-BM12-AW	£500.00	£600.00	45
SAF-150-PEW	£250.00	£300.00	139	SAF-223T-PEW	£320.83	£385.00	111	SAF-BM12-GW	£458.33	£550.00	47
SAF-150-SBR	£250.00	£300.00	107	SAF-223T-SBR	£320.83	£385.00	111	SAF-BM4-AW	£166.67	£200.00	44
SAF-150-SBR	£250.00	£300.00	139	SAF-230+K-CP	£316.67	£380.00	111	SAF-BM5-AW	£208.33	£250.00	44
SAF-200/CC-CP	£175.00	£210.00	108	SAF-230+K-MB	£350.00	£420.00	111	SAF-BM6-AW	£250.00	£300.00	45
SAF-200/CC-LP-CP	£175.00	£210.00	108	SAF-230+K-PEW	£350.00	£420.00	111	SAF-BM8-AW	£291.67	£350.00	45
SAF-200/CC-LP-MB	£191.67	£230.00	108	SAF-230+K-SBR	£350.00	£420.00	111	SAF-BMRO-F-AW	£216.67	£260.00	48
SAF-200/CC-LP-PEW	£191.67	£230.00	108	SAF-231T-CP	£325.00	£390.00	111	SAF-BMRO-F-CA	£233.33	£280.00	48
SAF-200/CC-LP-SBR	£191.67	£230.00	108	SAF-231T-MB	£358.33	£430.00	111	SAF-BMRO-F-GW	£200.00	£240.00	48
SAF-200/CC-MB	£191.67	£230.00	108	SAF-231T-PEW	£358.33	£430.00	111	SAF-BMRO-F-SG	£233.33	£280.00	48
SAF-200/CC-PEW	£191.67	£230.00	108	SAF-231T-SBR	£358.33	£430.00	111	SAF-BMRO-S-AW	£145.83	£175.00	48
SAF-200/CC-SBR	£191.67	£230.00	108	SAF-233-CP	£875.00	£1,050.00	112	SAF-BMRO-S-CA	£166.67	£200.00	48
SAF-200/SB-CP	£158.33	£190.00	108	SAF-233-MB	£958.33	£1,150.00	112	SAF-BMRO-S-GW	£133.33	£160.00	48
SAF-200/SB-MB	£175.00	£210.00	108	SAF-233-PEW	£958.33	£1,150.00	112	SAF-BMRO-S-SG	£166.67	£200.00	48
SAF-200/SB-PEW	£175.00	£210.00	108	SAF-233-SBR	£958.33	£1,150.00	112	SAF-BMSQ-S-AW	£166.67	£200.00	48
SAF-200/SB-SBR	£175.00	£210.00	108	SAF-237-CP	£250.00	£300.00	111	SAF-BMSQ-S-CA	£187.50	£225.00	48
SAF-200E/SB-CP	£225.00	£270.00	109	SAF-237-MB	£275.00	£330.00	111	SAF-BMSQ-S-GW	£150.00	£180.00	48
SAF-200E/SB-LP-CP	£225.00	£270.00	109	SAF-237-PEW	£275.00	£330.00	111	SAF-BMSQ-S-SG	£187.50	£225.00	48
SAF-200E/SB-LP-MB	£250.00	£300.00	109	SAF-237-SBR	£275.00	£330.00	111	SAF-EFSA-CP	£83.33	£100.00	259
SAF-200E/SB-LP-PEW	£250.00	£300.00	109	SAF-248D/2-CP	£562.50	£675.00	211	SAF-EFSA-CP	£83.33	£100.00	285
SAF-200E/SB-LP-SBR	£250.00	£300.00	109	SAF-248D/2-MB	£579.17	£695.00	211	SAF-EFSA-MB	£91.67	£110.00	259
SAF-200E/SB-MB	£250.00	£300.00	109	SAF-248D/2-PEW	£579.17	£695.00	211	SAF-EFSA-MB	£91.67	£110.00	285
SAF-200E/SB-PEW	£250.00	£300.00	109	SAF-248D/2-SBR	£579.17	£695.00	211	SAF-EFSA-PEW	£91.67	£110.00	259
SAF-200E/SB-SBR	£250.00	£300.00	109	SAF-248D/2-TRIM-CP	£183.33	£220.00	237	SAF-EFSA-PEW	£91.67	£110.00	285
SAF-200M/CC-CP	£166.67	£200.00	109	SAF-248D/2-TRIM-MB	£200.00	£240.00	237	SAF-EFSA-SBR	£91.67	£110.00	259
SAF-200M/CC-LP-CP	£166.67	£200.00	109	SAF-248D/2-TRIM-PEW	£200.00	£240.00	237	SAF-EFSA-SBR	£91.67	£110.00	285
SAF-200M/CC-LP-MB	£183.33	£220.00	109	SAF-248D/2-TRIM-SBR	£200.00	£240.00	237	SAF-F400FML-F-AB	£375.00	£450.00	39
SAF-200M/CC-LP-PEW	£183.33	£220.00	109	SAF-248D/3-CP	£579.17	£695.00	211	SAF-F400FML-F-AW	£375.00	£450.00	39
SAF-200M/CC-LP-SBR	£183.33	£220.00	109	SAF-248D/3-MB	£595.83	£715.00	211	SAF-F400FML-F-CA	£375.00	£450.00	39
SAF-200M/CC-MB	£183.33	£220.00	109	SAF-248D/3-PEW	£595.83	£715.00	211	SAF-F400FML-F-CG	£375.00	£450.00	39
SAF-200M/CC-PEW	£183.33	£220.00	109	SAF-248D/3-SBR	£595.83	£715.00	211	SAF-F400FML-F-NO	£375.00	£450.00	39
SAF-200M/CC-SBR	£183.33	£220.00	109	SAF-248D/3-TRIM-CP	£183.33	£220.00	233	SAF-F400FML-F-SG	£375.00	£450.00	39
SAF-200M/SB-CP	£150.00	£180.00	109	SAF-248D/3-TRIM-MB	£200.00	£240.00	233	SAF-F400FML-F-TC	£375.00	£450.00	39
SAF-200M/SB-MB	£166.67	£200.00	109	SAF-248D/3-TRIM-PEW	£200.00	£240.00	233	SAF-F400FML-S-AB	£358.33	£430.00	35
SAF-200M/SB-PEW	£166.67	£200.00	109	SAF-248D/3-TRIM-SBR	£200.00	£240.00	233	SAF-F400FML-S-AW	£358.33	£430.00	35
SAF-200M/SB-SBR	£166.67	£200.00	109	SAF-248D-CP	£495.83	£595.00	211	SAF-F400FML-S-CA	£358.33	£430.00	35
SAF-201-CP	£225.00	£270.00	110	SAF-248D-MB	£512.50	£615.00	211	SAF-F400FML-S-CG	£358.33	£430.00	35
SAF-201-LP-CP	£225.00	£270.00	110	SAF-248D-PEW	£512.50	£615.00	211	SAF-F400FML-S-SG	£358.33	£430.00	35
SAF-201-LP-MB	£250.00	£300.00	110	SAF-248D-SBR	£512.50	£615.00	211	SAF-F400FML-S-TC	£358.33	£430.00	35

VADO price list

product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page
SAF-F400FMR-F-AB	£375.00	£450.00	39	SAF-F500WH-F-SG	£391.67	£470.00	40	SAF-F800WH-S-CG	£541.67	£650.00	37
SAF-F400FMR-F-AW	£375.00	£450.00	39	SAF-F500WH-F-TC	£391.67	£470.00	40	SAF-F800WH-S-SG	£541.67	£650.00	37
SAF-F400FMR-F-CA	£375.00	£450.00	39	SAF-F500WH-S-AB	£375.00	£450.00	36	SAF-F800WH-S-TC	£541.67	£650.00	37
SAF-F400FMR-F-CG	£375.00	£450.00	39	SAF-F500WH-S-AW	£375.00	£450.00	36	SAF-FBTW-AB	£270.83	£325.00	147
SAF-F400FMR-F-NO	£375.00	£450.00	39	SAF-F500WH-S-CA	£375.00	£450.00	36	SAF-FBTW-AW	£270.83	£325.00	147
SAF-F400FMR-F-SG	£375.00	£450.00	39	SAF-F500WH-S-CG	£375.00	£450.00	36	SAF-FBTW-CA	£270.83	£325.00	147
SAF-F400FMR-F-TC	£375.00	£450.00	39	SAF-F500WH-S-SG	£375.00	£450.00	36	SAF-FBTW-CG	£270.83	£325.00	147
SAF-F400FMR-S-AB	£358.33	£430.00	35	SAF-F500WH-S-TC	£375.00	£450.00	36	SAF-FBTW-NO	£270.83	£325.00	147
SAF-F400FMR-S-AW	£358.33	£430.00	35	SAF-F600FM-F-AB	£658.33	£790.00	40	SAF-FBTW-SG	£270.83	£325.00	147
SAF-F400FMR-S-CA	£358.33	£430.00	35	SAF-F600FM-F-AW	£658.33	£790.00	40	SAF-FBTW-TC	£270.83	£325.00	147
SAF-F400FMR-S-CG	£358.33	£430.00	35	SAF-F600FM-F-CA	£658.33	£790.00	40	SAF-F-SCRW	£2.50	£3.00	38
SAF-F400FMR-S-SG	£358.33	£430.00	35	SAF-F600FM-F-CG	£658.33	£790.00	40	SAF-F-SCRW	£2.50	£3.00	42
SAF-F400FMR-S-TC	£358.33	£430.00	35	SAF-F600FM-F-NO	£658.33	£790.00	40	SAF-HANB-CP	£16.67	£20.00	43
SAF-F400WHL-F-AB	£283.33	£340.00	39	SAF-F600FM-F-SG	£658.33	£790.00	40	SAF-HANB-MB	£18.33	£22.00	43
SAF-F400WHL-F-AW	£283.33	£340.00	39	SAF-F600FM-F-TC	£658.33	£790.00	40	SAF-HANB-PEW	£18.33	£22.00	43
SAF-F400WHL-F-CA	£283.33	£340.00	39	SAF-F600FM-S-AB	£633.33	£760.00	36	SAF-HANB-SBR	£18.33	£22.00	43
SAF-F400WHL-F-CG	£283.33	£340.00	39	SAF-F600FM-S-AW	£633.33	£760.00	36	SAF-HANDSET-CP	£41.67	£50.00	258
SAF-F400WHL-F-NO	£283.33	£340.00	39	SAF-F600FM-S-CA	£633.33	£760.00	36	SAF-HANDSET-MB	£45.83	£55.00	258
SAF-F400WHL-F-SG	£283.33	£340.00	39	SAF-F600FM-S-CG	£633.33	£760.00	36	SAF-HANDSET-MF-CP	£50.00	£60.00	258
SAF-F400WHL-F-TC	£283.33	£340.00	39	SAF-F600FM-S-SG	£633.33	£760.00	36	SAF-HANDSET-MF-CP	£50.00	£60.00	270
SAF-F400WHL-S-AB	£266.67	£320.00	35	SAF-F600FM-S-TC	£633.33	£760.00	36	SAF-HANDSET-MF-MB	£54.17	£65.00	258
SAF-F400WHL-S-AW	£266.67	£320.00	35	SAF-F600WH-F-AB	£475.00	£570.00	40	SAF-HANDSET-MF-MB	£54.17	£65.00	270
SAF-F400WHL-S-CA	£266.67	£320.00	35	SAF-F600WH-F-AW	£475.00	£570.00	40	SAF-HANDSET-MF-PEW	£54.17	£65.00	258
SAF-F400WHL-S-CG	£266.67	£320.00	35	SAF-F600WH-F-CA	£475.00	£570.00	40	SAF-HANDSET-MF-PEW	£54.17	£65.00	270
SAF-F400WHL-S-SG	£266.67	£320.00	35	SAF-F600WH-F-CG	£475.00	£570.00	40	SAF-HANDSET-MF-SBR	£54.17	£65.00	258
SAF-F400WHL-S-TC	£266.67	£320.00	35	SAF-F600WH-F-NO	£475.00	£570.00	40	SAF-HANDSET-MF-SBR	£54.17	£65.00	270
SAF-F400WHR-F-AB	£283.33	£340.00	39	SAF-F600WH-F-SG	£475.00	£570.00	40	SAF-HANDSET-PEW	£45.83	£55.00	258
SAF-F400WHR-F-AW	£283.33	£340.00	39	SAF-F600WH-F-TC	£475.00	£570.00	40	SAF-HANDSET-SBR	£45.83	£55.00	258
SAF-F400WHR-F-CA	£283.33	£340.00	39	SAF-F600WH-S-AB	£458.33	£550.00	36	SAF-HANDSET-SF-CP	£33.33	£40.00	258
SAF-F400WHR-F-CG	£283.33	£340.00	39	SAF-F600WH-S-AW	£458.33	£550.00	36	SAF-HANDSET-SF-CP	£33.33	£40.00	272
SAF-F400WHR-F-NO	£283.33	£340.00	39	SAF-F600WH-S-CA	£458.33	£550.00	36	SAF-HANDSET-SF-MB	£37.50	£45.00	258
SAF-F400WHR-F-SG	£283.33	£340.00	39	SAF-F600WH-S-CG	£458.33	£550.00	36	SAF-HANDSET-SF-MB	£37.50	£45.00	272
SAF-F400WHR-F-TC	£283.33	£340.00	39	SAF-F600WH-S-SG	£458.33	£550.00	36	SAF-HANDSET-SF-PEW	£37.50	£45.00	258
SAF-F400WHR-S-AB	£266.67	£320.00	35	SAF-F600WH-S-TC	£458.33	£550.00	36	SAF-HANDSET-SF-PEW	£37.50	£45.00	272
SAF-F400WHR-S-AW	£266.67	£320.00	35	SAF-F800FM-F-AB	£741.67	£890.00	41	SAF-HANDSET-SF-SBR	£37.50	£45.00	258
SAF-F400WHR-S-CA	£266.67	£320.00	35	SAF-F800FM-F-AW	£741.67	£890.00	41	SAF-HANDSET-SF-SBR	£37.50	£45.00	272
SAF-F400WHR-S-CG	£266.67	£320.00	35	SAF-F800FM-F-CA	£741.67	£890.00	41	SAF-HANK-F-CP	£18.33	£22.00	43
SAF-F400WHR-S-SG	£266.67	£320.00	35	SAF-F800FM-F-CG	£741.67	£890.00	41	SAF-HANK-F-MB	£20.83	£25.00	43
SAF-F400WHR-S-TC	£266.67	£320.00	35	SAF-F800FM-F-NO	£741.67	£890.00	41	SAF-HANK-F-PEW	£20.83	£25.00	43
SAF-F500FM-F-AB	£575.00	£690.00	40	SAF-F800FM-F-SG	£741.67	£890.00	41	SAF-HANK-F-SBR	£20.83	£25.00	43
SAF-F500FM-F-AW	£575.00	£690.00	40	SAF-F800FM-F-TC	£741.67	£890.00	41	SAF-HANK-S-CP	£15.00	£18.00	43
SAF-F500FM-F-CA	£575.00	£690.00	40	SAF-F800FM-S-AB	£716.67	£860.00	37	SAF-HANK-S-MB	£16.67	£20.00	43
SAF-F500FM-F-CG	£575.00	£690.00	40	SAF-F800FM-S-AW	£716.67	£860.00	37	SAF-HANK-S-PEW	£16.67	£20.00	43
SAF-F500FM-F-NO	£575.00	£690.00	40	SAF-F800FM-S-CA	£716.67	£860.00	37	SAF-HANK-S-SBR	£16.67	£20.00	43
SAF-F500FM-F-SG	£575.00	£690.00	40	SAF-F800FM-S-CG	£716.67	£860.00	37	SAF-HANK-S-SML-CP	£10.00	£12.00	43
SAF-F500FM-F-TC	£575.00	£690.00	40	SAF-F800FM-S-SG	£716.67	£860.00	37	SAF-HANK-S-SML-MB	£11.67	£14.00	43
SAF-F500FM-S-AB	£550.00	£660.00	36	SAF-F800FM-S-TC	£716.67	£860.00	37	SAF-HANK-S-SML-PEW	£11.67	£14.00	43
SAF-F500FM-S-AW	£550.00	£660.00	36	SAF-F800WH-F-AB	£558.33	£670.00	41	SAF-HANK-S-SML-SBR	£11.67	£14.00	43
SAF-F500FM-S-CA	£550.00	£660.00	36	SAF-F800WH-F-AW	£558.33	£670.00	41	SAF-HANP-F-CP	£20.83	£25.00	43
SAF-F500FM-S-CG	£550.00	£660.00	36	SAF-F800WH-F-CA	£558.33	£670.00	41	SAF-HANP-F-MB	£23.33	£28.00	43
SAF-F500FM-S-SG	£550.00	£660.00	36	SAF-F800WH-F-CG	£558.33	£670.00	41	SAF-HANP-F-PEW	£23.33	£28.00	43
SAF-F500FM-S-TC	£550.00	£660.00	36	SAF-F800WH-F-NO	£558.33	£670.00	41	SAF-HANP-F-SBR	£23.33	£28.00	43
SAF-F500WH-F-AB	£391.67	£470.00	40	SAF-F800WH-F-SG	£558.33	£670.00	41	SAF-HANT-CP	£23.33	£28.00	43
SAF-F500WH-F-AW	£391.67	£470.00	40	SAF-F800WH-F-TC	£558.33	£670.00	41	SAF-HANT-MB	£25.00	£30.00	43
SAF-F500WH-F-CA	£391.67	£470.00	40	SAF-F800WH-S-AB	£541.67	£650.00	37	SAF-HANT-PEW	£25.00	£30.00	43
SAF-F500WH-F-CG	£391.67	£470.00	40	SAF-F800WH-S-AW	£541.67	£650.00	37	SAF-HANT-SBR	£25.00	£30.00	43
SAF-F500WH-F-NO	£391.67	£470.00	40	SAF-F800WH-S-CA	£541.67	£650.00	37	SAF-HEAD-260-CP	£66.67	£80.00	259

product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page	product code	ex-vat	inc-vat	page
SAF-HEAD-260-CP	£66.67	£80.00	283	SAF-MFSRK-SBR	£150.00	£180.00	265	SAF-SRW02+SH-CP	£133.33	£160.00	257
SAF-HEAD-260-MB	£75.00	£90.00	259	SAF-OUTLET-CP	£50.00	£60.00	258	SAF-SRW02+SH-CP	£133.33	£160.00	288
SAF-HEAD-260-MB	£75.00	£90.00	283	SAF-OUTLET-CP	£50.00	£60.00	290	SAF-SRW02+SH-MB	£145.83	£175.00	257
SAF-HEAD-260-PEW	£75.00	£90.00	259	SAF-OUTLET-MB	£54.17	£65.00	258	SAF-SRW02+SH-MB	£145.83	£175.00	288
SAF-HEAD-260-PEW	£75.00	£90.00	283	SAF-OUTLET-MB	£54.17	£65.00	290	SAF-SRW02+SH-PEW	£145.83	£175.00	257
SAF-HEAD-260-SBR	£75.00	£90.00	259	SAF-OUTLET-PEW	£54.17	£65.00	258	SAF-SRW02+SH-PEW	£145.83	£175.00	288
SAF-HEAD-260-SBR	£75.00	£90.00	283	SAF-OUTLET-PEW	£54.17	£65.00	290	SAF-SRW02+SH-SBR	£145.83	£175.00	257
SAF-HEAD-320D-CP	£100.00	£120.00	259	SAF-OUTLET-SBR	£54.17	£65.00	258	SAF-SRW02+SH-SBR	£145.83	£175.00	288
SAF-HEAD-320D-CP	£100.00	£120.00	283	SAF-OUTLET-SBR	£54.17	£65.00	290	SAF-WT10-AB	£283.33	£340.00	49
SAF-HEAD-320D-MB	£108.33	£130.00	259	SAF-SFMK-CP	£83.33	£100.00	256	SAF-WT10-AW	£245.83	£295.00	49
SAF-HEAD-320D-MB	£108.33	£130.00	283	SAF-SFMK-CP	£83.33	£100.00	274	SAF-WT10-CA	£283.33	£340.00	49
SAF-HEAD-320D-PEW	£108.33	£130.00	259	SAF-SFMK-MB	£91.67	£110.00	256	SAF-WT10-CG	£283.33	£340.00	49
SAF-HEAD-320D-SBR	£108.33	£130.00	283	SAF-SFMK-MB	£91.67	£110.00	274	SAF-WT10-GW	£212.50	£255.00	49
SAF-HEAD-320D-SBR	£108.33	£130.00	259	SAF-SFMK-PEW	£91.67	£110.00	256	SAF-WT10-SG	£283.33	£340.00	49
SAF-M5I-REC-P-MB	£270.83	£325.00	331	SAF-SFMK-PEW	£91.67	£110.00	274	SAF-WT10-TC	£283.33	£340.00	49
SAF-M5I-REC-P-PEW	£270.83	£325.00	331	SAF-SFMK-SBR	£91.67	£110.00	256	SAF-WT12-AB	£325.00	£390.00	49
SAF-M5I-REC-P-SBR	£270.83	£325.00	331	SAF-SFMK-SBR	£91.67	£110.00	274	SAF-WT12-AW	£283.33	£340.00	49
SAF-M5I-REC-P-SC	£270.83	£325.00	331	SAF-SFMKWO-CP	£116.67	£140.00	256	SAF-WT12-CA	£325.00	£390.00	49
SAF-M5W-REC-P+DI-MB	£604.17	£725.00	333	SAF-SFMKWO-CP	£116.67	£140.00	275	SAF-WT12-CG	£325.00	£390.00	49
SAF-M5W-REC-P+DI-PEW	£604.17	£725.00	333	SAF-SFMKWO-MB	£133.33	£160.00	256	SAF-WT12-GW	£262.50	£315.00	49
SAF-M5W-REC-P+DI-SBR	£604.17	£725.00	333	SAF-SFMKWO-MB	£133.33	£160.00	275	SAF-WT12-SG	£325.00	£390.00	49
SAF-M5W-REC-P+DI-SC	£604.17	£725.00	333	SAF-SFMKWO-PEW	£133.33	£160.00	256	SAF-WT12-TC	£325.00	£390.00	49
SAF-M5W-REC-P+GL-MB	£604.17	£725.00	332	SAF-SFMKWO-PEW	£133.33	£160.00	275	SAF-WT6-AB	£200.00	£240.00	48
SAF-M5W-REC-P+GL-PEW	£604.17	£725.00	332	SAF-SFMKWO-SBR	£133.33	£160.00	256	SAF-WT6-AW	£162.50	£195.00	48
SAF-M5W-REC-P+GL-SBR	£604.17	£725.00	332	SAF-SFMKWO-SBR	£133.33	£160.00	275	SAF-WT6-CA	£200.00	£240.00	48
SAF-M5W-REC-P+GL-SC	£604.17	£725.00	332	SAF-SFSRK-CP	£116.67	£140.00	256	SAF-WT6-CG	£200.00	£240.00	48
SAF-M6I-REC-P-MB	£312.50	£375.00	331	SAF-SFSRK-CP	£116.67	£140.00	268	SAF-WT6-GW	£145.83	£175.00	48
SAF-M6I-REC-P-PEW	£312.50	£375.00	331	SAF-SFSRK-MB	£133.33	£160.00	256	SAF-WT6-SG	£200.00	£240.00	48
SAF-M6I-REC-P-SBR	£312.50	£375.00	331	SAF-SFSRK-MB	£133.33	£160.00	268	SAF-WT6-TC	£200.00	£240.00	48
SAF-M6I-REC-P-SC	£312.50	£375.00	331	SAF-SFSRK-PEW	£133.33	£160.00	256	SAF-WT8-AB	£241.67	£290.00	49
SAF-M6W-REC-P+DI-MB	£645.83	£775.00	333	SAF-SFSRK-PEW	£133.33	£160.00	268	SAF-WT8-AW	£200.00	£240.00	49
SAF-M6W-REC-P+DI-PEW	£645.83	£775.00	333	SAF-SFSRK-SBR	£133.33	£160.00	256	SAF-WT8-CA	£241.67	£290.00	49
SAF-M6W-REC-P+DI-SBR	£645.83	£775.00	333	SAF-SFSRK-SBR	£133.33	£160.00	268	SAF-WT8-CG	£241.67	£290.00	49
SAF-M6W-REC-P+DI-SC	£645.83	£775.00	333	SAF-SR1+SH-CP	£116.67	£140.00	257	SAF-WT8-GW	£179.17	£215.00	49
SAF-M6W-REC-P+GL-MB	£645.83	£775.00	332	SAF-SR1+SH-CP	£116.67	£140.00	288	SAF-WT8-SG	£241.67	£290.00	49
SAF-M6W-REC-P+GL-PEW	£645.83	£775.00	332	SAF-SR1+SH-MB	£129.17	£155.00	257	SAF-WT8-TC	£241.67	£290.00	49
SAF-M6W-REC-P+GL-SBR	£645.83	£775.00	332	SAF-SR1+SH-MB	£129.17	£155.00	288	SH-012-120-DB-C/P	£29.17	£35.00	289
SAF-M6W-REC-P+GL-SC	£645.83	£775.00	332	SAF-SR1+SH-PEW	£129.17	£155.00	257	SH-012-150-DB-C/P	£33.33	£40.00	289
SAF-M8I-REC-L-MB	£333.33	£400.00	331	SAF-SR1+SH-PEW	£129.17	£155.00	288	SH-012-200-DB-C/P	£37.50	£45.00	289
SAF-M8I-REC-L-PEW	£333.33	£400.00	331	SAF-SR1+SH-SBR	£129.17	£155.00	257	SH-013-150-DB-CP-LB	£37.50	£45.00	289
SAF-M8I-REC-L-SBR	£333.33	£400.00	331	SAF-SR1+SH-SBR	£129.17	£155.00	288	SH-711-BRACKET-C/P	£29.17	£35.00	291
SAF-M8I-REC-L-SC	£333.33	£400.00	331	SAF-SR2+SH-CP	£116.67	£140.00	257	SHA-180-C/P	£70.83	£85.00	305
SAF-M8W-REC-L+DI-MB	£666.67	£800.00	333	SAF-SR2+SH-CP	£116.67	£140.00	288	SHA-182-C/P	£70.83	£85.00	305
SAF-M8W-REC-L+DI-PEW	£666.67	£800.00	333	SAF-SR2+SH-MB	£129.17	£155.00	257	SHA-183-C/P	£70.83	£85.00	306
SAF-M8W-REC-L+DI-SBR	£666.67	£800.00	333	SAF-SR2+SH-MB	£129.17	£155.00	288	SHA-184-45-C/P	£125.00	£150.00	307
SAF-M8W-REC-L+DI-SC	£666.67	£800.00	333	SAF-SR2+SH-PEW	£129.17	£155.00	257	SHA-184B-C/P	£104.17	£125.00	306
SAF-M8W-REC-L+GL-MB	£666.67	£800.00	332	SAF-SR2+SH-PEW	£129.17	£155.00	288	SHA-184-C/P	£141.67	£170.00	307
SAF-M8W-REC-L+GL-PEW	£666.67	£800.00	332	SAF-SR2+SH-SBR	£129.17	£155.00	257	SHA-186-C/P	£54.17	£65.00	295
SAF-M8W-REC-L+GL-SBR	£666.67	£800.00	332	SAF-SR2+SH-SBR	£129.17	£155.00	288	SHA-186-C/P	£54.17	£65.00	306
SAF-M8W-REC-L+GL-SC	£666.67	£800.00	332	SAF-SRW01+SH-CP	£133.33	£160.00	257	SHA-188-C/P	£141.67	£170.00	307
SAF-MFSRK-CP	£133.33	£160.00	256	SAF-SRW01+SH-CP	£133.33	£160.00	288	SHF-18501-CP	£54.17	£65.00	325
SAF-MFSRK-CP	£133.33	£160.00	265	SAF-SRW01+SH-MB	£145.83	£175.00	257	SKY-SQ35-CP	£662.50	£795.00	284
SAF-MFSRK-MB	£150.00	£180.00	256	SAF-SRW01+SH-MB	£145.83	£175.00	288	SPA-1801-30-C/P	£70.83	£85.00	297
SAF-MFSRK-MB	£150.00	£180.00	265	SAF-SRW01+SH-PEW	£145.83	£175.00	257	SPA-1801-45-C/P	£79.17	£95.00	298
SAF-MFSRK-PEW	£150.00	£180.00	256	SAF-SRW01+SH-PEW	£145.83	£175.00	288	SPA-1802-C/P	£141.67	£170.00	297
SAF-MFSRK-PEW	£150.00	£180.00	265	SAF-SRW01+SH-SBR	£145.83	£175.00	257	SPA-180-C/P	£54.17	£65.00	296
SAF-MFSRK-SBR	£150.00	£180.00	256	SAF-SRW01+SH-SBR	£145.83	£175.00	288	SPA-180-CPK	£54.17	£65.00	292

VADO price list

product code	ex-vat	inc-vat	page
SPA-182-C/P	£54.17	£65.00	296
SPA-183-C/P	£54.17	£65.00	296
SPA-184-45-C/P	£70.83	£85.00	298
SPA-184-45-CPK	£70.83	£85.00	292
SPA-184-C/P	£79.17	£95.00	298
SPA-185B-C/P	£229.17	£275.00	298
SPA-186-C/P	£37.50	£45.00	297
SPA-186-CPK	£37.50	£45.00	292
STRA-149RRK-CP	£829.17	£995.00	176
SYN-240/W-CP	£350.00	£420.00	83

T

TAB-028/2-CONC	£470.83	£565.00	226
TAB-028/3-CONC	£512.50	£615.00	224
TAB-028/3WO-CONC	£570.83	£685.00	223
TAB-048/2-CONC	£462.50	£555.00	228
TAB-048/2WO-CONC	£504.17	£605.00	223
TAB-048-CONC	£379.17	£455.00	230
TAB-123T/WO-ARR-CP	£1,000.00	£1,200.00	80
TAB-123T/WO-ARR-T-CP	£433.33	£520.00	222
TAB-128/2-ALT-C/P	£687.50	£825.00	195
TAB-128/2-ALT-TRIM	£216.67	£260.00	226
TAB-128/2-H-ALT-C/P	£687.50	£825.00	195
TAB-128/2-H-ALT-TRIM	£216.67	£260.00	226
TAB-128/2-H-NOT-C/P	£687.50	£825.00	198
TAB-128/2-H-NOT-TRIM	£216.67	£260.00	227
TAB-128/2-NOT-C/P	£687.50	£825.00	198
TAB-128/2-NOT-TRIM	£216.67	£260.00	227
TAB-128/3-ALT-C/P	£729.17	£875.00	194
TAB-128/3-ALT-TRIM	£216.67	£260.00	224
TAB-128/3-H-ALT-C/P	£729.17	£875.00	194
TAB-128/3-H-ALT-TRIM	£216.67	£260.00	224
TAB-128/3-H-CPK	£729.17	£875.00	191
TAB-128/3-H-NOT-C/P	£729.17	£875.00	197
TAB-128/3-H-NOT-TRIM	£216.67	£260.00	225
TAB-128/3-H-T-CPK	£216.67	£260.00	224
TAB-128/3-NOT-C/P	£729.17	£875.00	197
TAB-128/3-NOT-TRIM	£216.67	£260.00	225
TAB-128/3WO-ALT-CP	£854.17	£1,025.00	187
TAB-128/3WO-ALT-T-CP	£283.33	£340.00	223
TAB-128/3WO-B-ARR-CP	£854.17	£1,025.00	189
TAB-128/3WO-NOT-CP	£854.17	£1,025.00	187
TAB-128/3WO-NOT-T-CP	£283.33	£340.00	223
TAB-128/3WO-S-ARR-CP	£854.17	£1,025.00	189
TAB-1283WOB-ARR-T-CP	£283.33	£340.00	220
TAB-1283WOS-ARR-T-CP	£283.33	£340.00	220
TAB-148/2-ALT-C/P	£645.83	£775.00	195
TAB-148/2-ALT-TRIM	£200.00	£240.00	229
TAB-148/2-ARR-CP	£645.83	£775.00	189
TAB-148/2-ARR-T-CP	£200.00	£240.00	221
TAB-148/2-CPK	£645.83	£775.00	191
TAB-148/2-H-ALT-C/P	£645.83	£775.00	196
TAB-148/2-H-ALT-TRIM	£200.00	£240.00	229
TAB-148/2-H-CPK	£645.83	£775.00	191
TAB-148/2-H-NOT-C/P	£645.83	£775.00	199
TAB-148/2-H-NOT-TRIM	£200.00	£240.00	229
TAB-148/2-H-OMI-C/P	£645.83	£775.00	193

product code	ex-vat	inc-vat	page
TAB-148/2-H-OMI-TRIM	£200.00	£240.00	228
TAB-148/2-H-T-CPK	£200.00	£240.00	228
TAB-148/2-NOT-C/P	£645.83	£775.00	198
TAB-148/2-NOT-TRIM	£200.00	£240.00	229
TAB-148/2-OMI-C/P	£645.83	£775.00	193
TAB-148/2-OMI-TRIM	£200.00	£240.00	228
TAB-148/2-T-CPK	£200.00	£240.00	228
TAB-148/2WO-ALT-CP	£770.83	£925.00	187
TAB-148/2WO-ALT-T-CP	£266.67	£320.00	223
TAB-148/2WO-NOT-CP	£770.83	£925.00	187
TAB-148/2WO-NOT-T-CP	£266.67	£320.00	223
TAB-148-ALT-C/P	£579.17	£695.00	196
TAB-148-ALT-TRIM	£200.00	£240.00	230
TAB-148-ARR-CP	£579.17	£695.00	189
TAB-148-ARR-T-CP	£200.00	£240.00	221
TAB-148-H-ALT-C/P	£579.17	£695.00	196
TAB-148-H-ALT-TRIM	£200.00	£240.00	230
TAB-148-H-NOT-C/P	£579.17	£695.00	199
TAB-148-H-NOT-TRIM	£200.00	£240.00	231
TAB-148-NOT-C/P	£579.17	£695.00	199
TAB-148-NOT-TRIM	£200.00	£240.00	231
TAB-1710/ALT-AS-CP	£750.00	£900.00	165
TAB-1720/ALT-AS-CP	£1,100.00	£1,320.00	164
TAB-1720/NOT-V2-CP	£1,087.50	£1,305.00	164
TAB-1721/ALT-CP	£1,000.00	£1,200.00	163
TAB-1721/NOT-CP	£1,012.50	£1,215.00	163
TAB-1721/WO-ALT-CP	£991.67	£1,190.00	161
TAB-1721/WO-NOT-CP	£991.67	£1,190.00	161
TAB-1722/ALT-ORA-CP	£966.67	£1,160.00	165
TAB-1743/ALT-CP	£1,037.50	£1,245.00	162
TAB-1743/NOT-CP	£1,050.00	£1,260.00	162
TAB-1753/WO-ALT-CP	£1,208.33	£1,450.00	160
TAB-1753/WO-NOT-CP	£1,208.33	£1,450.00	160
TAB-223T/WO-ARR-CP	£1,000.00	£1,200.00	80
TAB-223T/WO-ARR-T-CP	£433.33	£520.00	222
TAB-ARR-023T/WO-CONC	£566.67	£680.00	222
TAB-ARR028/3WOB-CONC	£570.83	£685.00	220
TAB-ARR028/3WOS-CONC	£570.83	£685.00	220
TAB-ARR-048/2-CONC	£445.83	£535.00	221
TAB-ARR-048-CONC	£379.17	£455.00	221
TE-149T-C/P	£300.00	£360.00	247

V

VEL-149T-RRK-RO-CP	£495.83	£595.00	179
VEL-149T-RRK-SQ-CP	£495.83	£595.00	180

W

WG-049BRACK+SHR-C/P	£25.00	£30.00	158
WG-095-C	£133.33	£160.00	144
WG-095-F/C	£300.00	£360.00	143
WG-095S-C	£133.33	£160.00	144
WG-095S-F/C	£300.00	£360.00	143
WG-130ELBOW-C/P	£20.83	£25.00	291
WG-1389-RO-CP	£87.50	£105.00	155
WG-1389-RO-MB	£95.83	£115.00	155
WG-1389-RO-MW	£95.83	£115.00	155
WG-1389-RO-PEW	£95.83	£115.00	155

product code	ex-vat	inc-vat	page
WG-1389-RO-SBR	£95.83	£115.00	155
WG-195-RO-CP	£70.83	£85.00	142
WG-195-RO-MB	£75.00	£90.00	142
WG-195-RO-MW	£75.00	£90.00	142
WG-195-RO-PEW	£75.00	£90.00	142
WG-195-RO-SBR	£75.00	£90.00	142
WG-195-SQ-CP	£70.83	£85.00	142
WG-195-SQ-MB	£75.00	£90.00	142
WG-195-SQ-MW	£75.00	£90.00	142
WG-195-SQ-PEW	£75.00	£90.00	142
WG-195-SQ-SBR	£75.00	£90.00	142
WG-2389-RO-CP	£158.33	£190.00	156
WG-2389-RO-MB	£170.83	£205.00	156
WG-2389-RO-MW	£170.83	£205.00	156
WG-2389-RO-PEW	£170.83	£205.00	156
WG-2389-RO-SBR	£170.83	£205.00	156
WG-395-C/P	£54.17	£65.00	76
WG-395-CAP/RO-WHT	£16.67	£20.00	153
WG-395-CAP/SQ-C/P	£16.67	£20.00	153
WG-395-MB	£62.50	£75.00	152
WG-395-MW	£62.50	£75.00	152
WG-395-PEW	£62.50	£75.00	152
WG-395-SBR	£62.50	£75.00	152
WG-461/RO-CP	£87.50	£105.00	152
WG-461/RO-MB	£95.83	£115.00	152
WG-461/RO-MW	£95.83	£115.00	152
WG-461/RO-PEW	£95.83	£115.00	152
WG-461/RO-SBR	£95.83	£115.00	152
WG-461/SQ-CP	£75.00	£90.00	153
WG-71552A-CP	£79.17	£95.00	155
WG-81389/SQ-C/P	£158.33	£190.00	154
WG-81552A-CP	£145.83	£175.00	156
WG-DCV-1/2-CP	£16.67	£20.00	150
WG-EFSA/RO-C/P	£87.50	£105.00	285
WG-EFSA/SQ-C/P	£87.50	£105.00	263
WG-ELBOW/45-C/P	£20.83	£25.00	291
WG-MFKIT2-C/P	£83.33	£100.00	280
WG-RRK/DIV/SQ-148-CP	£433.33	£520.00	255
WG-RRK/DIV-148-C/P	£433.33	£520.00	255
WG-SATURN3/SA-CP	£154.17	£185.00	280
WG-SATURN3-CP	£83.33	£100.00	283
WG-SFKIT2-C/P	£66.67	£80.00	280
WG-SPACE/RK-DB-C/P	£104.17	£125.00	289
WG-STUDFAST-C-S/S	£50.00	£60.00	158
WG-V2HANDSET-DB-C/P	£54.17	£65.00	272
WG-V2KIT-C/P	£183.33	£220.00	269
WG-VENUSKIT-C/P	£150.00	£180.00	269

X

XSH-LUXSHATTAF100-CP	£116.67	£140.00	151
XSH-SHATTAF/163-C/P	£283.33	£340.00	151

Z

ZON-028/2-CONC	£512.50	£615.00	218
ZON-043-CONC	£83.33	£100.00	219
ZON-128/2-CP	£729.17	£875.00	184
ZON-128/2-H-CP	£729.17	£875.00	185

product code	ex-vat	inc-vat	page
ZON-128/2-H-TRIM-CP	£216.67	£260.00	218
ZON-128/2-TRIM-CP	£216.67	£260.00	218
ZON-143-CP	£133.33	£160.00	185
ZON-143-H-CP	£133.33	£160.00	184
ZON-143-H-TRIM-CP	£50.00	£60.00	219
ZON-143-TRIM-CP	£50.00	£60.00	219
ZOO-142/PR-3/4-C/P	£216.67	£260.00	253
ZOO-143-3/4-C/P	£100.00	£120.00	253
ZOO-144/2-C/P	£150.00	£180.00	253
ZOO-180-CP	£29.17	£35.00	309
ZOO-180-MB	£33.33	£40.00	309
ZOO-180-PEW	£33.33	£40.00	309
ZOO-180-SBR	£33.33	£40.00	309
ZOO-181-CP	£41.67	£50.00	309
ZOO-181-MB	£45.83	£55.00	309
ZOO-181-PEW	£45.83	£55.00	309
ZOO-181-SBR	£45.83	£55.00	309
ZOO-182B-CP	£75.00	£90.00	310
ZOO-182B-MB	£83.33	£100.00	310
ZOO-182B-PEW	£83.33	£100.00	310
ZOO-182B-SBR	£83.33	£100.00	310
ZOO-184-45-CP	£45.83	£55.00	309
ZOO-184-45-MB	£50.00	£60.00	309
ZOO-184-45-PEW	£50.00	£60.00	309
ZOO-184-45-SBR	£50.00	£60.00	309
ZOO-184-60-CP	£50.00	£60.00	309
ZOO-184-60-MB	£54.17	£65.00	309
ZOO-184-60-PEW	£54.17	£65.00	309
ZOO-184-60-SBR	£54.17	£65.00	309
ZOO-184B-60-CP	£62.50	£75.00	310
ZOO-184B-60-MB	£66.67	£80.00	310
ZOO-184B-60-PEW	£66.67	£80.00	310
ZOO-184B-60-SBR	£66.67	£80.00	310
ZOO-185-CP	£70.83	£85.00	310
ZOO-185-MB	£75.00	£90.00	310
ZOO-185-PEW	£75.00	£90.00	310
ZOO-185-SBR	£75.00	£90.00	310
ZOO-186-CP	£20.83	£25.00	310
ZOO-186-MB	£25.00	£30.00	310
ZOO-186-PEW	£25.00	£30.00	310
ZOO-186-SBR	£25.00	£30.00	310
ZOO-232-CP	£625.00	£750.00	95
ZOO-232NS-CP	£537.50	£645.00	95
ZOO-CAPSULE-C/P	£312.50	£375.00	273
ZOO-DECKKIT-C/P	£175.00	£210.00	273
ZOO-HOSE/AT-DB-SIL	£37.50	£45.00	289


product code	ex-vat	inc-vat	page
--------------	--------	---------	------

product code	ex-vat	inc-vat	page
--------------	--------	---------	------



Safari®


NEW



smooth floor mounted cloakroom unit
with left pull door
400mm wide
soft close hinges
50mm pipe void in rear

	£ ex-vat	£ inc-vat
arctic white SAF-F400FML-S-AW	358.33	430.00
sage green SAF-F400FML-S-SG	358.33	430.00
charcoal grey SAF-F400FML-S-CG	358.33	430.00
atlantic blue SAF-F400FML-S-AB	358.33	430.00
terracotta SAF-F400FML-S-TC	358.33	430.00
cashmere SAF-F400FML-S-CA	358.33	430.00


NEW



smooth floor mounted cloakroom unit
with right pull door
400mm wide
soft close hinges
50mm pipe void in rear

	£ ex-vat	£ inc-vat
arctic white SAF-F400FMR-S-AW	358.33	430.00
sage green SAF-F400FMR-S-SG	358.33	430.00
charcoal grey SAF-F400FMR-S-CG	358.33	430.00
atlantic blue SAF-F400FMR-S-AB	358.33	430.00
terracotta SAF-F400FMR-S-TC	358.33	430.00
cashmere SAF-F400FMR-S-CA	358.33	430.00


NEW



smooth wall hung cloakroom unit
with left pull door
400mm wide
soft close hinges

	£ ex-vat	£ inc-vat
arctic white SAF-F400WHL-S-AW	266.67	320.00
sage green SAF-F400WHL-S-SG	266.67	320.00
charcoal grey SAF-F400WHL-S-CG	266.67	320.00
atlantic blue SAF-F400WHL-S-AB	266.67	320.00
terracotta SAF-F400WHL-S-TC	266.67	320.00
cashmere SAF-F400WHL-S-CA	266.67	320.00


NEW



smooth wall hung cloakroom unit
with right pull door
400mm wide
soft close hinges

	£ ex-vat	£ inc-vat
arctic white SAF-F400WHR-S-AW	266.67	320.00
sage green SAF-F400WHR-S-SG	266.67	320.00
charcoal grey SAF-F400WHR-S-CG	266.67	320.00
atlantic blue SAF-F400WHR-S-AB	266.67	320.00
terracotta SAF-F400WHR-S-TC	266.67	320.00
cashmere SAF-F400WHR-S-CA	266.67	320.00


NEW



smooth floor mounted vanity unit
500mm wide
2 quick release, soft close drawers
discreet internal drawer
bottle trap cutout in top drawer
height adjustable wall brackets

	£ ex-vat	£ inc-vat
arctic white SAF-F500FM-S-AW	550.00	660.00
sage green SAF-F500FM-S-SG	550.00	660.00
charcoal grey SAF-F500FM-S-CG	550.00	660.00
atlantic blue SAF-F500FM-S-AB	550.00	660.00
terracotta SAF-F500FM-S-TC	550.00	660.00
cashmere SAF-F500FM-S-CA	550.00	660.00


NEW



smooth wall hung vanity unit
500mm wide
quick release, soft close drawer
discreet internal drawer
bottle trap cutout in drawer
height adjustable wall brackets

	£ ex-vat	£ inc-vat
arctic white SAF-F500WH-S-AW	375.00	450.00
sage green SAF-F500WH-S-SG	375.00	450.00
charcoal grey SAF-F500WH-S-CG	375.00	450.00
atlantic blue SAF-F500WH-S-AB	375.00	450.00
terracotta SAF-F500WH-S-TC	375.00	450.00
cashmere SAF-F500WH-S-CA	375.00	450.00


NEW



smooth floor mounted vanity unit
600mm wide
2 quick release, soft close drawers
discreet internal drawer
bottle trap cutout in top drawer
height adjustable wall brackets

	£ ex-vat	£ inc-vat
arctic white SAF-F600FM-S-AW	633.33	760.00
sage green SAF-F600FM-S-SG	633.33	760.00
charcoal grey SAF-F600FM-S-CG	633.33	760.00
atlantic blue SAF-F600FM-S-AB	633.33	760.00
terracotta SAF-F600FM-S-TC	633.33	760.00
cashmere SAF-F600FM-S-CA	633.33	760.00


NEW



smooth wall hung vanity unit
600mm wide
quick release, soft close drawer
discreet internal drawer
bottle trap cutout in top drawer
height adjustable wall brackets

	£ ex-vat	£ inc-vat
arctic white SAF-F600WH-S-AW	458.33	550.00
sage green SAF-F600WH-S-SG	458.33	550.00
charcoal grey SAF-F600WH-S-CG	458.33	550.00
atlantic blue SAF-F600WH-S-AB	458.33	550.00
terracotta SAF-F600WH-S-TC	458.33	550.00
cashmere SAF-F600WH-S-CA	458.33	550.00



NEW



smooth floor mounted vanity unit
800mm wide
2 quick release, soft close drawers
discreet internal drawer
bottle trap cutout in top drawer
height adjustable wall brackets

arctic white	£ ex-vat	£ inc-vat
SAF-F800FM-S-AW	716.67	860.00
sage green		
SAF-F800FM-S-SG	716.67	860.00
charcoal grey		
SAF-F800FM-S-CG	716.67	860.00
atlantic blue		
SAF-F800FM-S-AB	716.67	860.00
terracotta		
SAF-F800FM-S-TC	716.67	860.00
cashmere		
SAF-F800FM-S-CA	716.67	860.00


NEW



smooth wall hung vanity unit
800mm wide
quick release, soft close drawer
discreet internal drawer
bottle trap cutout in top drawer
height adjustable wall brackets

arctic white	£ ex-vat	£ inc-vat
SAF-F800WH-S-AW	541.67	650.00
sage green		
SAF-F800WH-S-SG	541.67	650.00
charcoal grey		
SAF-F800WH-S-CG	541.67	650.00
atlantic blue		
SAF-F800WH-S-AB	541.67	650.00
terracotta		
SAF-F800WH-S-TC	541.67	650.00
cashmere		
SAF-F800WH-S-CA	541.67	650.00

NEW





smooth floor mounted vanity unit
1000mm wide*
4 quick release, soft close drawers
2 discreet internal drawers
bottle trap cutout in top drawer
height adjustable wall brackets

arctic white	£ ex-vat	£ inc-vat
SAF-F500FM-S-AW x2	1,100.00	1,320.00
sage green		
SAF-F500FM-S-SG x2	1,100.00	1,320.00
charcoal grey		
SAF-F500FM-S-CG x2	1,100.00	1,320.00
atlantic blue		
SAF-F500FM-S-AB x2	1,100.00	1,320.00
terracotta		
SAF-F500FM-S-TC x2	1,100.00	1,320.00
cashmere		
SAF-F500FM-S-CA x2	1,100.00	1,320.00

*requires SAF-F-SCRW (sold separately, see page 38)

NEW




smooth wall hung vanity unit
1000mm wide*
2 quick release, soft close drawers
2 discreet internal drawers
bottle trap cutout in drawer
height adjustable wall brackets

arctic white	£ ex-vat	£ inc-vat
SAF-F500WH-S-AW x2	750.00	900.00
sage green		
SAF-F500WH-S-SG x2	750.00	900.00
charcoal grey		
SAF-F500WH-S-CG x2	750.00	900.00
atlantic blue		
SAF-F500WH-S-AB x2	750.00	900.00
terracotta		
SAF-F500WH-S-TC x2	750.00	900.00
cashmere		
SAF-F500WH-S-CA x2	750.00	900.00

*requires SAF-F-SCRW (sold separately, see page 38)

NEW





smooth floor mounted vanity unit
1200mm wide*
4 quick release, soft close drawers
2 discreet internal drawers
bottle trap cutout in top drawer
height adjustable wall brackets

*requires SAF-F-SCRW (sold separately)

	£ ex-vat	£ inc-vat
arctic white SAF-F600FM-S-AW x2	1,266.66	1,520.00
sage green SAF-F600FM-S-SG x2	1,266.66	1,520.00
charcoal grey SAF-F600FM-S-CG x2	1,266.66	1,520.00
atlantic blue SAF-F600FM-S-AB x2	1,266.66	1,520.00
terracotta SAF-F600FM-S-TC x2	1,266.66	1,520.00
cashmere SAF-F600FM-S-CA x2	1,266.66	1,520.00

NEW




smooth wall hung vanity unit
1200mm wide*
2 quick release, soft close drawers
2 discreet internal drawers
bottle trap cutout in top drawer
height adjustable wall brackets

*requires SAF-F-SCRW (sold separately)

	£ ex-vat	£ inc-vat
arctic white SAF-F600WH-S-AW x2	916.66	1,100.00
sage green SAF-F600WH-S-SG x2	916.66	1,100.00
charcoal grey SAF-F600WH-S-CG x2	916.66	1,100.00
atlantic blue SAF-F600WH-S-AB x2	916.66	1,100.00
terracotta SAF-F600WH-S-TC x2	916.66	1,100.00
cashmere SAF-F600WH-S-CA x2	916.66	1,100.00


NEW



furniture joining screws
for use with Safari 500mm and 600mm units

	£ ex-vat	£ inc-vat
SAF-F-SCRW	2.50	3.00


NEW



fluted floor mounted cloakroom unit
with left pull door
400mm wide
soft close hinges
50mm pipe void in rear

	£ ex-vat	£ inc-vat
arctic white SAF-F400FML-F-AW	375.00	450.00
sage green SAF-F400FML-F-SG	375.00	450.00
charcoal grey SAF-F400FML-F-CG	375.00	450.00
atlantic blue SAF-F400FML-F-AB	375.00	450.00
terracotta SAF-F400FML-F-TC	375.00	450.00
cashmere SAF-F400FML-F-CA	375.00	450.00
natural oak SAF-F400FML-F-NO	375.00	450.00


NEW



fluted floor mounted cloakroom unit
with right pull door
400mm wide
soft close hinges
50mm pipe void in rear

	£ ex-vat	£ inc-vat
arctic white SAF-F400FMR-F-AW	375.00	450.00
sage green SAF-F400FMR-F-SG	375.00	450.00
charcoal grey SAF-F400FMR-F-CG	375.00	450.00
atlantic blue SAF-F400FMR-F-AB	375.00	450.00
terracotta SAF-F400FMR-F-TC	375.00	450.00
cashmere SAF-F400FMR-F-CA	375.00	450.00
natural oak SAF-F400FMR-F-NO	375.00	450.00


NEW



fluted wall hung cloakroom unit
with left pull door
400mm wide
soft close hinges

	£ ex-vat	£ inc-vat
arctic white SAF-F400WHL-F-AW	283.33	340.00
sage green SAF-F400WHL-F-SG	283.33	340.00
charcoal grey SAF-F400WHL-F-CG	283.33	340.00
atlantic blue SAF-F400WHL-F-AB	283.33	340.00
terracotta SAF-F400WHL-F-TC	283.33	340.00
cashmere SAF-F400WHL-F-CA	283.33	340.00
natural oak SAF-F400WHL-F-NO	283.33	340.00


NEW



fluted wall hung cloakroom unit
with right pull door
400mm wide
soft close hinges

	£ ex-vat	£ inc-vat
arctic white SAF-F400WHR-F-AW	283.33	340.00
sage green SAF-F400WHR-F-SG	283.33	340.00
charcoal grey SAF-F400WHR-F-CG	283.33	340.00
atlantic blue SAF-F400WHR-F-AB	283.33	340.00
terracotta SAF-F400WHR-F-TC	283.33	340.00
cashmere SAF-F400WHR-F-CA	283.33	340.00
natural oak SAF-F400WHR-F-NO	283.33	340.00



NEW



fluted floor mounted vanity unit
500mm wide
2 quick release, soft close drawers
discreet internal drawer
bottle trap cutout in top drawer
height adjustable wall brackets

	£ ex-vat	£ inc-vat
arctic white SAF-F500FM-F-AW	575.00	690.00
sage green SAF-F500FM-F-SG	575.00	690.00
charcoal grey SAF-F500FM-F-CG	575.00	690.00
atlantic blue SAF-F500FM-F-AB	575.00	690.00
terracotta SAF-F500FM-F-TC	575.00	690.00
cashmere SAF-F500FM-F-CA	575.00	690.00
natural oak SAF-F500FM-F-NO	575.00	690.00


NEW



fluted wall hung vanity unit
500mm wide
quick release, soft close drawer
discreet internal drawer
bottle trap cutout in drawer
height adjustable wall brackets

	£ ex-vat	£ inc-vat
arctic white SAF-F500WH-F-AW	391.67	470.00
sage green SAF-F500WH-F-SG	391.67	470.00
charcoal grey SAF-F500WH-F-CG	391.67	470.00
atlantic blue SAF-F500WH-F-AB	391.67	470.00
terracotta SAF-F500WH-F-TC	391.67	470.00
cashmere SAF-F500WH-F-CA	391.67	470.00
natural oak SAF-F500WH-F-NO	391.67	470.00



NEW



fluted floor mounted vanity unit
600mm wide
2 quick release, soft close drawers
discreet internal drawer
bottle trap cutout in top drawer
height adjustable wall brackets

	£ ex-vat	£ inc-vat
arctic white SAF-F600FM-F-AW	658.33	790.00
sage green SAF-F600FM-F-SG	658.33	790.00
charcoal grey SAF-F600FM-F-CG	658.33	790.00
atlantic blue SAF-F600FM-F-AB	658.33	790.00
terracotta SAF-F600FM-F-TC	658.33	790.00
cashmere SAF-F600FM-F-CA	658.33	790.00
natural oak SAF-F600FM-F-NO	658.33	790.00


NEW



fluted wall hung vanity unit
600mm wide
quick release, soft close drawer
discreet internal drawer
bottle trap cutout in drawer
height adjustable wall brackets

	£ ex-vat	£ inc-vat
arctic white SAF-F600WH-F-AW	475.00	570.00
sage green SAF-F600WH-F-SG	475.00	570.00
charcoal grey SAF-F600WH-F-CG	475.00	570.00
atlantic blue SAF-F600WH-F-AB	475.00	570.00
terracotta SAF-F600WH-F-TC	475.00	570.00
cashmere SAF-F600WH-F-CA	475.00	570.00
natural oak SAF-F600WH-F-NO	475.00	570.00



NEW



fluted floor mounted vanity unit
800mm wide
2 quick release, soft close drawers
discreet internal drawer
bottle trap cutout in top drawer
height adjustable wall brackets

	£ ex-vat	£ inc-vat
arctic white SAF-F800FM-F-AW	741.67	890.00
sage green SAF-F800FM-F-SG	741.67	890.00
charcoal grey SAF-F800FM-F-CG	741.67	890.00
atlantic blue SAF-F800FM-F-AB	741.67	890.00
terracotta SAF-F800FM-F-TC	741.67	890.00
cashmere SAF-F800FM-F-CA	741.67	890.00
natural oak SAF-F800FM-F-NO	741.67	890.00



NEW



fluted wall hung vanity unit
800mm wide
quick release, soft close drawer
discreet internal drawer
bottle trap cutout in drawer
height adjustable wall brackets

	£ ex-vat	£ inc-vat
arctic white SAF-F800WH-F-AW	558.33	670.00
sage green SAF-F800WH-F-SG	558.33	670.00
charcoal grey SAF-F800WH-F-CG	558.33	670.00
atlantic blue SAF-F800WH-F-AB	558.33	670.00
terracotta SAF-F800WH-F-TC	558.33	670.00
cashmere SAF-F800WH-F-CA	558.33	670.00
natural oak SAF-F800WH-F-NO	558.33	670.00

NEW





fluted floor mounted vanity unit
1000mm wide*
4 quick release, soft close drawers
2 discreet internal drawers
bottle trap cutout in top drawer
height adjustable wall brackets

	£ ex-vat	£ inc-vat
arctic white SAF-F500FM-F-AW x2	1,150.00	1,380.00
sage green SAF-F500FM-F-SG x2	1,150.00	1,380.00
charcoal grey SAF-F500FM-F-CG x2	1,150.00	1,380.00
atlantic blue SAF-F500FM-F-AB x2	1,150.00	1,380.00
terracotta SAF-F500FM-F-TC x2	1,150.00	1,380.00
cashmere SAF-F500FM-F-CA x2	1,150.00	1,380.00
natural oak SAF-F500FM-F-NO x2	1,150.00	1,380.00

*requires SAF-F-SCRW (sold separately, see page 42)

NEW





fluted wall hung vanity unit
1000mm wide*
2 quick release, soft close drawers
2 discreet internal drawers
bottle trap cutout in drawer
height adjustable wall brackets

	£ ex-vat	£ inc-vat
arctic white SAF-F500WH-F-AW x2	783.34	940.00
sage green SAF-F500WH-F-SG x2	783.34	940.00
charcoal grey SAF-F500WH-F-CG x2	783.34	940.00
atlantic blue SAF-F500WH-F-AB x2	783.34	940.00
terracotta SAF-F500WH-F-TC x2	783.34	940.00
cashmere SAF-F500WH-F-CA x2	783.34	940.00
natural oak SAF-F500WH-F-NO x2	783.34	940.00

*requires SAF-F-SCRW (sold separately, see page 42)

NEW





fluted floor mounted vanity unit
1200mm wide*
4 quick release, soft close drawers
2 discreet internal drawers
bottle trap cutout in top drawer
height adjustable wall brackets

*requires SAF-F-SCRW (sold separately)

	£ ex-vat	£ inc-vat
arctic white SAF-F600FM-F-AW x2	1,316.66	1,580.00
sage green SAF-F600FM-F-SG x2	1,316.66	1,580.00
charcoal grey SAF-F600FM-F-CG x2	1,316.66	1,580.00
atlantic blue SAF-F600FM-F-AB x2	1,316.66	1,580.00
terracotta SAF-F600FM-F-TC x2	1,316.66	1,580.00
cashmere SAF-F600FM-F-CA x2	1,316.66	1,580.00
natural oak SAF-F600FM-F-NO x2	1,316.66	1,580.00

NEW




fluted wall hung vanity unit
1200mm wide*
2 quick release, soft close drawers
2 discreet internal drawers
bottle trap cutout in drawer
height adjustable wall brackets

*requires SAF-F-SCRW (sold separately)

	£ ex-vat	£ inc-vat
arctic white SAF-F600WH-F-AW x2	950.00	1,140.00
sage green SAF-F600WH-F-SG x2	950.00	1,140.00
charcoal grey SAF-F600WH-F-CG x2	950.00	1,140.00
atlantic blue SAF-F600WH-F-AB x2	950.00	1,140.00
terracotta SAF-F600WH-F-TC x2	950.00	1,140.00
cashmere SAF-F600WH-F-CA x2	950.00	1,140.00
natural oak SAF-F600WH-F-NO x2	950.00	1,140.00


NEW



furniture joining screws
for use with Safari 500mm and 600mm units

	£ ex-vat	£ inc-vat
SAF-F-SCRW	2.50	3.00


NEW



smooth furniture handle
knob
compatible with any VADO unit
fixings supplied for use with 20mm drawer fronts
stocked as single

chrome	£ ex-vat	£ inc-vat
SAF-HANK-S-CP	15.00	18.00
matt black		
SAF-HANK-S-MB	16.67	20.00
pewter		
SAF-HANK-S-PEW	16.67	20.00
satin brass		
SAF-HANK-S-SBR	16.67	20.00


NEW



smooth furniture handle
small knob
compatible with any VADO unit
fixings supplied for use with 20mm drawer fronts
stocked as single

chrome	£ ex-vat	£ inc-vat
SAF-HANK-S-SML-CP	10.00	12.00
matt black		
SAF-HANK-S-SML-MB	11.67	14.00
pewter		
SAF-HANK-S-SML-PEW	11.67	14.00
satin brass		
SAF-HANK-S-SML-SBR	11.67	14.00


NEW



fluted furniture handle
knob
compatible with any VADO unit
fixings supplied for use with 20mm drawer fronts
stocked as single

chrome	£ ex-vat	£ inc-vat
SAF-HANK-F-CP	18.33	22.00
matt black		
SAF-HANK-F-MB	20.83	25.00
pewter		
SAF-HANK-F-PEW	20.83	25.00
satin brass		
SAF-HANK-F-SBR	20.83	25.00


NEW



furniture handle
bar
compatible with any VADO unit
fixings supplied for use with 20mm drawer fronts
stocked as single

chrome	£ ex-vat	£ inc-vat
SAF-HANB-CP	16.67	20.00
matt black		
SAF-HANB-MB	18.33	22.00
pewter		
SAF-HANB-PEW	18.33	22.00
satin brass		
SAF-HANB-SBR	18.33	22.00



NEW



furniture handle
top mount handle
only suitable for 20mm drawer fronts
stocked as single


chrome	£ ex-vat	£ inc-vat
SAF-HANT-CP	23.33	28.00
matt black		
SAF-HANT-MB	25.00	30.00
pewter		
SAF-HANT-PEW	25.00	30.00
satin brass		
SAF-HANT-SBR	25.00	30.00

NEW




fluted furniture handle
pull handle
compatible with any VADO unit
fixings supplied for use with 20mm drawer fronts
stocked as single

chrome	£ ex-vat	£ inc-vat
SAF-HANP-F-CP	20.83	25.00
matt black		
SAF-HANP-F-MB	23.33	28.00
pewter		
SAF-HANP-F-PEW	23.33	28.00
satin brass		
SAF-HANP-F-SBR	23.33	28.00




overflow cover
(to suit ceramic basins) optional

chrome	£ ex-vat	£ inc-vat
CAM-BCO-CP	6.67	8.00
matt black		
CAM-BCO-MB	8.33	10.00
matt white		
CAM-BCO-MW	8.33	10.00
NEW pewter		
CAM-BCO-PEW	8.33	10.00
satin brass		
CAM-BCO-SBR	8.33	10.00




overflow cover
(to suit mineral inset basins) required

chrome	£ ex-vat	£ inc-vat
CAM-BMO-CP	8.33	10.00
matt black		
CAM-BMO-MB	10.00	12.00
matt white		
CAM-BMO-MW	10.00	12.00
NEW pewter		
CAM-BMO-PEW	10.00	12.00
satin brass		
CAM-BMO-SBR	10.00	12.00

NEW

400mm inset basin
mineral cast
35mm tap hole
suitable for Safari 400mm cloakroom units
(overflow cover required, see page 44)


arctic white	£ ex-vat	£ inc-vat
SAF-BM4-AW	166.67	200.00

NEW

500mm inset basin
mineral cast
35mm tap hole
suitable for Safari 500mm vanity units
three tap hole locations marked on underside
(overflow cover required, see page 44)

arctic white	£ ex-vat	£ inc-vat
SAF-BM5-AW	208.33	250.00

NEW


6
year guarantee

600mm inset basin
mineral cast
35mm tap hole
suitable for Safari 600mm vanity units
three tap hole locations marked on underside
(overflow cover required, see page 44)

arctic white
SAF-BM6-AW

£ ex-vat £ inc-vat
250.00 300.00

NEW


6
year guarantee

800mm inset basin
mineral cast
35mm tap hole
suitable for Safari 800mm vanity units
three tap hole locations marked on underside
(overflow cover required, see page 44)

arctic white
SAF-BM8-AW

£ ex-vat £ inc-vat
291.67 350.00

NEW


6
year guarantee

1000mm double inset basin
mineral cast
35mm tap hole
suitable for Safari 1000mm vanity units
three tap hole locations marked on underside
(x2 overflow cover required, see page 44)

arctic white
SAF-BM10-AW

£ ex-vat £ inc-vat
375.00 450.00

NEW

6
year guarantee

1200mm double inset basin
mineral cast
35mm tap hole
suitable for Safari 1200mm vanity units
three tap hole locations marked on underside
(x2 overflow cover required, see page 44)

arctic white
SAF-BM12-AW


£ ex-vat £ inc-vat
500.00 600.00

NEW



400mm inset basin
ceramic
35mm tap hole
suitable for Safari 400mm vanity units

gloss white
SAF-BC4-GW
£ ex-vat 116.67 £ inc-vat 140.00




NEW



500mm inset basin
ceramic
35mm tap hole
suitable for Safari 500mm vanity units

gloss white
SAF-BC5-GW
£ ex-vat 133.33 £ inc-vat 160.00




NEW




600mm inset basin
ceramic
35mm tap hole
suitable for Safari 600mm vanity units

gloss white
SAF-BC6-GW
£ ex-vat 150.00 £ inc-vat 180.00



NEW




800mm inset basin
ceramic
35mm tap hole
suitable for Safari 800mm vanity units

gloss white
SAF-BC8-GW

£ ex-vat £ inc-vat
166.67 200.00

NEW




1000mm double inset basin
mineral cast
35mm tap hole
suitable for Safari 1000mm vanity units
three tap hole locations marked on underside
(x2 overflow cover required, see page 44)

gloss white
SAF-BM10-GW

£ ex-vat £ inc-vat
354.17 425.00

NEW




1200mm double inset basin
mineral cast
35mm tap hole
suitable for Safari 1200mm vanity units
three tap hole locations marked on underside
(x2 overflow cover required, see page 44)

gloss white
SAF-BM12-GW

£ ex-vat £ inc-vat
458.33 550.00


NEW



smooth oval countertop basin
mineral cast
suitable for Safari 600mm, 800mm, 1000mm
and 1200mm vanity units with worktop

	£ ex-vat	£ inc-vat
gloss white SAF-BMRO-S-GW	133.33	160.00
arctic white SAF-BMRO-S-AW	145.83	175.00
sage green SAF-BMRO-S-SG	166.67	200.00
cashmere SAF-BMRO-S-CA	166.67	200.00


NEW



fluted oval countertop basin
mineral cast
suitable for Safari 600mm, 800mm, 1000mm
and 1200mm vanity units with worktop

	£ ex-vat	£ inc-vat
gloss white SAF-BMRO-F-GW	200.00	240.00
arctic white SAF-BMRO-F-AW	216.67	260.00
sage green SAF-BMRO-F-SG	233.33	280.00
cashmere SAF-BMRO-F-CA	233.33	280.00


NEW



smooth rectangular countertop basin
mineral cast
suitable for Safari 600mm, 800mm, 1000mm
and 1200mm vanity units with worktop

	£ ex-vat	£ inc-vat
gloss white SAF-BMSQ-S-GW	150.00	180.00
arctic white SAF-BMSQ-S-AW	166.67	200.00
sage green SAF-BMSQ-S-SG	187.50	225.00
cashmere SAF-BMSQ-S-CA	187.50	225.00

NEW




600mm worktop
mineral cast
suitable for Safari 600mm vanity unit

	£ ex-vat	£ inc-vat
gloss white SAF-WT6-GW	145.83	175.00
arctic white SAF-WT6-AW	162.50	195.00
sage green SAF-WT6-SG	200.00	240.00
charcoal grey SAF-WT6-CG	200.00	240.00
atlantic blue SAF-WT6-AB	200.00	240.00
terracotta SAF-WT6-TC	200.00	240.00
cashmere SAF-WT6-CA	200.00	240.00

NEW



800mm worktop
mineral cast
suitable for Safari 800mm vanity unit




gloss white	£ ex-vat	£ inc-vat
SAF-WT8-GW	179.17	215.00
arctic white		
SAF-WT8-AW	200.00	240.00
sage green		
SAF-WT8-SG	241.67	290.00
charcoal grey		
SAF-WT8-CG	241.67	290.00
atlantic blue		
SAF-WT8-AB	241.67	290.00
terracotta		
SAF-WT8-TC	241.67	290.00
cashmere		
SAF-WT8-CA	241.67	290.00

NEW



1000mm worktop
mineral cast
suitable for Safari 1000mm vanity unit




gloss white	£ ex-vat	£ inc-vat
SAF-WT10-GW	212.50	255.00
arctic white		
SAF-WT10-AW	245.83	295.00
sage green		
SAF-WT10-SG	283.33	340.00
charcoal grey		
SAF-WT10-CG	283.33	340.00
atlantic blue		
SAF-WT10-AB	283.33	340.00
terracotta		
SAF-WT10-TC	283.33	340.00
cashmere		
SAF-WT10-CA	283.33	340.00

NEW



1200mm worktop
mineral cast
suitable for Safari 1200mm vanity unit



gloss white	£ ex-vat	£ inc-vat
SAF-WT12-GW	262.50	315.00
arctic white		
SAF-WT12-AW	283.33	340.00
sage green		
SAF-WT12-SG	325.00	390.00
charcoal grey		
SAF-WT12-CG	325.00	390.00
atlantic blue		
SAF-WT12-AB	325.00	390.00
terracotta		
SAF-WT12-TC	325.00	390.00
cashmere		
SAF-WT12-CA	325.00	390.00

102



Safari Taps

209



Safari Showers


308



Zoo Accessories




CAMEO®



floor mounted cloakroom unit
400mm wide
soft close hinges
with reversible door
55mm pipe void in rear


arctic white CAM-F400FM-AW	£ ex-vat 291.67	£ inc-vat 350.00
cove blue CAM-F400FM-CB	291.67	350.00
pink clay CAM-F400FM-PC	291.67	350.00
atlantic blue CAM-F400FM-AB	291.67	350.00
natural oak CAM-F400FM-NO	291.67	350.00



wall hung cloakroom unit
400mm wide
soft close hinges
with reversible door


arctic white CAM-F400WH-AW	£ ex-vat 229.17	£ inc-vat 275.00
cove blue CAM-F400WH-CB	229.17	275.00
pink clay CAM-F400WH-PC	229.17	275.00
atlantic blue CAM-F400WH-AB	229.17	275.00
natural oak CAM-F400WH-NO	229.17	275.00

NEW




wall hung vanity unit
500mm wide
with 2 quick release, soft close drawers
bottle trap cutout in top drawer
height adjustable wall brackets
fixing location 100mm from top of unit
fitting note: use dimension from chosen basin
waste to align waste centres

arctic white CAM-F500-AW	£ ex-vat 416.67	£ inc-vat 500.00
cove blue CAM-F500-CB	416.67	500.00
pink clay CAM-F500-PC	416.67	500.00
atlantic blue CAM-F500-AB	416.67	500.00
natural oak CAM-F500-NO	416.67	500.00




wall hung vanity unit
600mm wide
with 2 quick release, soft close drawers
bottle trap cutout in top drawer
height adjustable wall brackets
fixing location 100mm from top of unit
fitting note: use dimension from chosen basin
waste to align waste centres

arctic white CAM-F600-AW	£ ex-vat 458.33	£ inc-vat 550.00
cove blue CAM-F600-CB	458.33	550.00
pink clay CAM-F600-PC	458.33	550.00
atlantic blue CAM-F600-AB	458.33	550.00
natural oak CAM-F600-NO	458.33	550.00



wall hung vanity unit
800mm wide
with 2 quick release, soft close drawers
bottle trap cutout in top drawer
height adjustable wall brackets
fixing location 100mm from top of unit
fitting note: use dimension from chosen basin
waste to align waste centres


arctic white	£ ex-vat	£ inc-vat
CAM-F800-AW	583.33	700.00
cove blue		
CAM-F800-CB	583.33	700.00
pink clay		
CAM-F800-PC	583.33	700.00
atlantic blue		
CAM-F800-AB	583.33	700.00
natural oak		
CAM-F800-NO	583.33	700.00



wall hung vanity unit
1200mm wide
with 4 quick release, soft close drawers
bottle trap cutout in top drawers
height adjustable wall brackets
fixing location 100mm from top of unit
fitting note: use dimension from chosen basin
waste to align waste centres

arctic white	£ ex-vat	£ inc-vat
CAM-F1200-AW	833.33	1,000.00
cove blue		
CAM-F1200-CB	833.33	1,000.00
pink clay		
CAM-F1200-PC	833.33	1,000.00
atlantic blue		
CAM-F1200-AB	833.33	1,000.00
natural oak		
CAM-F1200-NO	833.33	1,000.00


NEW



furniture front legs pair
adjustable feet 0-10mm


arctic white	£ ex-vat	£ inc-vat
CAM-LEGS-FRONT-AW	108.33	130.00
cove blue		
CAM-LEGS-FRONT-CB	108.33	130.00
pink clay		
CAM-LEGS-FRONT-PC	108.33	130.00
atlantic blue		
CAM-LEGS-FRONT-AB	108.33	130.00
matt black		
CAM-LEGS-FRONT-MB	108.33	130.00

NEW




furniture rear legs pair
adjustable feet 0-10mm

arctic white	£ ex-vat	£ inc-vat
CAM-LEGS-REAR-AW	83.33	100.00
cove blue		
CAM-LEGS-REAR-CB	83.33	100.00
pink clay		
CAM-LEGS-REAR-PC	83.33	100.00
atlantic blue		
CAM-LEGS-REAR-AB	83.33	100.00
matt black		
CAM-LEGS-REAR-MB	83.33	100.00




furniture handle
bar
suitable for both 20mm and 30mm thick drawer
compatible with any unit
stocked as single
fixings supplied

chrome	£ ex-vat	£ inc-vat
CAM-HANB-CP	15.00	18.00
matt black		
CAM-HANB-MB	16.67	20.00
matt white		
CAM-HANB-MW	16.67	20.00
satin brass		
CAM-HANB-SBR	16.67	20.00




furniture handle
knob
suitable for both 20mm and 30mm thick drawer
compatible with any unit
stocked as single
fixings supplied

chrome	£ ex-vat	£ inc-vat
CAM-HANK-CP	12.50	15.00
matt black		
CAM-HANK-MB	15.00	18.00
matt white		
CAM-HANK-MW	15.00	18.00
satin brass		
CAM-HANK-SBR	15.00	18.00



furniture handle
top mount handle (left pull)
suitable for Cameo 400mm vanity units
stocked as single
fixings supplied


chrome	£ ex-vat	£ inc-vat
CAM-HAN4L-CP	20.83	25.00
matt black		
CAM-HAN4L-MB	25.00	30.00
matt white		
CAM-HAN4L-MW	25.00	30.00
satin brass		
CAM-HAN4L-SBR	25.00	30.00



furniture handle
top mount handle (right pull)
suitable for Cameo 400mm vanity units
stocked as single
fixings supplied


chrome	£ ex-vat	£ inc-vat
CAM-HAN4R-CP	20.83	25.00
matt black		
CAM-HAN4R-MB	25.00	30.00
matt white		
CAM-HAN4R-MW	25.00	30.00
satin brass		
CAM-HAN4R-SBR	25.00	30.00

NEW




furniture handle
top mount handle
suitable for Cameo 500mm vanity unit
stocked as single
fixings supplied

chrome	£ ex-vat	£ inc-vat
CAM-HAN5-CP	25.00	30.00
matt black		
CAM-HAN5-MB	29.17	35.00
matt white		
CAM-HAN5-MW	29.17	35.00
satin brass		
CAM-HAN5-SBR	29.17	35.00




furniture handle
top mount handle
suitable for Cameo 600mm vanity unit
stocked as single
fixings supplied

chrome	£ ex-vat	£ inc-vat
CAM-HAN6-CP	29.17	35.00
matt black		
CAM-HAN6-MB	33.33	40.00
matt white		
CAM-HAN6-MW	33.33	40.00
satin brass		
CAM-HAN6-SBR	33.33	40.00




furniture handle
top mount handle
suitable for Cameo 800mm vanity unit
stocked as single
fixings supplied

chrome	£ ex-vat	£ inc-vat
CAM-HAN8-CP	37.50	45.00
matt black		
CAM-HAN8-MB	41.67	50.00
matt white		
CAM-HAN8-MW	41.67	50.00
satin brass		
CAM-HAN8-SBR	41.67	50.00



furniture handle
left top mount handle
suitable for Cameo 1200mm vanity unit
stocked as single
fixings supplied

chrome	£ ex-vat	£ inc-vat
CAM-HAN12L-CP	29.17	35.00
matt black		
CAM-HAN12L-MB	33.33	40.00
matt white		
CAM-HAN12L-MW	33.33	40.00
satin brass		
CAM-HAN12L-SBR	33.33	40.00




furniture handle
right top mount handle
suitable for Cameo 1200mm vanity unit
stocked as single
fixings supplied

chrome	£ ex-vat	£ inc-vat
CAM-HAN12R-CP	29.17	35.00
matt black		
CAM-HAN12R-MB	33.33	40.00
matt white		
CAM-HAN12R-MW	33.33	40.00
satin brass		
CAM-HAN12R-SBR	33.33	40.00




overflow cover
(to suit ceramic basins) optional

chrome	£ ex-vat	£ inc-vat
CAM-BCO-CP	6.67	8.00
matt black		
CAM-BCO-MB	8.33	10.00
matt white		
CAM-BCO-MW	8.33	10.00
NEW pewter		
CAM-BCO-PEW	8.33	10.00
satin brass		
CAM-BCO-SBR	8.33	10.00




overflow cover
(to suit mineral inset basins) required

chrome	£ ex-vat	£ inc-vat
CAM-BMO-CP	8.33	10.00
matt black		
CAM-BMO-MB	10.00	12.00
matt white		
CAM-BMO-MW	10.00	12.00
NEW pewter		
CAM-BMO-PEW	10.00	12.00
satin brass		
CAM-BMO-SBR	10.00	12.00



400mm inset basin
mineral cast
35mm left tap hole
suitable for Cameo 400mm vanity units
(overflow cover required, see page 54)


arctic white	£ ex-vat	£ inc-vat
CAM-BM4L-AW	145.83	175.00
cove blue		
CAM-BM4L-CB	183.33	220.00
pink clay		
CAM-BM4L-PC	183.33	220.00



400mm inset basin
mineral cast
35mm right tap hole
suitable for Cameo 400mm vanity units
(overflow cover required, see page 54)


arctic white	£ ex-vat	£ inc-vat
CAM-BM4R-AW	145.83	175.00
cove blue		
CAM-BM4R-CB	183.33	220.00
pink clay		
CAM-BM4R-PC	183.33	220.00

NEW




500mm inset basin
mineral cast
35mm tap hole
suitable for Cameo 500mm vanity units
(overflow cover required, see page 54)

arctic white	£ ex-vat	£ inc-vat
CAM-BM5-AW	208.33	250.00
cove blue		
CAM-BM5-CB	233.33	280.00
pink clay		
CAM-BM5-PC	233.33	280.00




600mm inset basin
mineral cast
35mm tap hole
suitable for Cameo 600mm vanity units
(overflow cover required, see page 54)

arctic white	£ ex-vat	£ inc-vat
CAM-BM6-AW	250.00	300.00
cove blue		
CAM-BM6-CB	300.00	360.00
pink clay		
CAM-BM6-PC	300.00	360.00




800mm inset basin
mineral cast
35mm tap hole
suitable for Cameo 800mm vanity units
(overflow cover required, see page 54)

arctic white	£ ex-vat	£ inc-vat
CAM-BM8-AW	291.67	350.00
cove blue		
CAM-BM8-CB	350.00	420.00
pink clay		
CAM-BM8-PC	350.00	420.00




1200mm inset basin
mineral cast
35mm tap holes
suitable for Cameo 1200mm vanity units
(overflow cover required, see page 54)

arctic white	£ ex-vat	£ inc-vat
CAM-BM12-AW	416.67	500.00
cove blue		
CAM-BM12-CB	500.00	600.00
pink clay		
CAM-BM12-PC	500.00	600.00



400mm inset basin
ceramic
35mm left tap hole
suitable for Cameo 400mm vanity units


gloss white	£ ex-vat	£ inc-vat
CAM-BC4L-GW	100.00	120.00



400mm inset basin
ceramic
35mm right tap hole
suitable for Cameo 400mm vanity units

gloss white	£ ex-vat	£ inc-vat
CAM-BC4R-GW	100.00	120.00


NEW



500mm inset basin
ceramic
35mm tap hole
suitable for Cameo 500mm vanity units

gloss white
CAM-BC5-GW


£ ex-vat £ inc-vat
120.83 145.00



600mm inset basin
ceramic
35mm tap hole
suitable for Cameo 600mm vanity units

gloss white
CAM-BC6-GW


£ ex-vat £ inc-vat
145.83 175.00



800mm inset basin
ceramic
35mm tap hole
suitable for Cameo 800mm vanity units

gloss white
CAM-BC8-GW


£ ex-vat £ inc-vat
187.50 225.00



1200mm inset basin
ceramic
35mm tap holes
suitable for Cameo 1200mm vanity units


gloss white
CAM-BC12-GW

£ ex-vat £ inc-vat
333.33 400.00




400mm round countertop basin
mineral cast
suitable for Cameo 600mm, 800mm and 1200mm
vanity units with worktop

gloss white	£ ex-vat	£ inc-vat
CAM-BMRO-GW	133.33	160.00
arctic white		
CAM-BMRO-AW	145.83	175.00
cove blue		
CAM-BMRO-CB	166.67	200.00
pink clay		
CAM-BMRO-PC	166.67	200.00




480mm oval countertop basin
mineral cast
suitable for Cameo 600mm, 800mm and 1200mm
vanity units with worktop

gloss white	£ ex-vat	£ inc-vat
CAM-BMOV-GW	150.00	180.00
arctic white		
CAM-BMOV-AW	166.67	200.00
cove blue		
CAM-BMOV-CB	187.50	225.00
pink clay		
CAM-BMOV-PC	187.50	225.00




600mm worktop
mineral cast
suitable for Cameo 600mm vanity unit

gloss white	£ ex-vat	£ inc-vat
CAM-WT6-GW	154.17	185.00
arctic white		
CAM-WT6-AW	170.83	205.00
cove blue		
CAM-WT6-CB	208.33	250.00
pink clay		
CAM-WT6-PC	208.33	250.00



800mm worktop
mineral cast
suitable for Cameo 800mm vanity unit

gloss white	£ ex-vat	£ inc-vat
CAM-WT8-GW	187.50	225.00
arctic white		
CAM-WT8-AW	208.33	250.00
cove blue		
CAM-WT8-CB	250.00	300.00
pink clay		
CAM-WT8-PC	250.00	300.00



1200mm worktop
mineral cast
suitable for Cameo 1200mm vanity unit

gloss white	£ ex-vat	£ inc-vat
CAM-WT12-GW	270.83	325.00
arctic white		
CAM-WT12-AW	291.67	350.00
cove blue		
CAM-WT12-CB	333.33	400.00
pink clay		
CAM-WT12-PC	333.33	400.00



Cameo Taps



Cameo Showers



Muse Accessories



BOOTH & CO.
TAPS




BOOTH & Co.
ENGLAND

BOOTH & Co.

ENGLAND

CROSS


Complemented by dove white, ceramic indices, the Axbridge cross collection harnesses a beautifully refined handle aesthetic to recreate a timeless look.



B&C
Co

Axbridge
mono basin mixer
deck mounted, smooth bodied
cross handles
with water flow straightener
cold ceramic cartridge FL-501-RTC
hot ceramic cartridge FL-501-LTC
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome / cross	£ ex-vat	£ inc-vat
BC-AXB-100/SB-CP	208.33	250.00
nickel / cross	£ ex-vat	£ inc-vat
BC-AXB-100/SB-BN	250.00	300.00
H₂ECO®		
FR-FLEXI/5-PLA (2 are required)	8.33	10.00



B&C
Co

Axbridge
mono basin mixer
deck mounted
with pop-up waste
cross handles
with water flow straightener
cold ceramic cartridge FL-501-RTC
hot ceramic cartridge FL-501-LTC
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome / cross	£ ex-vat	£ inc-vat
BC-AXB-100-CP	229.17	275.00
nickel / cross		
BC-AXB-100-BN	275.00	330.00
H₂ECO®		
FR-FLEXI/5-PLA (2 are required)	8.33	10.00



B&C

Axbridge
mono bidet mixer
deck mounted
with pop-up waste
cross handles
with water flow straightener
cold ceramic cartridge FL-501-RTC
hot ceramic cartridge FL-501-LTC
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome / cross	£ ex-vat	£ inc-vat
BC-AXB-110-CP	229.17	275.00
nickel / cross		
BC-AXB-110-BN	275.00	330.00
H₂ECO®		
FR-FLEX/5-PLA (2 are required)	8.33	10.00



B&C

Axbridge
3 hole basin mixer
deck mounted
with pop-up waste
cross handles
with water flow straightener
cold ceramic cartridge FL-501-RTC
hot ceramic cartridge FL-501-LTC
4 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 32mm
minimum operating pressure 0.2 bar LP


chrome / cross	£ ex-vat	£ inc-vat
BC-AXB-101-CP	354.17	425.00
nickel / cross		
BC-AXB-101-BN	425.00	510.00
H₂ECO®		
FR-FLEX/5-PLA (2 are required)	8.33	10.00



B&C

Axbridge
3 hole basin mixer
wall mounted
cross handles
with water flow straightener
cold ceramic cartridge FL-501-RTC
hot ceramic cartridge FL-501-LTC
2 x 1/2" inlets
min-max wall mount 56-81mm
minimum operating pressure 0.2 bar LP

chrome / cross	£ ex-vat	£ inc-vat
BC-AXB-109-CP	354.17	425.00
nickel / cross		
BC-AXB-109-BN	425.00	510.00
H₂ECO®		
FR-106/6-PLA	8.33	10.00




B&C

Axbridge
basin pillar taps
deck mounted
cross handles
with water flow straightener
cold ceramic cartridge FL-501-RTC
hot ceramic cartridge FL-501-LTC
1/2" threaded tail connections
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

chrome / cross	£ ex-vat	£ inc-vat
BC-AXB-106-CP	187.50	225.00
nickel / cross		
BC-AXB-106-BN	225.00	270.00
H₂ECO®		
FR-106/5-PLA (2 are required)	8.33	10.00

B&C
CO




Axbridge
bath pillar taps
deck mounted
cross handles
with water flow straightener
cold ceramic cartridge FL-511-RTC
hot ceramic cartridge FL-511-LTC
3/4" threaded tail connections
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP

chrome / cross	£ ex-vat	£ inc-vat
BC-AXB-136-CP	229.17	275.00
nickel / cross		
BC-AXB-136-BN	275.00	330.00

BOOTH & CO.
TAPS


B&C
CO



Axbridge
bath spout
wall mounted
with water flow straightener
1/2" inlet
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
BC-AXB-140-CP	104.17	125.00
nickel		
BC-AXB-140-BN	125.00	150.00

B&C
CO



Axbridge
exposed bath filler
cross handles
deck mounted
with water flow straightener
cold ceramic cartridge FL-511-RTC
hot ceramic cartridge FL-511-LTC
2 x 3/4" 45mm male threaded connections
deck mount drill hole diameter 27mm
minimum operating pressure 1.0 bar MP


chrome / cross	£ ex-vat	£ inc-vat
BC-AXB-137-CP	437.50	525.00
nickel / cross		
BC-AXB-137-BN	525.00	630.00



B&C

Axbridge
exposed bath shower mixer
cross handles
wall mounted
with water flow straightener
with single function shower kit
cold ceramic cartridge FL-511-RTC
hot ceramic cartridge FL-511-LTC
easy-fit brackets included
minimum operating pressure 1.0 bar MP

chrome / cross	£ ex-vat	£ inc-vat
BC-AXB-120-CP	520.83	625.00
nickel / cross		
BC-AXB-120-BN	625.00	750.00




B&C

Axbridge
exposed bath shower mixer
cross handles
deck mounted
with water flow straightener
with single function shower kit
cold ceramic cartridge FL-511-RTC
hot ceramic cartridge FL-511-LTC
2 x 3/4" 45mm threaded connection on legs
deck mount drill hole diameter 28mm
minimum operating pressure 1.0 bar MP

chrome / cross	£ ex-vat	£ inc-vat
BC-AXB-131-CP	520.83	625.00
nickel / cross		
BC-AXB-131-BN	625.00	750.00

PRODUCT UPDATE



B&C

Axbridge
bath shower mixer
cross handles
floor mounted
with water flow straightener
with single function shower kit
cold ceramic cartridge FL-511-RTC
hot ceramic cartridge FL-511-LTC
2 x 3/4" female threaded connections
minimum operating pressure 1.0 bar MP

chrome / cross	£ ex-vat	£ inc-vat
BC-AXB-133A-CP	1,041.67	1,250.00
nickel / cross		
BC-AXB-133A-BN	1,250.00	1,500.00

70



Axbridge Showers

73




Axbridge Accessories

BOOTH & Co.

ENGLAND

LEVER

A coalescence of artistry and heritage, the Axbridge lever handles' authentic, crackled finish and smooth, contoured form ensures a distinct vintage appeal.




B&C

Axbridge
mono basin mixer
deck mounted, smooth bodied
lever handles
with water flow straightener
cold ceramic cartridge FL-501-RTC
hot ceramic cartridge FL-501-LTC
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome / lever	£ ex-vat	£ inc-vat
BC-AXB-200/SB-CP	208.33	250.00

nickel / lever	£ ex-vat	£ inc-vat
BC-AXB-200/SB-BN	250.00	300.00

H₂ECO®		
FR-FLEXI/5-PLA	8.33	10.00
(2 are required)		




B&C

Axbridge
mono basin mixer
deck mounted
with pop-up waste
lever handles
with water flow straightener
cold ceramic cartridge FL-501-RTC
hot ceramic cartridge FL-501-LTC
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome / lever	£ ex-vat	£ inc-vat
BC-AXB-200-CP	229.17	275.00

nickel / lever		
BC-AXB-200-BN	275.00	330.00


H₂ECO®		
FR-FLEXI/5-PLA	8.33	10.00
(2 are required)		



B&C

Axbridge
mono bidet mixer
deck mounted
with pop-up waste
lever handles
with water flow straightener
cold ceramic cartridge FL-501-RTC
hot ceramic cartridge FL-501-LTC
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome / lever BC-AXB-210-CP	£ ex-vat 229.17	£ inc-vat 275.00
nickel / lever BC-AXB-210-BN	275.00	330.00
H₂ECO® FR-FLEXI/5-PLA (2 are required)	8.33	10.00



B&C

Axbridge
3 hole basin mixer
deck mounted
with pop-up waste
lever handles
with water flow straightener
cold ceramic cartridge FL-501-RTC
hot ceramic cartridge FL-501-LTC
4 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 32mm
minimum operating pressure 0.2 bar LP


chrome / lever BC-AXB-201-CP	£ ex-vat 354.17	£ inc-vat 425.00
nickel / lever BC-AXB-201-BN	425.00	510.00
H₂ECO® FR-FLEXI/5-PLA (2 are required)	8.33	10.00



B&C

Axbridge
3 hole basin mixer
wall mounted
lever handles
with water flow straightener
cold ceramic cartridge FL-501-RTC
hot ceramic cartridge FL-501-LTC
2 x 1/2" inlets
min-max wall mount 56-81mm
minimum operating pressure 0.2 bar LP

chrome / lever BC-AXB-209-CP	£ ex-vat 354.17	£ inc-vat 425.00
nickel / lever BC-AXB-209-BN	425.00	510.00
H₂ECO® FR-106/6-PLA	8.33	10.00



B&C

Axbridge
basin pillar taps
deck mounted
lever handles
with water flow straightener
cold ceramic cartridge FL-501-RTC
hot ceramic cartridge FL-501-LTC
1/2" threaded tail connections
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP


chrome / lever BC-AXB-206-CP	£ ex-vat 187.50	£ inc-vat 225.00
nickel / lever BC-AXB-206-BN	225.00	270.00
H₂ECO® FR-106/5-PLA (2 are required)	8.33	10.00



B&C
CO

Axbridge
bath pillar taps
deck mounted
lever handles
with water flow straightener
cold ceramic cartridge FL-511-RTC
hot ceramic cartridge FL-511-LTC
3/4" threaded tail connections
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP


chrome / lever	£ ex-vat	£ inc-vat
BC-AXB-236-CP	229.17	275.00
nickel / lever		
BC-AXB-236-BN	275.00	330.00



B&C
CO

Axbridge
bath spout
wall mounted
with water flow straightener
1/2" inlet
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
BC-AXB-140-CP	104.17	125.00
nickel		
BC-AXB-140-BN	125.00	150.00




B&C
CO

Axbridge
exposed bath filler
lever handles
deck mounted
with water flow straightener
cold ceramic cartridge FL-511-RTC
hot ceramic cartridge FL-511-LTC
2 x 3/4" 45mm male threaded connections
deck mount drill hole diameter 27mm
minimum operating pressure 1.0 bar MP

chrome / lever	£ ex-vat	£ inc-vat
BC-AXB-237-CP	437.50	525.00
nickel / lever		
BC-AXB-237-BN	525.00	630.00






B&C

Axbridge
exposed bath shower mixer
lever handles
wall mounted
with water flow straightener
with single function shower kit
cold ceramic cartridge FL-511-RTC
hot ceramic cartridge FL-511-LTC
easy-fit brackets included
minimum operating pressure 1.0 bar MP

chrome / lever	£ ex-vat	£ inc-vat
BC-AXB-220-CP	520.83	625.00
nickel / lever		
BC-AXB-220-BN	625.00	750.00




B&C

Axbridge
exposed bath shower mixer
lever handles
deck mounted
with water flow straightener
with single function shower kit
cold ceramic cartridge FL-511-RTC
hot ceramic cartridge FL-511-LTC
2 x 3/4" 45mm threaded connection on legs
deck mount drill hole diameter 28mm
minimum operating pressure 1.0 bar MP

chrome / lever	£ ex-vat	£ inc-vat
BC-AXB-231-CP	520.83	625.00
nickel / lever		
BC-AXB-231-BN	625.00	750.00

PRODUCT UPDATE



B&C

Axbridge
bath shower mixer
lever handles
floor mounted
with water flow straightener
with single function shower kit
cold ceramic cartridge FL-511-RTC
hot ceramic cartridge FL-511-LTC
2 x 3/4" female threaded connections
minimum operating pressure 1.0 bar MP

chrome / lever	£ ex-vat	£ inc-vat
BC-AXB-233A-CP	1,041.67	1,250.00
nickel / lever		
BC-AXB-233A-BN	1,250.00	1,500.00

70




Axbridge Showers

73




Axbridge Accessories



B&C

Axbridge
mono kitchen mixer
deck mounted
with swivel spout
cross handles
with water flow straightener
hot ceramic cartridge FL-501-LTC
cold ceramic cartridge FL-501-RTC
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


nickel / cross	£ ex-vat	£ inc-vat
BC-AXB-150-BN	333.33	400.00
H2ECO®		
FR-FLEXI/8-PLA	8.33	10.00
(2 are required)		



B&C

Axbridge
mono kitchen mixer
deck mounted
with swivel spout
lever handles
with water flow straightener
hot ceramic cartridge FL-501-LTC
cold ceramic cartridge FL-501-RTC
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


nickel / lever	£ ex-vat	£ inc-vat
BC-AXB-250-BN	333.33	400.00
H2ECO®		
FR-FLEXI/8-PLA	8.33	10.00
(2 are required)		



B&C

Axbridge
bridge kitchen mixer
pillar mounted
cross handles
with water flow straightener
cold ceramic cartridge FL-501-RTC
hot ceramic cartridge FL-501-LTC
2 x 1/2" threaded inlet
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

chrome / cross	£ ex-vat	£ inc-vat
BC-AXB-153-CP	333.33	400.00
H2ECO®		
2 x 6 l/m flow regulator fitted as standard		




B&C

Axbridge
bridge kitchen mixer
deck mounted
with swivel spout
lever handles
with water flow straightener
hot ceramic cartridge FL-501-LTC
cold ceramic cartridge FL-501-RTC
2 x 1/2" threaded inlet
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

chrome / lever	£ ex-vat	£ inc-vat
BC-AXB-253-CP	333.33	400.00
H2ECO®		
2 x 6 l/m flow regulator fitted as standard		




BOOTH & Co.
ENGLAND



B&C

Axbridge
3 outlet 3 handle thermostatic shower valve
wall mounted
thermostatic cartridge V-701-34S
flow cartridge 1 x FL-301-RTC
diverter cartridge 1 x FL-805-33/2X
2 x 3/4" female inlets
3 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
min-max wall mount 75-100mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
BC-AXB-128/3-CP	770.83	925.00
nickel		
BC-AXB-128/3-BN	825.00	990.00



B&C

Axbridge
2 outlet 2 handle thermostatic shower valve
wall mounted
thermostatic cartridge V-701-34S
flow cartridge 2 x FL-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
min-max wall mount 75-100mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
BC-AXB-128/2-CP	729.17	875.00
nickel		
BC-AXB-128/2-BN	783.33	940.00



B&C

Axbridge
2 outlet 2 handle thermostatic shower valve
wall mounted
thermostatic cartridge V-701-34S
diverter cartridge 1 x FL-805-33/2X
2 x 3/4" female inlets
2 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
min-max wall mount 75-100mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
BC-AXB-148/2-CP	687.50	825.00
nickel		
BC-AXB-148/2-BN	737.50	885.00



B&C

Axbridge
1 outlet 2 handle thermostatic shower valve
wall mounted
thermostatic cartridge V-701-34S
flow cartridge FL-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
min-max wall mount 75-100mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
BC-AXB-148-CP	625.00	750.00
nickel		
BC-AXB-148-BN	675.00	810.00





B&C

Axbridge
round shower head with shower arm
wall mounted
200mm (8") shower head
1/2" threaded inlet
minimum operating pressure 0.2 bar LP




chrome	£ ex-vat	£ inc-vat
BC-AXB-HEAD/SA-CP	250.00	300.00
nickel		
BC-AXB-HEAD/SA-BN	312.50	375.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00

PRODUCT UPDATE



B&C

Axbridge
slide rail shower kit
with single function handset
with 150cm shower hose
minimum operating pressure 0.2 bar LP




chrome	£ ex-vat	£ inc-vat
BC-AXB-SFSRK2-CP	316.67	380.00
nickel		
BC-AXB-SFSRK2-BN	395.83	475.00



B&C

Axbridge
wall outlet
1/2" threaded inlet
1/2" threaded outlet
minimum operating pressure 0.2 bar LP




chrome	£ ex-vat	£ inc-vat
BC-AXB-OUTLET-CP	66.67	80.00
nickel		
BC-AXB-OUTLET-BN	83.33	100.00

PRODUCT UPDATE




B&C

Axbridge
single function mini shower kit
wall mounted
with 150cm shower hose
and bracket with integrated outlet
1/2" inlet
minimum operating pressure 0.2 bar LP



chrome	£ ex-vat	£ inc-vat
BC-AXB-SFMKW02-CP	216.67	260.00
nickel		
BC-AXB-SFMKW02-BN	270.83	325.00

PRODUCT UPDATE




B&C
CO

Axbridge
3 outlet exposed shower column with bath filler
wall mounted
with shower kit
with water flow straightener
integrated diverter
with 200mm (8") shower head
single function shower handset
thermostatic cartridge V-702-34S
ceramic cartridge FL-511-LTC
ceramic cartridge FL-511-RTC
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
BC-AXB-123TTRK-CP	1,583.33	1,900.00
nickel		
BC-AXB-123TTRK-BN	1,979.17	2,375.00

3
outlet

PRODUCT UPDATE



B&C
CO


Axbridge
2 outlet exposed shower column
wall mounted
with water flow straightener
integrated diverter
with 200mm (8") shower head
single function shower handset
thermostatic cartridge V-702-34S
ceramic cartridge FL-511-LTC
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
BC-AXB-149TTRK-CP	1,416.67	1,700.00
nickel		
BC-AXB-149TTRK-BN	1,770.83	2,125.00

2
outlet

BOOTH & Co.


ENGLAND



B&C
Co

Axbridge
paper holder
wall mounted


chrome	£ ex-vat	£ inc-vat
BC-AXB-180-CP	58.33	70.00
nickel		
BC-AXB-180-BN	70.83	85.00



B&C
Co

Axbridge
towel ring
wall mounted

chrome	£ ex-vat	£ inc-vat
BC-AXB-181-CP	62.50	75.00
nickel		
BC-AXB-181-BN	75.00	90.00



B&C
Co


Axbridge
ceramic soap dish and holder
wall mounted

chrome	£ ex-vat	£ inc-vat
BC-AXB-182-CP	66.67	80.00
nickel		
BC-AXB-182-BN	79.17	95.00

B&C
CO


Axbridge
ceramic tumbler and holder
wall mounted

chrome	£ ex-vat	£ inc-vat
BC-AXB-183-CP	70.83	85.00
nickel		
BC-AXB-183-BN	83.33	100.00


B&C
CO


Axbridge
robe hook
wall mounted

chrome	£ ex-vat	£ inc-vat
BC-AXB-186-CP	41.67	50.00
nickel		
BC-AXB-186-BN	50.00	60.00


B&C
CO


Axbridge
towel rail
wall mounted
450mm (18")

chrome	£ ex-vat	£ inc-vat
BC-AXB-184-45-CP	104.17	125.00
nickel		
BC-AXB-184-45-BN	125.00	150.00


B&C
CO

Axbridge
toilet brush and ceramic holder
wall mounted


chrome	£ ex-vat	£ inc-vat
BC-AXB-188-CP	104.17	125.00
nickel		
BC-AXB-188-BN	125.00	150.00





BOOTH & Co.
ENGLAND

B&C
CO



*75mm water trap seal

Axbridge
bottle trap
35mm x 300mm pipe connections
min-max vertical adjustment 45-150mm
to outlet centre

chrome	£ ex-vat	£ inc-vat
BC-AXB-461-CP	83.33	100.00
nickel		
BC-AXB-461-BN	100.00	120.00


B&C
CO



Axbridge
basin waste, metal plug and chain
1.1/4" connection
35mm of usable length of thread on the stud
Suitable for slotted and unslotted basins

chrome	£ ex-vat	£ inc-vat
BC-AXB-398-CP	50.00	60.00
nickel		
BC-AXB-398-BN	58.33	70.00

B&C
CO




Axbridge
universal basin waste
for slotted and un-slotted basins
clac-clac operation
easily converts into a free-flow waste using
the free-flow mechanism supplied in the box
(WG-395-FF-PLA)

chrome	£ ex-vat	£ inc-vat
WG-395-C/P	54.17	65.00
nickel		
BC-395-BN	58.33	70.00

See page 153 for
white ceramic basin waste cover.

B&C
CO



Axbridge
stowaway bath waste
metal plug and chain
1.1/2" x 15mm threaded connections

chrome	£ ex-vat	£ inc-vat
PEX-KITB-STOW-C/P	29.17	35.00
nickel		
BC-KITB-STOW-BN	33.33	40.00




BC-KITB-STOW-BN

ARRONDI®

CONRAN AND
PARTNERS

VADO

TAPS
ARRONDI




mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge K-001-J25
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
ARR-100/CC-CP £ ex-vat 233.33 £ inc-vat 280.00

H₂eCO®

5 l/m flow regulator fitted as standard




mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge K-001-J25
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
ARR-100/SB-CP £ ex-vat 216.67 £ inc-vat 260.00

H₂eCO®

5 l/m flow regulator fitted as standard




mini mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge K-001-J25
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
ARR-100M/CC-CP £ ex-vat 216.67 £ inc-vat 260.00

H₂eCO®

5 l/m flow regulator fitted as standard




extended mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge K-001-J25
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
ARR-100E/SB-CP £ ex-vat 283.33 £ inc-vat 340.00

H₂eCO®


5 l/m flow regulator fitted as standard



3 hole basin mixer, lever handles
deck mounted with fixed spout
without pop-up waste, with water flow aerator
1/2" ceramic disc 1/4 turn valves
cold ceramic cartridge FL-202-LTC
hot ceramic cartridge FL-202-RTC
2 x 1/2" x 1/2" 300mm flexipipe connections
1/2" male x 1/2" male x 1/2" female T connection
spout deck mount drill hole diameter 30mm
valve deck mount drill hole diameter 30mm
minimum operating pressure 1.0 bar MP

chrome
ARR-101-CP
£ ex-vat £ inc-vat
316.67 380.00


H₂eCO®
5 l/m flow regulator fitted as standard



3 hole basin mixer, cross handles
deck mounted with fixed spout
without pop-up waste, with water flow aerator
1/2" ceramic disc 1/4 turn valves
cold ceramic cartridge FL-202-LTC
hot ceramic cartridge FL-202-RTC
2 x 1/2" x 1/2" 300mm flexipipe connections
1/2" male x 1/2" male x 1/2" female T connection
spout deck mount drill hole diameter 30mm
valve deck mount drill hole diameter 30mm
minimum operating pressure 1.0 bar MP

chrome
ARR-201-CP
£ ex-vat £ inc-vat
316.67 380.00


H₂eCO®
5 l/m flow regulator fitted as standard



3 hole basin mixer, lever handles
wall mounted
with water flow aerator
cold ceramic cartridge FL-203-LTC
hot ceramic cartridge FL-203-RTC
two part cartridges ensure perfect alignment of
handle and shroud
2 x 1/2" female connections
min-max wall mount 63-93mm
minimum operating pressure 1.0 bar MP

chrome
ARR-109-CP
£ ex-vat £ inc-vat
316.67 380.00


H₂eCO®
5 l/m flow regulator fitted as standard



3 hole basin mixer, cross handles
wall mounted
with water flow aerator
cold ceramic cartridge FL-203-LTC
hot ceramic cartridge FL-203-RTC
two part cartridges ensure perfect alignment of
handle and shroud
2 x 1/2" female connections
min-max wall mount 63-93mm
minimum operating pressure 1.0 bar MP


chrome
ARR-209-CP
£ ex-vat £ inc-vat
316.67 380.00

H₂eCO®
5 l/m flow regulator fitted as standard




4 hole bath shower mixer
lever handles, deck mounted
with fixed spout
with shower kit
with water flow straightener
thermostatic cartridge V-704-34S
diverter cartridge FL-801-33/2SX
1/2" 700mm flexipipe with right angle connection
braided shower hose
2 x 400 1/2" female flexipipe connectors to valve
valve deck mount drill hole 48mm
diverter deck mount drill hole 48mm
spout and handset deck mount drill hole 30mm
bath deck thickness (1-18mm)
minimum operating pressure 3.0 bar HP

chrome	£ ex-vat	£ inc-vat
ARR-132T-CP	916.67	1,100.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00




4 hole bath shower mixer
cross handles, deck mounted
with fixed spout
with shower kit
with water flow straightener
thermostatic cartridge V-704-34S
diverter cartridge FL-801-33/2SX
1/2" 700mm flexipipe with right angle connection
braided shower hose
2 x 400 1/2" female flexipipe connectors to valve
valve deck mount drill hole 48mm
diverter deck mount drill hole 48mm
spout and handset deck mount drill hole 30mm
bath deck thickness (1-18mm)
minimum operating pressure 3.0 bar HP

chrome	£ ex-vat	£ inc-vat
ARR-232T-CP	916.67	1,100.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00



concealed thermostatic bath shower mixer with
integrated single function mini kit
lever handles
wall mounted
with water flow straightener
thermostatic cartridge V-704-34S
diverter cartridge FL-801-33/2SX
2 x 3/4" female inlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
min-max wall mount 79.5-101.5mm
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
TAB-123T/WO-ARR-CP	1,000.00	1,200.00
H₂ECO®		
FR-FLEXI/9-PLA	8.33	10.00



concealed thermostatic bath shower mixer with
integrated single function mini kit
cross handles
wall mounted
with water flow straightener
thermostatic cartridge V-704-34S
diverter cartridge FL-801-33/2SX
2 x 3/4" female inlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
min-max wall mount 79.5-101.5mm
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
TAB-223T/WO-ARR-CP	1,000.00	1,200.00
H₂ECO®		
FR-FLEXI/9-PLA	8.33	10.00






mono kitchen mixer
single lever
deck mounted
with swivel spout
with water flow aerator
ceramic cartridge K-001-N25
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

	chrome	£ ex-vat	£ inc-vat
ARR-150-CP		375.00	450.00



bath spout
with water flow straightener
wall mounted
1/2" inlet
minimum operating pressure 0.2 bar LP


	chrome	£ ex-vat	£ inc-vat
ARR-140-CP		133.33	160.00



bath shower mixer
single lever
floor mounted
with water flow straightener
with single function shower kit
ceramic cartridge C-002-N35
2 x 1/2" female threaded connections
minimum operating pressure 1.5 bar MP

	chrome	£ ex-vat	£ inc-vat
ARR-133-CP		1,208.33	1,450.00
H₂eCO®			
FR-FLEXI/9-PLA		8.33	10.00

262




Arrondi Showers

OMIKA

DESIGNED BY


J. Lopez.

TAPS
OMIKA

mono basin mixer
deck mounted
smooth bodied
with universal basin waste
water flow aerator
1/4 turn ceramic disc valves
2 x FL-401-RTC
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
OMI-100/CC-C/P £ ex-vat 300.00 £ inc-vat 360.00

H₂ECO®
4 l/m flow regulator fitted as standard




mono basin mixer
deck mounted
smooth bodied
without universal basin waste
water flow aerator
1/4 turn ceramic disc valves
2 x FL-401-RTC
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
OMI-100/SB-C/P £ ex-vat 283.33 £ inc-vat 340.00

polished black
IND-OMI100/SB-PB 354.17 425.00

H₂ECO®
4 l/m flow regulator fitted as standard




slimline mono basin mixer
 single lever
 deck mounted
 smooth bodied
 with universal basin waste
 with water flow aerator
 ceramic cartridge C-010-N25
 2 x 1/2" 400mm flexipipe connections
 deck mount drill hole diameter 35mm
 minimum operating pressure 1.0 bar MP

chrome
OMI-300/CC-CP

	£ ex-vat	£ inc-vat
	250.00	300.00

H₂eCO®
 5 l/m flow regulator fitted as standard




extended mono basin mixer
 deck mounted
 smooth bodied
 without universal basin waste
 water flow aerator
 1/4 turn ceramic disc valves
 2 x FL-401-RTC
 2 x 1/2" 400mm flexipipe connections
 deck mount drill hole diameter 35mm
 minimum operating pressure 1.0 bar MP

chrome
OMI-100E/SB-C/P

	£ ex-vat	£ inc-vat
	366.67	440.00

H₂eCO®
 4 l/m flow regulator fitted as standard



basin mixer
 wall mounted
 water flow aerator
 1/4 turn ceramic disc valves
 2 x FL-201-LTC
 2 x 1/2" female inlets
 min-max wall mount 60-80mm
 minimum operating pressure 1.0 bar MP


chrome
OMI-109-C/P

	£ ex-vat	£ inc-vat
	416.67	500.00

polished black
IND-OMI109-PB

	£ ex-vat	£ inc-vat
	458.33	550.00

H₂eCO®
 4 l/m flow regulator fitted as standard




waterfall bath spout
 wall mounted
 min-max wall mount 50-70mm
 20mm wall mount depth adjustment
 1/2" inlet
 minimum operating pressure 1.0 bar MP

chrome
SYN-240/W-CP

	£ ex-vat	£ inc-vat
	350.00	420.00


polished black
IND-SYN240/W-PB

	£ ex-vat	£ inc-vat
	416.67	500.00




4 hole bath shower mixer
deck mounted
with Omika shower kit without spout
for use with bath filler waste and overflow
1/4 turn ceramic disc valves FL-301-RTC
FL-301-LTC
1 x 1/2" x 3/8" 200cm shower hose
2 x 3/4" x 3/4" 600mm flexipipe connections
ceramic diverter cartridge FL-803-33/2X
1mm - 40mm min-max bath thickness
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
OMI-135/NS-C/P	566.67	680.00
H₂ECO®		
FR-FLEXI/8-PLA	8.33	10.00



clic-clac bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-18mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
WG-81389/SQ-C/P	158.33	190.00
polished black		
IND-81389/SQ-PB	195.83	235.00



bath shower mixer
floor mounted
with Omika single function shower kit
quarter turn ceramic mix cartridge FL-601-33Q
ceramic diverter cartridge FL-803-33/2X
2 x 1/2" female threaded connections
clearance 850mm from floor to spout
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
OMI-133-C/P	1,250.00	1,500.00
polished black		
IND-OMI133-PB	1,562.50	1,875.00
H₂ECO®		
FR-FLEXI/8-PLA	8.33	10.00

192




Omika Showers

293



Omika Accessories

NOTION




slimline mono basin mixer
 single lever
 deck mounted
 smooth bodied
 with universal basin waste
 with water flow aerator
 ceramic cartridge C-010-N25
 2 x 1/2" 400mm flexipipe connections
 deck mount drill hole diameter 35mm
 minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
NOT-200/CC-C/P	250.00	300.00

H₂ECO®

5 l/m flow regulator fitted as standard



slimline mono basin mixer
 single lever
 deck mounted
 smooth bodied
 without universal basin waste
 with water flow aerator
 ceramic cartridge C-010-N25
 2 x 1/2" 400mm flexipipe connections
 deck mount drill hole diameter 35mm
 minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
NOT-200/SB-C/P	233.33	280.00

brushed black

IND-NOT200/SB-BLK	291.67	350.00
--------------------------	--------	--------

brushed gold

IND-NOT200/SB-BRG	291.67	350.00
--------------------------	--------	--------

brushed nickel

IND-NOT200/SB-BRN	291.67	350.00
--------------------------	--------	--------

brushed bronze


IND-NOT200/SB-BRZ	291.67	350.00
--------------------------	--------	--------

NEW brushed gunmetal

IND-NOT200/SB-BGM	291.67	350.00
--------------------------	--------	--------

H₂ECO®

5 l/m flow regulator fitted as standard





extended mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge CAR-K28A
2 x 1/2" 550mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome £ ex-vat £ inc-vat
NOT-100EF/SB-C/P 300.00 360.00

H₂ECO®

5 l/m flow regulator fitted as standard



2 hole basin mixer
single lever
wall mounted
with rectangular backplate
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" inlets
min-max wall mount 53-73mm
minimum operating pressure 0.2 bar LP

chrome £ ex-vat £ inc-vat
NOT-109FS/A-C/P 333.33 400.00

brushed black

IND-NOT109FS/A-BLK 416.67 500.00

brushed gold

IND-NOT109FS/A-BRG 416.67 500.00

brushed nickel

IND-NOT109FS/A-BRN 416.67 500.00

brushed bronze



IND-NOT109FS/A-BRZ 416.67 500.00

NEW brushed gunmetal

IND-NOT109FS/A-BGM 416.67 500.00

H₂ECO®

5 l/m flow regulator fitted as standard




2 hole basin mixer with 220mm spout
single lever
wall mounted
with rectangular backplate
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" inlets
min-max wall mount 53-73mm
minimum operating pressure 0.2 bar LP

chrome £ ex-vat £ inc-vat
NOT-109FS/A-220-C/P 350.00 420.00

H₂ECO®

5 l/m flow regulator fitted as standard



bath shower mixer
single lever
floor mounted
with water flow straightener
with Instinct single function shower kit
ceramic cartridge C-001-N40
2 x 1/2" female threaded connections
clearance 800mm from floor to spout
minimum operating pressure 1.0 bar MP

chrome £ ex-vat £ inc-vat
NOT-233-CP 1,200.00 1,440.00

brushed black

IND-NOT233-BLK 1,500.00 1,800.00

brushed gold

IND-NOT233-BRG 1,500.00 1,800.00

brushed nickel

IND-NOT233-BRN 1,500.00 1,800.00

brushed bronze



IND-NOT233-BRZ 1,500.00 1,800.00

NEW brushed gunmetal

IND-NOT233-BGM 1,500.00 1,800.00


H₂ECO®

FR-FLEXI/8-PLA 8.33 10.00




bath spout
wall mounted
1/2" inlet
min-max wall mount 0-25mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
NOT-140A-CP	133.33	160.00



waterfall bath spout
wall mounted
min-max wall mount 50-70mm
20mm wall mount depth adjustment
1/2" inlet
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
SYN-240/W-CP	350.00	420.00
polished black		
IND-SYN240/W-PB	416.67	500.00



clic-clac bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-18mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
WG-81389/SQ-C/P	158.33	190.00
polished black		
IND-81389/SQ-PB	195.83	235.00

197



Notion Showers

322




Level Accessories

* see page 339 (only polished black finish affected)



EDIT




mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
ceramic cartridge C-010-N25
2 x 1/2" 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome £ ex-vat £ inc-vat
EDI-100/CC-C/P 250.00 300.00

H₂ECO®

5 l/m flow regulator fitted as standard



mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
ceramic cartridge C-010-N25
2 x 1/2" 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome £ ex-vat £ inc-vat
EDI-100/SB-C/P 233.33 280.00

brushed black

IND-EDI100/SB-BLK 291.67 350.00

brushed gold

IND-EDI100/SB-BRG 291.67 350.00

brushed nickel

IND-EDI100/SB-BRN 291.67 350.00

brushed bronze


IND-EDI100/SB-BRZ 291.67 350.00

NEW brushed gunmetal


IND-EDI100/SB-BGM 291.67 350.00

H₂ECO®

5 l/m flow regulator fitted as standard




chrome	£ ex-vat	£ inc-vat
EDI-100E/SB-C/P	300.00	360.00
brushed black		
IND-EDI100E/SB-BLK	375.00	450.00
brushed gold		
IND-EDI100E/SB-BRG	375.00	450.00
brushed nickel		
IND-EDI100E/SB-BRN	375.00	450.00
brushed bronze		
IND-EDI100E/SB-BRZ	375.00	450.00
NEW brushed gunmetal		
IND-EDI100E/SB-BGM	375.00	450.00
H₂ECO®		
5 l/m flow regulator fitted as standard		




chrome	£ ex-vat	£ inc-vat
EDI-100M/CC-CP	216.67	260.00

H₂ECO®


6 l/m flow regulator fitted as standard



brushed black		
IND-EDI100M/SB-BLK	270.83	325.00
brushed gold		
IND-EDI100M/SB-BRG	270.83	325.00
brushed nickel		
IND-EDI100M/SB-BRN	270.83	325.00
brushed bronze		
IND-EDI100M/SB-BRZ	270.83	325.00
NEW brushed gunmetal		
IND-EDI100M/SB-BGM	270.83	325.00




chrome	£ ex-vat	£ inc-vat
EDI-109S/A-C/P	333.33	400.00
brushed black		
IND-EDI109S/A-BLK	416.67	500.00
brushed gold		
IND-EDI109S/A-BRG	416.67	500.00
brushed nickel		
IND-EDI109S/A-BRN	416.67	500.00
brushed bronze		
IND-EDI109S/A-BRZ	416.67	500.00
NEW brushed gunmetal		
IND-EDI109S/A-BGM	416.67	500.00
H₂eco®		
5 l/m flow regulator fitted as standard		




2 hole bath shower mixer
deck mounted
with Atmosphere single function air-injection
shower kit, includes 150cm smooth hose
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 48mm threaded inlet connections
deck mount drill hole diameter 2 x 28-30mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
EDI-130+K-CP	366.67	440.00
H2ECO®		
FR-SHOWER/9-C/P	13.33	16.00



2 hole bath filler
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 48mm threaded inlet connections
deck mount drill hole diameter 2 x 28-30mm
minimum operating pressure 0.2 bar LP


chrome	£ ex-vat	£ inc-vat
EDI-137-CP	316.67	380.00
brushed black		
IND-EDI137-BLK	395.83	475.00
brushed gold		
IND-EDI137-BRG	395.83	475.00
brushed nickel		
IND-EDI137-BRN	395.83	475.00
brushed bronze		
IND-EDI137-BRZ	395.83	475.00
NEW brushed gunmetal		
IND-EDI137-BGM	395.83	475.00



bath spout
wall mounted
1/2" inlet
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
EDI-140-C/P	150.00	180.00
brushed black		
IND-EDI140-BLK	145.83	175.00
brushed gold		
IND-EDI140-BRG	145.83	175.00
brushed nickel		
IND-EDI140-BRN	145.83	175.00
brushed bronze		
IND-EDI140-BRZ	145.83	175.00
NEW brushed gunmetal		
IND-EDI140-BGM	145.83	175.00

NEW



clic-clac bath filler waste and overflow
removable hair trap
adjustable overflow pipe
2 x 1/2" inlets (one is blanked off)
1.1/2" x 16mm threaded outlet connection
min-max overflow bath thickness 1mm-14mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
WG-2389-RO-CP	158.33	190.00
brushed black		
IND-2389-RO-BLK	195.83	235.00
brushed gold		
IND-2389-RO-BRG	195.83	235.00
brushed nickel		
IND-2389-RO-BRN	195.83	235.00
brushed bronze		
IND-2389-RO-BRZ	195.83	235.00
NEW brushed gunmetal		
IND-2389-RO-BGM	195.83	235.00

194



Altitude Coordinating Showers


293



Omika Coordinating Accessories



ORIGINS




slimline mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-010-N25
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ORI-200/CC-C/P	250.00	300.00

H₂ECO®

5 l/m flow regulator fitted as standard




slimline Knurled Accents mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-010-N25
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ORI-200/CC-CPK	250.00	300.00

H₂ECO®

5 l/m flow regulator fitted as standard




slimline mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-010-N25
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ORI-200/SB-C/P	233.33	280.00
brushed black		
IND-ORI200/SB-BLK	291.67	350.00
brushed gold		
IND-ORI200/SB-BRG	291.67	350.00
brushed nickel		
IND-ORI200/SB-BRN	291.67	350.00
brushed bronze		
IND-ORI200/SB-BRZ	291.67	350.00
NEW brushed gunmetal		
IND-ORI200/SB-BGM	291.67	350.00

H₂ECO®

5 l/m flow regulator fitted as standard




slimline Knurled Accents mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-010-N25
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ORI-200/SB-CPK	233.33	280.00
brushed black		
IND-ORI200/SB-BLKK	291.67	350.00
brushed gold		
IND-ORI200/SB-BRGK	291.67	350.00
brushed nickel		
IND-ORI200/SB-BRNK	291.67	350.00
brushed bronze		
IND-ORI200/SB-BRZK	291.67	350.00
NEW brushed gunmetal		
IND-ORI200/SB-BGMK	291.67	350.00


H₂ECO®

5 l/m flow regulator fitted as standard




slimline extended mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-010-N25
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ORI-200E/SB-CP	300.00	360.00
brushed black		
IND-ORI200E/SB-BLK	375.00	450.00
brushed gold		
IND-ORI200E/SB-BRG	375.00	450.00
brushed nickel		
IND-ORI200E/SB-BRN	375.00	450.00
brushed bronze		
IND-ORI200E/SB-BRZ	375.00	450.00
NEW brushed gunmetal		
IND-ORI200E/SB-BGM	375.00	450.00
H₂ECO®		
5 l/m flow regulator fitted as standard		




slimline Knurled Accents
extended mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-010-N25
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ORI-200E/SB-CPK	300.00	360.00
brushed black		
IND-ORI200E/SB-BLKK	375.00	450.00
brushed gold		
IND-ORI200E/SB-BRGK	375.00	450.00
brushed nickel		
IND-ORI200E/SB-BRNK	375.00	450.00
brushed bronze		
IND-ORI200E/SB-BRZK	375.00	450.00
NEW brushed gunmetal		
IND-ORI200E/SB-BGMK	375.00	450.00
H₂ECO®		
5 l/m flow regulator fitted as standard		




slimline 2 hole basin mixer
single lever, wall mounted
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" inlets
min-max wall mount 53-70mm
tile-to mortar guard included
wall mount drill hole diameters:
spout 40-48mm handle 55-72mm
minimum operating pressure 0.2 bar LP
when installing below 1.0 bar pressure, removal of
the flow regulator is required

chrome	£ ex-vat	£ inc-vat
ORI-209S/A-CP	316.67	380.00
brushed black		
IND-ORI209SA-BLK	395.83	475.00
brushed gold		
IND-ORI209SA-BRG	395.83	475.00
brushed nickel		
IND-ORI209SA-BRN	395.83	475.00
brushed bronze		
IND-ORI209SA-BRZ	395.83	475.00
NEW brushed gunmetal		
IND-ORI209SA-BGM	395.83	475.00
H₂ECO®		
5 l/m flow regulator fitted as standard		




slimline Knurled Accents 2 hole basin mixer
single lever, wall mounted with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" inlets
min-max wall mount 53-70mm
tile-to mortar guard included
wall mount drill hole diameters:
spout 40-48mm handle 55-72mm
minimum operating pressure 0.2 bar LP
when installing below 1.0 bar pressure, removal of
the flow regulator is required

chrome	£ ex-vat	£ inc-vat
ORI-209S/A-CPK	316.67	380.00
brushed black		
IND-ORI209SA-BLKK	395.83	475.00
brushed gold		
IND-ORI209SA-BRGK	395.83	475.00
brushed nickel		
IND-ORI209SA-BRNK	395.83	475.00
brushed bronze		
IND-ORI209SA-BRZK	395.83	475.00
NEW brushed gunmetal		
IND-ORI209SA-BGMK	395.83	475.00
H₂ECO®		
5 l/m flow regulator fitted as standard		




slimline 2 hole bath shower mixer
deck mounted
with swivel elbow
with Zoo single function shower kit
includes 150cm smooth hose
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 48mm threaded inlet connections
deck mount drill hole diameter 2 x 28-30mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ORI-230+K-CP	366.67	440.00




slimline Knurled Accents 2 hole bath shower mixer
deck mounted
with swivel elbow
with Zoo single function shower kit
includes 150cm smooth hose
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 48mm threaded inlet connections
deck mount drill hole diameter 2 x 28-30mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ORI-230+K-CPK	366.67	440.00




slimline 2 hole bath filler
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 48mm threaded inlet connections
deck mount drill hole diameter 2 x 28-30mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
ORI-237-CP	316.67	380.00
brushed black		
IND-ORI237-BLK	395.83	475.00
brushed gold		
IND-ORI237-BRG	395.83	475.00
brushed nickel		
IND-ORI237-BRN	395.83	475.00
brushed bronze		
IND-ORI237-BRZ	395.83	475.00
NEW brushed gunmetal		
IND-ORI237-BGM	395.83	475.00




slimline Knurled Accents 2 hole bath filler
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 48mm threaded inlet connections
deck mount drill hole diameter 2 x 28-30mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
ORI-237-CPK	316.67	380.00
brushed black		
IND-ORI237-BLKK	395.83	475.00
brushed gold		
IND-ORI237-BRGK	395.83	475.00
brushed nickel		
IND-ORI237-BRNK	395.83	475.00
brushed bronze		
IND-ORI237-BRZK	395.83	475.00
NEW brushed gunmetal		
IND-ORI237-BGMK	395.83	475.00




bath spout
wall mounted
1/2" x 12mm threaded connections
sleeve slides entire length of spout
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
ORI-140-C/P	133.33	160.00
brushed black		
IND-ORI140-BLK	166.67	200.00
brushed gold		
IND-ORI140-BRG	166.67	200.00
brushed nickel		
IND-ORI140-BRN	166.67	200.00
brushed bronze		
IND-ORI140-BRZ	166.67	200.00
NEW brushed gunmetal		
IND-ORI140-BGM	166.67	200.00




Zoo
3 hole bath shower mixer
single lever, deck mounted
without spout
for use with bath filler waste and overflow
diverter cartridge F-803-33/2X
ceramic cartridge CAR-KN40
2 x 3/4" x 3/4" 600mm flexipipe connectors
1 x 2m shower hose
2 x 400 1/2" female flexipipe connectors to valve
valve deck mount drill hole 46mm
diverter deck mount drill hole 44mm
handset deck mount drill hole 32mm
minimum operating pressure 3.0 bar HP

chrome	£ ex-vat	£ inc-vat
ZOO-232NS-CP	537.50	645.00
H2ECO®		
FR-FLEXI/8-PLA	8.33	10.00



Zoo
4 hole bath shower mixer
single lever, deck mounted
spout can swivel or be fixed
diverter cartridge F-803-33/2X
ceramic cartridge CAR-KN40
1 x 3/4" x 3/4" 600mm flexipipe connectors
2 x 400 1/2" female flexipipe connectors to valve
valve deck mount drill hole 46mm
spout deck mount drill hole 28mm
diverter deck mount drill hole 44mm
handset deck mount drill hole 32mm
minimum operating pressure 3.0 bar HP


chrome	£ ex-vat	£ inc-vat
ZOO-232-CP	625.00	750.00
H2ECO®		
FR-FLEXI/8-PLA	8.33	10.00



pop-up bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-11mm
minimum operating pressure 1.0 bar MP


maximum length 600mm with standard cable
extension kit sold separately to achieve 1000mm
WG-7/8-CABLEEXT

chrome	£ ex-vat	£ inc-vat
WG-81552A-CP	145.83	175.00




Celsius
exposed thermostatic bath shower mixer
wall mounted
with water flow straightener
with integrated diverter
thermostatic cartridge V-704-34S
diverter cartridge C-801-33/2P
1/2" x 3/4" offset connectors
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
CEL-123T-C/P	304.17	365.00
H2ECO®		
FR-SHOWER/9-C/P	13.33	16.00




Celsius
2 hole thermostatic bath shower mixer
deck mounted
with water flow straightener
with integrated diverter
thermostatic cartridge V-704-34S
diverter cartridge C-801-33/2P
2 x 3/4" 50mm threaded connection on legs
deck mount drill hole diameter 28mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
CEL-131T-C/P	345.83	415.00
H2ECO®		
FR-SHOWER/9-C/P	13.33	16.00




Celsius
2 hole thermostatic bath shower mixer
deck mounted
with water flow aerator
with integrated diverter
with Zoo single function shower kit
thermostatic cartridge V-704-34S
diverter cartridge C-801-33/2P
2 x 3/4" 50mm threaded connection on legs
deck mount drill hole diameter 28mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
CEL-131T+K-C/P	391.67	470.00
H2ECO®		
FR-SHOWER/9-C/P	13.33	16.00



mono kitchen mixer
single lever
deck mounted
with swivel spout
with water flow straightener
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
ORI-150S-C/P	233.33	280.00
H₂ECO®		
FR-100/8-PLA	11.67	14.00



bath shower mixer
single lever
floor mounted
with water flow straightener
with Zoo single function shower kit
ceramic cartridge C-004-N40
2 x 1/2" female threaded connections
clearance 950mm from floor to spout
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ORI-233A-CP	850.00	1,020.00
brushed black		
IND-ORI233A-BLK	1,062.50	1,275.00
brushed gold		
IND-ORI233A-BRG	1,062.50	1,275.00
brushed nickel		
IND-ORI233A-BRN	1,062.50	1,275.00
brushed bronze		
IND-ORI233A-BRZ	1,062.50	1,275.00
NEW brushed gunmetal		
IND-ORI233A-BGM	1,062.50	1,275.00
H₂ECO®		
FR-FLEXI/8-PLA	8.33	10.00

201



Origins Showers


296



Spa Coordinating Accessories



ELEMENTS




mono basin mixer
deck mounted
with swivel spout
smooth bodied
with universal basin waste
with water flow aerator
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome £ ex-vat £ inc-vat
ELW-100F/CC-C/P 245.83 295.00

H₂eCO®

5 l/m flow regulator fitted as standard




mono basin mixer
deck mounted
with swivel spout
smooth bodied
without universal basin waste
with water flow aerator
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome £ ex-vat £ inc-vat
ELW-100F/SB-C/P 229.17 275.00
brushed black
IND-ELW100F/SB-BLK 291.67 350.00
brushed gold
IND-ELW100F/SB-BRG 291.67 350.00
brushed nickel
IND-ELW100F/SB-BRN 291.67 350.00
brushed bronze
IND-ELW100F/SB-BRZ 291.67 350.00
NEW brushed gunmetal
IND-ELW100F/SB-BGM 291.67 350.00

H₂eCO®

5 l/m flow regulator fitted as standard




3 hole basin mixer
deck mounted
with swivel spout
with pop-up waste
with water flow aerator
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" 600mm flexipipe connections
valve deck mount drill hole diameter 27mm
spout deck mount drill hole diameter 30mm
minimum operating pressure 0.2 bar LP

chrome £ ex-vat £ inc-vat
ELW-101F-C/P 333.33 400.00
brushed black
IND-ELW101F-BLK 416.67 500.00
brushed gold
IND-ELW101F-BRG 416.67 500.00
brushed nickel
IND-ELW101F-BRN 416.67 500.00
brushed bronze
IND-ELW101F-BRZ 416.67 500.00
NEW brushed gunmetal
IND-ELW101F-BGM 416.67 500.00

H₂eCO®

5 l/m flow regulator fitted as standard




3 hole basin mixer with 200mm spout
wall mounted
cold ceramic cartridge C-208-RTC
hot ceramic cartridge C-208-LTC
min-max wall mount 50-68mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
ELW-109FLA-C/P	333.33	400.00
brushed black		
IND-ELW109FLA-BLK	416.67	500.00
brushed gold		
IND-ELW109FLA-BRG	416.67	500.00
brushed nickel		
IND-ELW109FLA-BRN	416.67	500.00
brushed bronze		
IND-ELW109FLA-BRZ	416.67	500.00
NEW brushed gunmetal		
IND-ELW109FLA-BGM	416.67	500.00

H₂ECO®

5 l/m flow regulator fitted as standard

NEW




2 hole bath filler
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 48mm threaded inlet connections
deck mount drill hole diameter 2 x 28-30mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
ELW-237-CP	312.50	375.00
brushed black		
IND-ELW237-BLK	395.83	475.00
brushed gold		
IND-ELW237-BRG	395.83	475.00
brushed nickel		
IND-ELW237-BRN	395.83	475.00
brushed bronze		
IND-ELW237-BRZ	395.83	475.00
brushed gunmetal		
IND-ELW237-BGM	395.83	475.00

H₂ECO®

5 l/m flow regulator fitted as standard

NEW




2 hole bath shower mixer
deck mounted
with swivel elbow
with Zoo single function shower kit
includes 150cm smooth hose
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 48mm threaded inlet connections
deck mount drill hole diameter 2 x 28-30mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ELW-230+K-CP	366.67	440.00


H₂ECO®

5 l/m flow regulator fitted as standard




3 hole bath filler with 200mm spout
wall mounted
with water flow straightener
with water flow aerator
cold ceramic cartridge C-303-RTC
hot ceramic cartridge C-303-LTC
2 x 1/2" x 3/4" male 90mm straight connections
1/2" x 1/2" x 1/2" female 50mm T-piece connection
min-max wall mount 55-75mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
ELW-126L-3/4-C/P	366.67	440.00



3 hole bath filler
deck mounted
with fixed spout
with water flow straightener
cold ceramic cartridge C-303-RTC
hot ceramic cartridge C-303-LTC
2 x 3/4" x 3/4" 600mm flexipipe connections
3/4" male inlet connections
spout deck mount drill hole diameter 30mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ELW-135/NH-CP	366.67	440.00



pop-up bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-11mm
minimum operating pressure 1.0 bar MP

maximum length 600mm with standard cable
extension kit sold separately to achieve 1000mm
WG-7/8-CABLEEXT

chrome	£ ex-vat	£ inc-vat
WG-81552A-CP	145.83	175.00

202



Elements Showers

299




Elements Accessories



Safari®

NEW




mono basin mixer
lever
deck mounted
smooth bodied
with universal basin waste
cold-start
ceramic cartridge C-001-A30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

	€ ex-vat	€ inc-vat
chrome SAF-100/CC-CP	175.00	210.00
matt black SAF-100/CC-MB	191.67	230.00
pewter SAF-100/CC-PEW	191.67	230.00
satin brass SAF-100/CC-SBR	191.67	230.00

H₂ECO®

5 l/m flow regulator fitted as standard


NEW



mono basin mixer for low pressure systems
lever with laminar flow straightener
deck mounted
smooth bodied
with universal basin waste
cold-start
ceramic cartridge C-001-A30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

	€ ex-vat	€ inc-vat
chrome SAF-100/CC-LP-CP	175.00	210.00
matt black SAF-100/CC-LP-MB	191.67	230.00
pewter SAF-100/CC-LP-PEW	191.67	230.00
satin brass SAF-100/CC-LP-SBR	191.67	230.00

NEW




mono basin mixer
lever
deck mounted
smooth bodied
without universal basin waste
cold-start
ceramic cartridge C-001-A30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

	€ ex-vat	€ inc-vat
chrome SAF-100/SB-CP	158.33	190.00
matt black SAF-100/SB-MB	175.00	210.00
pewter SAF-100/SB-PEW	175.00	210.00
satin brass SAF-100/SB-SBR	175.00	210.00

H₂ECO®

5 l/m flow regulator fitted as standard


NEW



extended mono basin mixer
lever
deck mounted
smooth bodied
without universal basin waste
cold-start
ceramic cartridge C-001-A30
2 x 1/2" 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-100E/SB-CP	225.00	270.00
matt black		
SAF-100E/SB-MB	250.00	300.00
pewter		
SAF-100E/SB-PEW	250.00	300.00
satin brass		
SAF-100E/SB-SBR	250.00	300.00
H₂eCO®		
5 l/m flow regulator fitted as standard		


NEW



extended mono basin mixer for low pressure systems
lever
deck mounted
smooth bodied
without universal basin waste
cold-start
ceramic cartridge C-001-A30
2 x 1/2" 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-100E/SB-LP-CP	225.00	270.00
matt black		
SAF-100E/SB-LP-MB	250.00	300.00
pewter		
SAF-100E/SB-LP-PEW	250.00	300.00
satin brass		
SAF-100E/SB-LP-SBR	250.00	300.00


NEW



mini mono basin mixer
lever
deck mounted
smooth bodied
with universal basin waste
cold-start
ceramic cartridge C-001-A30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-100M/CC-CP	166.67	200.00
matt black		
SAF-100M/CC-MB	183.33	220.00
pewter		
SAF-100M/CC-PEW	183.33	220.00
satin brass		
SAF-100M/CC-SBR	183.33	220.00
H₂eCO®		
5 l/m flow regulator fitted as standard		


NEW



mini mono basin mixer for low pressure systems
lever
deck mounted
smooth bodied
with universal basin waste
cold-start
ceramic cartridge C-001-A30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-100M/CC-LP-CP	166.67	200.00
matt black		
SAF-100M/CC-LP-MB	183.33	220.00
pewter		
SAF-100M/CC-LP-PEW	183.33	220.00
satin brass		
SAF-100M/CC-LP-SBR	183.33	220.00


NEW



mini mono basin mixer
lever
deck mounted
smooth bodied
without universal basin waste
cold-start
ceramic cartridge C-001-A30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-100M/SB-CP	150.00	180.00
matt black		
SAF-100M/SB-MB	166.67	200.00
pewter		
SAF-100M/SB-PEW	166.67	200.00
satin brass		
SAF-100M/SB-SBR	166.67	200.00
H₂eCO®		
5 l/m flow regulator fitted as standard		


NEW



3 hole basin mixer, lever handles
deck mounted with fixed spout
water flow aerator
1/2" ceramic disc 1/4 turn valves
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" x 1/2" 400mm flexipipe connections
1/2 male x 1/2" male x 3/4" female Y connection
spout deck mount drill hole diameter 35mm
valve deck mount drill hole diameter 30mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-101-CP	225.00	270.00
matt black		
SAF-101-MB	250.00	300.00
pewter		
SAF-101-PEW	250.00	300.00
satin brass		
SAF-101-SBR	250.00	300.00
H₂ECO®		
5 l/m flow regulator fitted as standard		


NEW



3 hole basin mixer, lever handles
for low pressure systems
deck mounted with fixed spout
water flow aerator
1/2" ceramic disc 1/4 turn valves
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" x 1/2" 400mm flexipipe connections
1/2 male x 1/2" male x 3/4" female Y connection
spout deck mount drill hole diameter 35mm
valve deck mount drill hole diameter 30mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-101-LP-CP	225.00	270.00
matt black		
SAF-101-LP-MB	250.00	300.00
pewter		
SAF-101-LP-PEW	250.00	300.00
satin brass		
SAF-101-LP-SBR	250.00	300.00


NEW

pull-out
spout

3 hole basin mixer, lever handles
deck mounted with fixed spout
with spring-loaded concealed pull-out handset
1/2" ceramic disc 1/4 turn valves
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" x 1/2" 400mm flexipipe connections
2 x 1/2" male valve connections
spout deck mount drill hole diameter 30mm
valve deck mount drill hole diameter 30mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-102-CP	266.67	320.00
matt black		
SAF-102-MB	291.67	350.00
pewter		
SAF-102-PEW	291.67	350.00
satin brass		
SAF-102-SBR	291.67	350.00


NEW



slimline 3 hole basin mixer
lever, wall mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 1/2" female inlets
min-max wall depth tolerance 59-78mm
spout min-max wall depth tolerance 158-206mm
tile-to-mortar guard included
wall mount drill hole diameters:
spout 45-55mm handle 40-50mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-109-CP	233.33	280.00
matt black		
SAF-109-MB	258.33	310.00
pewter		
SAF-109-PEW	258.33	310.00
satin brass		
SAF-109-SBR	258.33	310.00
H₂ECO®		
5 l/m flow regulator fitted as standard		


NEW



slimline 3 hole basin mixer for low pressure systems
lever, wall mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 1/2" female inlets
min-max wall depth tolerance 59-78mm
spout min-max wall depth tolerance 158-206mm
tile-to-mortar guard included
wall mount drill hole diameters:
spout 45-55mm handle 40-50mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-109-LP-CP	233.33	280.00
matt black		
SAF-109-LP-MB	258.33	310.00
pewter		
SAF-109-LP-PEW	258.33	310.00
satin brass		
SAF-109-LP-SBR	258.33	310.00

NEW




slimline 2 hole basin mixer
lever
wall mounted
ceramic cartridge C-002-N30
2 x 1/2" female inlets
min-max wall depth tolerance 58-68mm
tile-to-mortar guard included
wall mount drill hole diameters:
spout 45-55mm handle 40-55mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-109S-CP	216.67	260.00
matt black		
SAF-109S-MB	241.67	290.00
pewter		
SAF-109S-PEW	241.67	290.00
satin brass		
SAF-109S-SBR	241.67	290.00

H₂eCO®

5 l/m flow regulator fitted as standard



NEW



slimline 2 hole basin mixer
for low pressure systems
lever
wall mounted
ceramic cartridge C-002-N30
2 x 1/2" female inlets
min-max wall depth tolerance 58-68mm
tile-to-mortar guard included
wall mount drill hole diameters:
spout 45-55mm handle 40-55mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-109S-LP-CP	216.67	260.00
matt black		
SAF-109S-LP-MB	241.67	290.00
pewter		
SAF-109S-LP-PEW	241.67	290.00
satin brass		
SAF-109S-LP-SBR	241.67	290.00

NEW





slimline 2 hole basin mixer
lever
wall mounted
rectangular backplate
ceramic cartridge C-002-N30
2 x 1/2" female inlets
min-max wall depth tolerance 58-68mm
tile-to-mortar guard included
wall mount drill hole diameters:
spout 45-55mm handle 40-55mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-109S-SQ-CP	225.00	270.00
matt black		
SAF-109S-SQ-MB	250.00	300.00
pewter		
SAF-109S-SQ-PEW	250.00	300.00
satin brass		
SAF-109S-SQ-SBR	250.00	300.00

H₂eCO®

5 l/m flow regulator fitted as standard


NEW



slimline 2 hole basin mixer for low pressure systems
lever
wall mounted
rectangular backplate
ceramic cartridge C-002-N30
2 x 1/2" female inlets
min-max wall depth tolerance 58-68mm
tile-to-mortar guard included
wall mount drill hole diameters:
spout 45-55mm handle 40-55mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-109S-SQ-LP-CP	225.00	270.00
matt black		
SAF-109S-SQ-LP-MB	250.00	300.00
pewter		
SAF-109S-SQ-LP-PEW	250.00	300.00
satin brass		
SAF-109S-SQ-LP-SBR	250.00	300.00


NEW



2 hole bath filler
lever
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 48.5mm male threaded inlet connections
deck mount drill hole diameter 2 x 28-38mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-137-CP	250.00	300.00
matt black		
SAF-137-MB	275.00	330.00
pewter		
SAF-137-PEW	275.00	330.00
satin brass		
SAF-137-SBR	275.00	330.00


NEW



2 hole bath shower mixer
lever
deck mounted
with single function shower kit
includes 150cm smooth hose
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 48.5mm male threaded inlet connections
deck mount drill hole diameter 2 x 28-38mm
minimum operating pressure 0.5 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-130+K-CP	316.67	380.00
matt black		
SAF-130+K-MB	350.00	420.00
pewter		
SAF-130+K-PEW	350.00	420.00
satin brass		
SAF-130+K-SBR	350.00	420.00
H₂ECO®		
6 l/m optional flow regulator included (handset)		


NEW



2 hole exposed thermostatic bath shower mixer
lever
wall mounted
water flow straightener
thermostatic cartridge V-704-34S
diverter cartridge C-801-33/2P
3/4" easy-fit brackets included
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-123T-CP	291.67	350.00
matt black		
SAF-123T-MB	320.83	385.00
pewter		
SAF-123T-PEW	320.83	385.00
satin brass		
SAF-123T-SBR	320.83	385.00


NEW



2 hole exposed thermostatic bath shower mixer
lever
deck mounted
water flow straightener
thermostatic cartridge V-704-34S
diverter cartridge C-801-33/2P
2x 3/4" 50mm threaded connection on legs
deck mount drill hole diameter 28-35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-131T-CP	325.00	390.00
matt black		
SAF-131T-MB	358.33	430.00
pewter		
SAF-131T-PEW	358.33	430.00
satin brass		
SAF-131T-SBR	358.33	430.00


NEW



bath spout
wall mounted
water flow straightener
1/2" x 10mm male threaded connection
wall mount drill hole diameter 45-55mm
spout min-max depth tolerance 158-206mm
minimum operating pressure 0.5 bar LP

	£ ex-vat	£ inc-vat
chrome		
SAF-140-CP	75.00	90.00
matt black		
SAF-140-MB	83.33	100.00
pewter		
SAF-140-PEW	83.33	100.00
satin brass		
SAF-140-SBR	83.33	100.00


NEW

pull-out
spout

mono kitchen mixer
lever
deck mounted
swivel spout
with two function pull-out handset
ceramic cartridge C-008-A35
2 x 1/2" x 450mm flexible connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

	£ ex-vat	£ inc-vat
chrome		
SAF-150-CP	225.00	270.00
matt black		
SAF-150-MB	250.00	300.00
pewter		
SAF-150-PEW	250.00	300.00
satin brass		
SAF-150-SBR	250.00	300.00

NEW




bath shower mixer
single lever
floor mounted
water flow straightener
single function shower kit
ceramic cartridge C-004-N40
2 x 1/2" female threaded connections
clearance 950mm from floor to spout
minimum operating pressure 1.0 bar MP

	£ ex-vat	£ inc-vat
chrome		
SAF-133-CP	875.00	1,050.00
matt black		
SAF-133-MB	958.33	1,150.00
pewter		
SAF-133-PEW	958.33	1,150.00
satin brass		
SAF-133-SBR	958.33	1,150.00


H2ECO®

6 l/m optional flow regulator included
(handset)




chrome	£ ex-vat	£ inc-vat
SAF-200/CC-CP	175.00	210.00
matt black		
SAF-200/CC-MB	191.67	230.00
pewter		
SAF-200/CC-PEW	191.67	230.00
satin brass		
SAF-200/CC-SBR	191.67	230.00

H₂eCO®
5 l/min flow regulator fitted as standard




chrome	£ ex-vat	£ inc-vat
SAF-200/CC-LP-CP	175.00	210.00
matt black		
SAF-200/CC-LP-MB	191.67	230.00
pewter		
SAF-200/CC-LP-PEW	191.67	230.00
satin brass		
SAF-200/CC-LP-SBR	191.67	230.00



chrome	£ ex-vat	£ inc-vat
SAF-200/SB-CP	158.33	190.00
matt black		
SAF-200/SB-MB	175.00	210.00
pewter		
SAF-200/SB-PEW	175.00	210.00
satin brass		
SAF-200/SB-SBR	175.00	210.00

H₂eCO[®]
5 l/min flow regulator fitted as standard


NEW



extended mono basin mixer
leverless
deck mounted
smooth bodied
without universal basin waste
cold-start
ceramic cartridge C-001-A30
2 x 1/2" 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-200E/SB-CP	225.00	270.00
matt black		
SAF-200E/SB-MB	250.00	300.00
pewter		
SAF-200E/SB-PEW	250.00	300.00
satin brass		
SAF-200E/SB-SBR	250.00	300.00
H₂ECO®		
5 l/m flow regulator fitted as standard		


NEW



extended mono basin mixer for low pressure systems
leverless
deck mounted
smooth bodied
without universal basin waste
cold-start
ceramic cartridge C-001-A30
2 x 1/2" 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-200E/SB-LP-CP	225.00	270.00
matt black		
SAF-200E/SB-LP-MB	250.00	300.00
pewter		
SAF-200E/SB-LP-PEW	250.00	300.00
satin brass		
SAF-200E/SB-LP-SBR	250.00	300.00


NEW



mini mono basin mixer
leverless
deck mounted
smooth bodied
with universal basin waste
cold-start
ceramic cartridge C-001-A30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-200M/CC-CP	166.67	200.00
matt black		
SAF-200M/CC-MB	183.33	220.00
pewter		
SAF-200M/CC-PEW	183.33	220.00
satin brass		
SAF-200M/CC-SBR	183.33	220.00
H₂ECO®		
5 l/m flow regulator fitted as standard		


NEW



mini mono basin mixer for low pressure systems
leverless
deck mounted
smooth bodied
with universal basin waste
cold-start
ceramic cartridge C-001-A30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-200M/CC-LP-CP	166.67	200.00
matt black		
SAF-200M/CC-LP-MB	183.33	220.00
pewter		
SAF-200M/CC-LP-PEW	183.33	220.00
satin brass		
SAF-200M/CC-LP-SBR	183.33	220.00


NEW



mini mono basin mixer
leverless
deck mounted
smooth bodied
without universal basin waste
cold-start
ceramic cartridge C-001-A30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-200M/SB-CP	150.00	180.00
matt black		
SAF-200M/SB-MB	166.67	200.00
pewter		
SAF-200M/SB-PEW	166.67	200.00
satin brass		
SAF-200M/SB-SBR	166.67	200.00
H₂ECO®		
5 l/m flow regulator fitted as standard		


NEW



3 hole basin mixer, leverless handles
deck mounted with fixed spout
water flow aerator
1/2" ceramic disc 1/4 turn valves
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" x 1/2" 400mm flexipipe connections
1/2 male x 1/2" male x 3/4" female Y connection
spout deck mount drill hole diameter 35mm
valve deck mount drill hole diameter 30mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-201-CP	225.00	270.00
matt black		
SAF-201-MB	250.00	300.00
pewter		
SAF-201-PEW	250.00	300.00
satin brass		
SAF-201-SBR	250.00	300.00
H₂ECO®		
5 l/m flow regulator fitted as standard		


NEW



3 hole basin mixer, leverless handles
for low pressure systems
deck mounted with fixed spout
water flow aerator
1/2" ceramic disc 1/4 turn valves
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" x 1/2" 400mm flexipipe connections
1/2 male x 1/2" male x 3/4" female Y connection
spout deck mount drill hole diameter 35mm
valve deck mount drill hole diameter 30mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-201-LP-CP	225.00	270.00
matt black		
SAF-201-LP-MB	250.00	300.00
pewter		
SAF-201-LP-PEW	250.00	300.00
satin brass		
SAF-201-LP-SBR	250.00	300.00


NEW



3 hole basin mixer, leverless handles
deck mounted with fixed spout
with spring-loaded concealed pull-out handset
1/2" ceramic disc 1/4 turn valves
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" x 1/2" 400mm flexipipe connections
2 x 1/2" male valve connections
spout deck mount drill hole diameter 30mm
valve deck mount drill hole diameter 30mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-202-CP	266.67	320.00
matt black		
SAF-202-MB	291.67	350.00
pewter		
SAF-202-PEW	291.67	350.00
satin brass		
SAF-202-SBR	291.67	350.00


NEW



slimline 3 hole basin mixer
leverless, wall mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 1/2" female inlets
min-max wall depth tolerance 59-78mm
spout min-max wall depth tolerance 158-206mm
tile-to-mortar guard included
wall mount drill hole diameters:
spout 45-55mm handle 40-50mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-209-CP	233.33	280.00
matt black		
SAF-209-MB	258.33	310.00
pewter		
SAF-209-PEW	258.33	310.00
satin brass		
SAF-209-SBR	258.33	310.00
H₂ECO®		
5 l/m flow regulator fitted as standard		


NEW



slimline 3 hole basin mixer for low pressure systems
leverless, wall mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 1/2" female inlets
min-max wall depth tolerance 59-78mm
spout min-max wall depth tolerance 158-206mm
tile-to-mortar guard included
wall mount drill hole diameters:
spout 45-55mm handle 40-50mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-209-LP-CP	233.33	280.00
matt black		
SAF-209-LP-MB	258.33	310.00
pewter		
SAF-209-LP-PEW	258.33	310.00
satin brass		
SAF-209-LP-SBR	258.33	310.00


NEW



2 hole bath filler
leverless
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 48.5mm male threaded inlet connections
deck mount drill hole diameter 2 x 28-38mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-237-CP	250.00	300.00
matt black		
SAF-237-MB	275.00	330.00
pewter		
SAF-237-PEW	275.00	330.00
satin brass		
SAF-237-SBR	275.00	330.00

NEW




2 hole bath shower mixer
leverless
deck mounted
with single function air-injection shower kit
includes 150cm smooth hose
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 48.5mm male threaded inlet connections
deck mount drill hole diameter 2 x 28-38mm
minimum operating pressure 0.5 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-230+K-CP	316.67	380.00
matt black		
SAF-230+K-MB	350.00	420.00
pewter		
SAF-230+K-PEW	350.00	420.00
satin brass		
SAF-230+K-SBR	350.00	420.00

H₂ECO®

6 l/m optional flow regulator included
(handset)


NEW



exposed thermostatic bath shower mixer
leverless
wall mounted
with water flow straightener
thermostatic cartridge V-704-34S
diverter cartridge C-801-33/2P
3/4" easy-fit brackets included
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-223T-CP	291.67	350.00
matt black		
SAF-223T-MB	320.83	385.00
pewter		
SAF-223T-PEW	320.83	385.00
satin brass		
SAF-223T-SBR	320.83	385.00



NEW



2 hole exposed thermostatic bath shower mixer
leverless
deck mounted
with water flow straightener
thermostatic cartridge V-704-34S
diverter cartridge C-801-33/2P
2x 3/4" 50mm threaded connection on legs
deck mount drill hole diameter 28-35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-231T-CP	325.00	390.00
matt black		
SAF-231T-MB	358.33	430.00
pewter		
SAF-231T-PEW	358.33	430.00
satin brass		
SAF-231T-SBR	358.33	430.00


NEW



bath spout
wall mounted
water flow straightener
1/2" x 10mm male threaded connection
wall mount drill hole diameter 45-55mm
spout min-max depth tolerance 158-206mm
minimum operating pressure 0.5 bar LP

	£ ex-vat	£ inc-vat
chrome SAF-140-CP	75.00	90.00
matt black SAF-140-MB	83.33	100.00
pewter SAF-140-PEW	83.33	100.00
satin brass SAF-140-SBR	83.33	100.00

NEW



bath shower mixer
leverless
floor mounted
water flow straightener
single function shower kit
ceramic cartridge C-004-N40
2 x 1/2" female threaded connections
clearance 950mm from floor to spout
minimum operating pressure 1.0 bar MP

	£ ex-vat	£ inc-vat
chrome SAF-233-CP	875.00	1,050.00
matt black SAF-233-MB	958.33	1,150.00
pewter SAF-233-PEW	958.33	1,150.00
satin brass SAF-233-SBR	958.33	1,150.00

H2ECO®

6 l/m optional flow regulator included
(handset)

209



Safari Showers


308



Zoo Accessories

CAMEO®
TAPS

CAMEO®




mono basin mixer
leverless
deck mounted
smooth bodied
with universal basin waste
ceramic cartridge C-001-N30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
CAM-100/CC-CP	175.00	210.00
matt black		
CAM-100/CC-MB	191.67	230.00
matt white		
CAM-100/CC-MW	191.67	230.00
satin brass		
CAM-100/CC-SBR	191.67	230.00


H₂ECO®

5 l/m flow regulator fitted as standard



mono basin mixer for low pressure systems
leverless with laminar flow straightener
deck mounted
smooth bodied
with universal basin waste
ceramic cartridge C-001-N30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
CAM-100/CC-LP-CP	175.00	210.00
matt black		
CAM-100/CC-LP-MB	191.67	230.00
matt white		
CAM-100/CC-LP-MW	191.67	230.00
satin brass		
CAM-100/CC-LP-SBR	191.67	230.00




mono basin mixer
leverless
deck mounted
smooth bodied
without universal basin waste
ceramic cartridge C-001-N30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
CAM-100/SB-CP	158.33	190.00
matt black		
CAM-100/SB-MB	175.00	210.00
matt white		
CAM-100/SB-MW	175.00	210.00
satin brass		
CAM-100/SB-SBR	175.00	210.00

H₂ECO®

5 l/m flow regulator fitted as standard




extended mono basin mixer
leverless
deck mounted
smooth bodied
without universal basin waste
ceramic cartridge C-001-N30
2 x 1/2" 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
CAM-100E/SB-CP	241.67	290.00
matt black		
CAM-100E/SB-MB	266.67	320.00
matt white		
CAM-100E/SB-MW	266.67	320.00
satin brass		
CAM-100E/SB-SBR	266.67	320.00


H₂ECO®

5 l/m flow regulator fitted as standard



extended mono basin mixer for low pressure systems
leverless with laminar flow straightener
deck mounted
smooth bodied
without universal basin waste
ceramic cartridge C-001-N30
2 x 1/2" 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
CAM-100E/SB-LP-CP	241.67	290.00
matt black		
CAM-100E/SB-LP-MB	266.67	320.00
matt white		
CAM-100E/SB-LP-MW	266.67	320.00
satin brass		
CAM-100E/SB-LP-SBR	266.67	320.00



mini mono basin mixer
leverless
deck mounted
smooth bodied
with universal basin waste
ceramic cartridge C-002-N25
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
CAM-100M/CC-CP £ ex-vat 166.67 £ inc-vat 200.00


matt black
CAM-100M/CC-MB 183.33 220.00

matt white
CAM-100M/CC-MW 183.33 220.00

satin brass
CAM-100M/CC-SBR 183.33 220.00

H₂ECO®

5 l/m flow regulator fitted as standard




mini mono basin mixer for low pressure systems
leverless with laminar flow straightener
deck mounted
smooth bodied
with universal basin waste
ceramic cartridge C-002-N25
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
CAM-100M/CC-LP-CP £ ex-vat 166.67 £ inc-vat 200.00

matt black
CAM-100M/CC-LP-MB 183.33 220.00

matt white
CAM-100M/CC-LP-MW 183.33 220.00

satin brass
CAM-100M/CC-LP-SBR 183.33 220.00



slimline 2 hole basin mixer
leverless
wall mounted
ceramic cartridge C-002-N30
2 x 1/2" inlets
min-max wall mount 53-73mm
tile-to mortar guard included
wall mount drill hole diameters:
spout 30-60mm handle 50-60mm
minimum operating pressure 1.0 bar MP

chrome
CAM-109S-CP £ ex-vat 225.00 £ inc-vat 270.00


matt black
CAM-109S-MB 250.00 300.00

matt white
CAM-109S-MW 250.00 300.00

satin brass
CAM-109S-SBR 250.00 300.00

H₂ECO®

5 l/m flow regulator fitted as standard




slimline 2 hole basin mixer for low pressure systems
leverless with laminar flow straightener
wall mounted
ceramic cartridge C-002-N30
2 x 1/2" inlets
min-max wall mount 53-73mm
tile-to mortar guard included
wall mount drill hole diameters:
spout 30-60mm handle 50-60mm
minimum operating pressure 0.2 bar LP

chrome
CAM-109S-LP-CP £ ex-vat 225.00 £ inc-vat 270.00

matt black
CAM-109S-LP-MB 250.00 300.00

matt white
CAM-109S-LP-MW 250.00 300.00

satin brass
CAM-109S-LP-SBR 250.00 300.00




mono basin mixer
lever
deck mounted
smooth bodied
with universal basin waste
ceramic cartridge C-001-N30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
CAM-200/CC-CP	175.00	210.00
matt black		
CAM-200/CC-MB	191.67	230.00
matt white		
CAM-200/CC-MW	191.67	230.00
satin brass		
CAM-200/CC-SBR	191.67	230.00


H₂ECO®

5 l/m flow regulator fitted as standard



mono basin mixer for low pressure systems
lever with laminar flow straightener
deck mounted
smooth bodied
with universal basin waste
ceramic cartridge C-001-N30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
CAM-200/CC-LP-CP	175.00	210.00
matt black		
CAM-200/CC-LP-MB	191.67	230.00
matt white		
CAM-200/CC-LP-MW	191.67	230.00
satin brass		
CAM-200/CC-LP-SBR	191.67	230.00




mono basin mixer
lever
deck mounted
smooth bodied
without universal basin waste
ceramic cartridge C-001-N30
2 x 1/2" 450mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
CAM-200/SB-CP	158.33	190.00
matt black		
CAM-200/SB-MB	175.00	210.00
matt white		
CAM-200/SB-MW	175.00	210.00
satin brass		
CAM-200/SB-SBR	175.00	210.00

H₂ECO®

5 l/m flow regulator fitted as standard




extended mono basin mixer
lever
deck mounted
smooth bodied
without universal basin waste
ceramic cartridge C-001-N30
2 x 1/2" 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
CAM-200E/SB-CP	241.67	290.00
matt black		
CAM-200E/SB-MB	266.67	320.00
matt white		
CAM-200E/SB-MW	266.67	320.00
satin brass		
CAM-200E/SB-SBR	266.67	320.00


H₂ECO®

5 l/m flow regulator fitted as standard



extended mono basin mixer for low pressure systems
lever with laminar flow straightener
deck mounted
smooth bodied
without universal basin waste
ceramic cartridge C-001-N30
2 x 1/2" 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome	£ ex-vat	£ inc-vat
CAM-200E/SB-LP-CP	241.67	290.00
matt black		
CAM-200E/SB-LP-MB	266.67	320.00
matt white		
CAM-200E/SB-LP-MW	266.67	320.00
satin brass		
CAM-200E/SB-LP-SBR	266.67	320.00




chrome	£ ex-vat	£ inc-vat
CAM-200M/CC-CP	166.67	200.00
matt black		
CAM-200M/CC-MB	183.33	220.00
matt white		
CAM-200M/CC-MW	183.33	220.00
satin brass		
CAM-200M/CC-SBR	183.33	220.00

H₂ECO®


5 l/m flow regulator fitted as standard




chrome	£ ex-vat	£ inc-vat
CAM-200M/CC-LP-CP	166.67	200.00
matt black		
CAM-200M/CC-LP-MB	183.33	220.00
matt white		
CAM-200M/CC-LP-MW	183.33	220.00
satín brass		
CAM-200M/CC-LP-SBR	183.33	220.00



chrome	£ ex-vat	£ inc-vat
CAM-209S-CP	225.00	270.00
matt black		
CAM-209S-MB	250.00	300.00
matt white		
CAM-209S-MW	250.00	300.00
satin brass		
CAM-209S-SBR	250.00	300.00
H₂eCO®		
5 l/m flow regulator fitted as standard		




chrome	£ ex-vat	£ inc-vat
CAM-209S-LP-CP	225.00	270.00
matt black		
CAM-209S-LP-MB	250.00	300.00
matt white		
CAM-209S-LP-MW	250.00	300.00
satin brass		
CAM-209S-LP-SBR	250.00	300.00




2 hole bath filler
deck mounted
cold ceramic cartridge C-306-RTC
hot ceramic cartridge C-306-LTC
2 x 3/4" 48.5mm male threaded connections
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
CAM-137-CP	283.33	340.00
matt black		
CAM-137-MB	312.50	375.00
matt white		
CAM-137-MW	312.50	375.00
satin brass		
CAM-137-SBR	312.50	375.00




exposed thermostatic bath shower mixer
wall mounted
with water flow straightener
thermostatic cartridge V-704-34S
diverter cartridge C-801-33/2P
3/4" easy-fit brackets included
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
CAM-123T-CP	300.00	360.00
matt black		
CAM-123T-MB	329.17	395.00
matt white		
CAM-123T-MW	329.17	395.00
satin brass		
CAM-123T-SBR	329.17	395.00




2 hole exposed thermostatic bath shower mixer
deck mounted
with water flow straightener
thermostatic cartridge V-704-34S
diverter cartridge C-801-33/2P
2x 3/4" 50mm threaded connection on legs
deck mount drill hole diameter 28-35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
CAM-131T-CP	350.00	420.00
matt black		
CAM-131T-MB	383.33	460.00
matt white		
CAM-131T-MW	383.33	460.00
satin brass		
CAM-131T-SBR	383.33	460.00



bath spout
wall mounted
with water flow straightener
1/2" x 10mm male threaded connection
wall mount drill hole diameter 25-55mm
minimum operating pressure 1.0 bar MP


	£ ex-vat	£ inc-vat
chrome CAM-140-CP	83.33	100.00
matt black CAM-140-MB	91.67	110.00
matt white CAM-140-MW	91.67	110.00
satin brass CAM-140-SBR	91.67	110.00



mono kitchen mixer
leverless
deck mounted
with swivel spout
with laminar flow straightener
ceramic cartridge C-002-N25
2 x 3/8" x 950mm flexible connections
with 3/8" to 1/2" adaptors
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

	£ ex-vat	£ inc-vat
chrome CAM-150-CP	275.00	330.00
matt black CAM-150-MB	300.00	360.00
matt white CAM-150-MW	300.00	360.00
satin brass CAM-150-SBR	300.00	360.00
H2ECO® FR-FLEX/4-PLA (2 are required)	8.33	10.00

212



Cameo Showers


311



Muse Accessories




LIFE




mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with directional water flow aerator
with optional base ring
ceramic cartridge CAR-K35B
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
LIF-100/CC-C/P	216.67	260.00
H2ECO®		
FR-100/5-B-PLA	11.67	14.00



mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with directional water flow aerator
with optional base ring
ceramic cartridge CAR-K35B
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome	£ ex-vat	£ inc-vat
LIF-100/SB-C/P	200.00	240.00
H2ECO®		
FR-100/5-PLA	11.67	14.00



slimline mono basin mixer
 single lever
 deck mounted
 smooth bodied
 with universal basin waste
 with directional water flow aerator
 ceramic cartridge C-010-N25
 2 x 1/2" 400mm flexipipe connections
 deck mount drill hole diameter 35mm
 minimum operating pressure 1.0 bar MP

chrome
LIF-200/CC-CP
 £ ex-vat £ inc-vat
 216.67 260.00



H₂eCO®
 5 l/m flow regulator fitted as standard



slimline mono basin mixer
 single lever
 deck mounted
 smooth bodied
 without universal basin waste
 with directional water flow aerator
 ceramic cartridge C-010-N25
 2 x 1/2" 400mm flexipipe connections
 deck mount drill hole diameter 35mm
 minimum operating pressure 1.0 bar MP

chrome
LIF-200/SB-CP
 £ ex-vat £ inc-vat
 200.00 240.00



H₂eCO®
 5 l/m flow regulator fitted as standard



2 hole basin mixer
 single lever
 wall mounted
 with 200mm spout
 with oval backplate
 with water flow aerator
 ceramic cartridge CAR-K35B
 2 x 1/2" inlets
 min-max wall mount 53-70mm
 minimum operating pressure 0.2 bar LP

chrome
LIF-109S/A-200-C/P
 £ ex-vat £ inc-vat
 300.00 360.00


H₂eCO®
 FR-106/5-PLA
 8.33 10.00




2 hole basin mixer
 single lever
 wall mounted
 with 230mm spout
 with oval backplate
 with water flow aerator
 ceramic cartridge CAR-K35B
 2 x 1/2" inlets
 min-max wall mount 53-70mm
 minimum operating pressure 0.2 bar LP

chrome
LIF-109S/A-C/P
 £ ex-vat £ inc-vat
 312.50 375.00


H₂eCO®
 FR-106/5-PLA
 8.33 10.00




chrome	£ ex-vat	£ inc-vat
LIF-100M/CC-C/P	200.00	240.00
H₂ECO®		
FR-100/5-B-PLA	11.67	14.00




chrome	£ ex-vat	£ inc-vat
LIF-110/SB-C/P	208.33	250.00
H₂ECO®		
FR-100/5-PLA	11.67	14.00



chrome	£ ex-vat	£ inc-vat
LIF-137-C/P	283.33	340.00




chrome	£ ex-vat	£ inc-vat
LIF-130+K-C/P	341.67	410.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00




3 hole bath shower mixer
single lever
deck mounted
without spout
for use with bath filler waste and overflow
ceramic cartridge CAR-K40A
2 x 10mm (1/2") flexipipe connection on valve
1 x 1/2"x1/2" flexipipe
1 x 1/2"x1/2" 150cm shower hose
3 x 600mm flexipipe connections
valve deck mount drill hole diameter 32mm
diverter deck mount drill hole diameter 28mm
handset deck mount drill hole diameter 28mm
minimum operating pressure 3.0 bar HP

chrome	£ ex-vat	£ inc-vat
LIF-132/NS-C/P	558.33	670.00
H₂ECO®		
FR-FLEXI/8-PLA	8.33	10.00




4 hole bath shower mixer
single lever
deck mounted with water flow straightener
ceramic cartridge CAR-K40A
2 x 10mm (1/2") flexipipe connection on valve
2 x 1/2"x1/2" flexipipe
1 x 1/2"x1/2" 150cm shower hose
4 x 600mm flexipipe connections
valve deck mount drill hole diameter 32mm
spout deck mount drill hole diameter 28mm
diverter deck mount drill hole diameter 28mm
handset deck mount drill hole diameter 28mm
minimum operating pressure 3.0 bar HP

chrome	£ ex-vat	£ inc-vat
LIF-132-C/P	641.67	770.00
H₂ECO®		
FR-FLEXI/8-PLA	8.33	10.00




bath shower mixer
single lever
floor mounted
with water flow aerator
with Life single function shower kit
ceramic cartridge C-001-N40
2 x 1/2" female threaded connections
clearance 914mm from floor to spout
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
LIF-233-CP	954.17	1,145.00
H₂ECO®		
FR-FLEXI/8-PLA	8.33	10.00




exposed thermostatic bath shower mixer
wall mounted
with water flow straightener
thermostatic cartridge V-701-34S
diverter cartridge C-801-33/2P
2 x 1/2" to 3/4" threaded offset connectors
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
LIF-123T-CP	304.17	365.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00




exposed thermostatic bath shower mixer
wall mounted
with water flow straightener
with Life single function shower kit
thermostatic cartridge V-701-34S
diverter cartridge C-801-33/2P
2 x 1/2" to 3/4" threaded offset connectors
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
LIF-123T+K-CP	370.83	445.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00




2 hole exposed thermostatic bath shower mixer
deck mounted
with water flow straightener
thermostatic cartridge V-701-34S
diverter cartridge C-801-33/2P
2x 3/4" 50mm threaded connection on legs
deck mount drill hole diameter 28mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
LIF-131T-CP	345.83	415.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00



2 hole exposed thermostatic bath shower mixer
deck mounted
with water flow straightener
with Life single function shower kit
thermostatic cartridge V-701-34S
diverter cartridge C-801-33/2P
2x 3/4" 50mm threaded connection on legs
deck mount drill hole diameter 28mm
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
LIF-131T+K-CP	391.67	470.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00



bath spout
wall mounted
with water flow aerator
1/2" x 45mm male threaded connection
easy cut thread at 20mm and 40mm
wall mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

chrome
LIF-140-C/P


£ ex-vat £ inc-vat
125.00 150.00



pop-up bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-11mm
minimum operating pressure 1.0 bar MP
maximum length 600mm with standard cable
extension kit sold separately to achieve 1000mm
WG-7/8-CABLEEXT

chrome
WG-81552A-CP

£ ex-vat £ inc-vat
145.83 175.00



mono sink mixer
single lever
deck mounted
with swivel spout
with water flow aerator
ceramic cartridge CAR-K35A
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome
LIF-150S-C/P

H₂ECO®
FR-100/8-PLA

£ ex-vat £ inc-vat
300.00 360.00

11.67 14.00

208



Life Showers


302



Life Accessories



PHASE




mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-001-N35R
2 x 1/2" 450mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome £ ex-vat £ inc-vat
PHA-200F/CC-C/P 216.67 260.00

H₂ECO®

5 l/m flow regulator fitted as standard




mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-001-N35R
2 x 1/2" 450mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome £ ex-vat £ inc-vat
PHA-200F/SB-C/P 200.00 240.00

H₂ECO®

5 l/m flow regulator fitted as standard



mono basin mixer
single lever
with EcoTurn cold start cartridge
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-001-C35
2 x 1/2" 450mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
PHA-200FW/CC-CP £ ex-vat £ inc-vat
216.67 260.00


H₂ECO®

5 l/m flow regulator fitted as standard

ECOturn®



TAPS
PHASE




mono basin mixer
single lever
with EcoTurn cold start cartridge
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-001-C35
2 x 1/2" 450mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
PHA-200FW/SB-CP £ ex-vat £ inc-vat
200.00 240.00

H₂ECO®

5 l/m flow regulator fitted as standard

ECOturn®



mini mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-001-N25
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.5 bar LP

chrome
PHA-200MF/CC-C/P £ ex-vat £ inc-vat
200.00 240.00


H₂ECO®

5 l/m flow regulator fitted as standard


chrome
PHA-109FS/A-C/P £ ex-vat £ inc-vat
312.50 375.00

H₂ECO®

5 l/m flow regulator fitted as standard





2 hole basin mixer
single lever
wall mounted
with rectangular backplate
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" female inlets
min-max wall mount 53-70mm
minimum operating pressure 0.2 bar LP




mono bidet mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge C-009-N35R
2 x 1/2" 450mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
PHA-210-C/P	245.83	295.00
H₂ECO®		
FR-100/5-PLA	11.67	14.00




2 hole bath filler
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 52.5mm male threaded connections
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
PHA-137-C/P	283.33	340.00



2 hole bath shower mixer
deck mounted
with V2 single function shower kit
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 52.5mm male threaded connections
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
PHA-130+K-C/P	341.67	410.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00



Té
exposed thermostatic shower valve 1/2"
wall mounted
thermostatic cartridge V-703-34S
flow cartridge TE-002B-1/2
3/4" x 1/2" offset connectors
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
TE-149T-C/P	300.00	360.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00



213



Phase Showers


315



Phase Accessories




PHOTON



mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-009-N35R
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
PHO-100F/CC-C/P
£ ex-vat £ inc-vat
216.67 260.00


H₂eCO®
5 l/m flow regulator fitted as standard



mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-009-N35R
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
PHO-100F/SB-C/P
£ ex-vat £ inc-vat
200.00 240.00

H₂eCO®
5 l/m flow regulator fitted as standard




mono basin mixer
single lever
with EcoTurn cold start cartridge
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-001-C35
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
PHO-100FW/CC-CP
£ ex-vat £ inc-vat
216.67 260.00

H₂eCO®
5 l/m flow regulator fitted as standard

eCOturn®




mono basin mixer
single lever
with EcoTurn cold start cartridge
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-001-C35
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
PHO-100FW/SB-CP
£ ex-vat £ inc-vat
200.00 240.00

H₂eCO®
5 l/m flow regulator fitted as standard

eCOturn®






mini mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-010-N25
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.5 bar LP

chrome
PHO-100M/CC-C/P
£ ex-vat £ inc-vat
200.00 240.00


H₂ECO®
5 l/m flow regulator fitted as standard



2 hole basin mixer
single lever
wall mounted
with oval backplate
with water flow aerator
2 x 1/2" female inlets
ceramic cartridge CAR-K35B
min-max wall mount 53-70mm
minimum operating pressure 0.2 bar LP


chrome
PHO-109FS/A-C/P
£ ex-vat £ inc-vat
312.50 375.00

H₂ECO®
5 l/m flow regulator fitted as standard



2 hole bath filler
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" 53mm male threaded connections
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome
PHO-137-C/P
£ ex-vat £ inc-vat
283.33 340.00



2 hole bath shower mixer
deck mounted
with Atmosphere single function air-injection
shower kit
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" x 53mm male threaded connections
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome
PHO-130+K-C/P
£ ex-vat £ inc-vat
341.67 410.00

H₂ECO®
FR-SHOWER/9-C/P 13.33 16.00

214



Photon Showers

318



Photon Accessories

With the introduction of the new Safari Range, this collection is no longer featured in our brochure. However, select items remain available for a limited time and can still be found online at www.vado.com/zoo.




scan QR to
discover more

ZOO


Taps
I-TECH

I-TECH




Life
infra-red mono basin tap
deck mounted
with rub clean aerator
mains or battery operated
takes standard AA batteries
central processing unit: IR-100/CONTROL
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
IR-100/LIF-C/P	333.33	400.00
H₂ECO®		
FR-100/5-PLA	11.67	14.00




Zoo
infra-red mono basin tap
deck mounted
with rub clean aerator
mains or battery operated
takes standard AA batteries
central processing unit: IR-100/CONTROL
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
IR-100/ZOO-C/P	333.33	400.00
H₂ECO®		
FR-100/5-PLA	11.67	14.00




Notion
infra-red basin tap
wall mounted
with rub clean aerator
with square backplate
mains or battery operated
takes standard AA batteries
central processing unit: IR-109/CONTROL
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
IR-109/NOT-C/P	433.33	520.00
H₂ECO®		
FR-100/5-PLA	11.67	14.00




infra-red spout
deck mounted
mains or battery operated
takes standard AA batteries
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
IR-DSPOUT-C/P	333.33	400.00
brushed black		
IND-IRDSPOUT-BLK	416.67	500.00
brushed gold		
IND-IRDSPOUT-BRG	416.67	500.00
brushed nickel		
IND-IRDSPOUT-BRN	416.67	500.00
brushed bronze		
IND-IRDSPOUT-BRZ	416.67	500.00
NEW brushed gunmetal		
IND-IRDSPOUT-BGM	416.67	500.00
H₂eco®		
4 l/m flow regulator fitted as standard		




infra-red spout
wall mounted
with round shroud
mains or battery operated
takes standard AA batteries
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
IR-WSPOUT-C/P	333.33	400.00
brushed black		
IND-IRWSPOUT-BLK	416.67	500.00
brushed gold		
IND-IRWSPOUT-BRG	416.67	500.00
brushed nickel		
IND-IRWSPOUT-BRN	416.67	500.00
brushed bronze		
IND-IRWSPOUT-BRZ	416.67	500.00
NEW brushed gunmetal		
IND-IRWSPOUT-BGM	416.67	500.00
H₂eco®		
4 l/m flow regulator fitted as standard		



protherm in-line thermostatic valve
supplied with 15mm compression fittings
22mm compression fittings available separately
thermostatic ceramic cartridge
minimum operating pressure 0.2 bar LP

chrome / white	£ ex-vat	£ inc-vat
PRO-5001-N/P	133.33	160.00




22mm compression fittings
for use with protherm in-line thermostatic valve

chrome	£ ex-vat	£ inc-vat
PRO-5001/C-22MM	25.00	30.00




KITCHEN MIXERS




Elements
mono kitchen mixer
deck mounted
with swivel spout
cold ceramic cartridge C-207-RTC
hot ceramic cartridge C-207-LTC
minimum operating pressure 0.2 bar LP

stainless steel	£ ex-vat	£ inc-vat
CUC-1063-S/S	300.00	360.00
H₂eCO®		
FR-100/8-PLA	11.67	14.00




Spirit
mono kitchen mixer
deck mounted
with swivel spout
cold ceramic cartridge C-207-RTC
hot ceramic cartridge C-207-LTC
minimum operating pressure 0.2 bar LP

stainless steel	£ ex-vat	£ inc-vat
CUC-1062-S/S	300.00	360.00
H₂eCO®		
FR-100/8-PLA	11.67	14.00




Bahr
mono kitchen mixer
single lever
deck mounted
with swivel spout
ceramic cartridge C-008-A35
minimum operating pressure 1.0 bar MP

stainless steel	£ ex-vat	£ inc-vat
CUC-1008-S/S	208.33	250.00
H₂eCO®		
FR-FLEXI/3-PLA (2 are required)	8.33	10.00




Urban
mono kitchen mixer
single lever
deck mounted
with swivel spout
ceramic cartridge C-003-N35
minimum operating pressure 1.0 bar MP

stainless steel	£ ex-vat	£ inc-vat
CUC-1009-S/S	208.33	250.00
H₂eCO®		
FR-100/8-PLA	11.67	14.00




Arrondi
mono kitchen mixer
single lever
deck mounted
with swivel spout
with water flow aerator
ceramic cartridge K-001-N25
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
ARR-150-CP
£ ex-vat 375.00 £ inc-vat 450.00




Zoo Professional
mono kitchen mixer
single lever
deck mounted
with swivel spout
with two function pull-out spout
minimum operating pressure 1.0 bar MP

chrome
CUC-3003-C/P
H₂ECO®
FR-100/8-PLA
£ ex-vat 383.33 £ inc-vat 460.00
11.67 14.00




Vibe Professional
mono kitchen mixer
deck mounted
with swivel spout
with two function pull-out spout
cold ceramic cartridge C-502-RTC
hot ceramic cartridge C-502-LTC
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
CUC-1061-C/P
£ ex-vat 383.33 £ inc-vat 460.00




Eli
mono kitchen mixer
single lever
deck mounted
with swivel spout
with pull-out spout
ceramic cartridge CAR-NKJ-40A
deck mount drill hole diameter 37mm
minimum operating pressure 1.0 bar MP

chrome
CUC-3001-C/P
H₂ECO®
FR-100/8-PLA
£ ex-vat 266.67 £ inc-vat 320.00
11.67 14.00




Zoo Curve
mono kitchen mixer
single lever
deck mounted
with swivel spout
with pull-out spout
ceramic cartridge CAR-K35A
minimum operating pressure 1.0 bar MP

chrome
CUC-3002-C/P
H₂ECO®
FR-100/8-PLA
£ ex-vat 250.00 £ inc-vat 300.00
11.67 14.00




Kori
mono kitchen mixer
single lever
deck mounted
with swivel spout
ceramic cartridge CAR-NKJ-40B
deck mount drill hole diameter 34mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
CUC-1004-C/P	191.67	230.00
H₂ECO®		
FR-100/8-PLA	11.67	14.00




Life
mono kitchen mixer
single lever
deck mounted
with swivel spout
with water flow aerator
ceramic cartridge CAR-K35A
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
LIF-150S-C/P	300.00	360.00
H₂ECO®		
FR-100/8-PLA	11.67	14.00



Origins
mono kitchen mixer
single lever
deck mounted
with swivel spout
with water flow straightener
with water flow aerator
ceramic cartridge C-005-N35
2 x 1/2" 400mm flexipipe connections
deck mount drill hole diameter 33mm
minimum operating pressure 0.2 bar LP


chrome	£ ex-vat	£ inc-vat
ORI-150S-C/P	233.33	280.00
H₂ECO®		
FR-100/8-PLA	11.67	14.00



Ion
mono kitchen mixer
single lever
deck mounted
with swivel spout
ceramic cartridge C-005-N25
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
CUC-1006-C/P	300.00	360.00
H₂ECO®		
FR-100/8-PLA	11.67	14.00

NEW


pull-out
spout

mono kitchen mixer
lever
deck mounted
swivel spout
with two function pull-out handset
ceramic cartridge C-008-A35
2 x 1/2" x 450mm flexible connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
SAF-150-CP	225.00	270.00
matt black		
SAF-150-MB	250.00	300.00
pewter		
SAF-150-PEW	250.00	300.00
satin brass		
SAF-150-SBR	250.00	300.00




chrome	£ ex-vat	£ inc-vat
CAM-150-CP	275.00	330.00
matt black		
CAM-150-MB	300.00	360.00
matt white		
CAM-150-MW	300.00	360.00
satin brass		
CAM-150-SBR	300.00	360.00
H₂ECO®		
FR-FLEXI/4-PLA	8.33	10.00
(2 are required)		




chrome	£ ex-vat	£ inc-vat
CUC-1007-C/P	300.00	360.00
H₂eCO®		
FR-FLEXI/4-PLA	8.33	10.00
(2 are required)		



chrome	£ ex-vat	£ inc-vat
ASC-150-C/P	191.67	230.00
H₂ECO®		
FR-100/5-B-PLA	11.67	14.00




chrome	£ ex-vat	£ inc-vat
CUC-1060-C/P	191.67	230.00
H₂ECO®		
FR-100/8-PLA	11.67	14.00



chrome	£ ex-vat	£ inc-vat
ELA-150S-C/P	191.67	230.00
H₂ECO®		
FR-100/8-PLA	11.67	14.00





FLUSH SYSTEMS




horizontal round dual flush trim kit
2 x pneumatic flush actuation controls
easy to use push-fit pneumatic hose connections
rectangle backplate

chrome	£ ex-vat	£ inc-vat
WG-195-RO-CP	70.83	85.00
matt black		
WG-195-RO-MB	75.00	90.00
matt white		
WG-195-RO-MW	75.00	90.00
NEW pewter		
WG-195-RO-PEW	75.00	90.00
satin brass		
WG-195-RO-SBR	75.00	90.00
brushed black		
IND-195-RO-BLK	87.50	105.00
brushed gold		
IND-195-RO-BRG	87.50	105.00
brushed nickel		
IND-195-RO-BRN	87.50	105.00
brushed bronze		
IND-195-RO-BRZ	87.50	105.00
NEW brushed gunmetal		
IND-195-RO-BGM	87.50	105.00
(for use with VADO flush cistern)		



horizontal square dual flush trim kit
2 x pneumatic flush actuation controls
easy to use push-fit pneumatic hose connections
rectangle backplate


chrome	£ ex-vat	£ inc-vat
WG-195-SQ-CP	70.83	85.00
matt black		
WG-195-SQ-MB	75.00	90.00
matt white		
WG-195-SQ-MW	75.00	90.00
NEW pewter		
WG-195-SQ-PEW	75.00	90.00
satin brass		
WG-195-SQ-SBR	75.00	90.00
brushed black		
IND-195-SQ-BLK	87.50	105.00
brushed gold		
IND-195-SQ-BRG	87.50	105.00
brushed nickel		
IND-195-SQ-BRN	87.50	105.00
brushed bronze		
IND-195-SQ-BRZ	87.50	105.00
NEW brushed gunmetal		
IND-195-SQ-BGM	87.50	105.00
(for use with VADO flush cistern)		



concealed standard frame cistern
dual flush
180mm & 230mm width centres to support wall
hung toilet
250mm leg height adjustment
frame supports 400kg weight
30mm soil pipe height adjustment
block wall and stud frame fixing brackets included
top mounted 1/2" inlet
integral internal 1/4 turn lever isolation valve
integral internal debris filter
finished height fixing location marking
flush plate depth tolerance of 70mm
pre-set flush volume 6ltr & 3ltr
flush volume adjustable to 4ltr & 2.6ltr
front actuation
the cistern can refill from all types of water systems from gravity to pressurised

WG-095-F/C


£ ex-vat £ inc-vat
300.00 360.00



concealed short frame cistern
dual flush
180mm & 230mm width centres to support wall
hung toilet
250mm leg height adjustment
frame supports 400kg weight
30mm soil pipe height adjustment
block wall and stud frame fixing brackets included
side mounted 1/2" inlet
integral internal 1/4 turn lever isolation valve
integral internal debris filter
finished height fixing location marking
flush plate depth tolerance of 70mm
pre-set flush volume 6ltr & 3ltr
flush volume adjustable to 4ltr & 2.6ltr
front or top actuation
the cistern can refill from all types of water systems from gravity to pressurised

WG-095S-F/C


£ ex-vat £ inc-vat
300.00 360.00



concealed standard cistern
to suit back-to-wall type toilet pan
dual flush
mounting kit included
top mounted 1/2" inlet
integral internal 1/4 turn lever isolation valve
integral internal debris filter
flush plate depth tolerance of 70mm
front actuation
the cistern can refill from all types of water
systems from gravity to pressurised

WG-095-C

£ ex-vat £ inc-vat
133.33 160.00




concealed short cistern
to suit back-to-wall type toilet pan
dual flush
mounting kit included
side mounted 1/2" inlet
integral internal 1/4 turn lever isolation valve
integral internal debris filter
front actuation flush plate depth tolerance of 70mm
top actuation flush plate depth tolerance of 45mm
pre-set flush volume 6ltr & 3ltr
flush volume adjustable to 4ltr & 2.6ltr
front or top actuation
the cistern can refill from all types of water
systems from gravity to pressurised

WG-095S-C

£ ex-vat £ inc-vat
133.33 160.00




TOILETS



wall hung WC with round bowl
ceramic
for use with short and standard framed cisterns
(see page 142 for compatible flush cisterns and plates)


gloss white
CAM-WC-WH-RO
£ ex-vat 208.33 £ inc-vat 250.00

NEW




wall hung WC with round bowl
ceramic
for use with short and standard framed cisterns
(see page 142 for compatible flush cisterns and plates)

arctic white
CAM-WC-WH-RO-AW
£ ex-vat 375.00 £ inc-vat 450.00



wall hung WC with soft square bowl
ceramic
for use with short and standard framed cisterns
(see page 142 for compatible flush cisterns and plates)


gloss white
CAM-WC-WH-SQ
£ ex-vat 208.33 £ inc-vat 250.00



back-to-wall WC with round bowl
ceramic
for use with short and standard frameless cisterns
(see page 142 for compatible flush cisterns and plates)


gloss white
CAM-WC-BTW-RO
£ ex-vat 229.17 £ inc-vat 275.00

NEW



back-to-wall WC with round bowl
ceramic
for use with short and standard frameless cisterns
(see page 142 for compatible flush cisterns and plates)


	€ ex-vat	€ inc-vat
arctic white CAM-WC-BTW-RO-AW	416.67	500.00



back-to-wall WC with soft square bowl
ceramic
for use with short and standard frameless cisterns
(see page 142 for compatible flush cisterns and plates)


	€ ex-vat	€ inc-vat
gloss white CAM-WC-BTW-SQ	229.17	275.00

NEW




back-to-wall WC unit
for use with short framed and frameless cisterns
suitable for front or top mounting flush plate
(see page 142 for compatible flush cisterns and plates)

	€ ex-vat	€ inc-vat
arctic white SAF-FBTW-AW	270.83	325.00
sage green SAF-FBTW-SG	270.83	325.00
charcoal grey SAF-FBTW-CG	270.83	325.00
atlantic blue SAF-FBTW-AB	270.83	325.00
terracotta SAF-FBTW-TC	270.83	325.00
cashmere SAF-FBTW-CA	270.83	325.00
natural oak SAF-FBTW-NO	270.83	325.00



back-to-wall WC unit
for use with short framed and frameless cisterns
suitable for front or top mounting flush plate
(see page 142 for compatible flush cisterns and plates)


	€ ex-vat	€ inc-vat
arctic white CAM-FBTW-AW	270.83	325.00
cove blue CAM-FBTW-CB	270.83	325.00
pink clay CAM-FBTW-PC	270.83	325.00
atlantic blue CAM-FBTW-AB	270.83	325.00
natural oak CAM-FBTW-NO	270.83	325.00



round toilet seat
slimline
supplied with chrome hinges
soft close
(for use with CAM-WC-BTW-R0)

gloss white
CAM-TS1-R0


£ ex-vat £ inc-vat
62.50 75.00



round toilet seat
slimline
supplied with chrome hinges
soft close
(for use with CAM-WC-WH-R0)

gloss white
CAM-TS2-R0

£ ex-vat £ inc-vat
62.50 75.00




soft square toilet seat
slimline
supplied with chrome hinges
soft close
(for use with CAM-WC-WH-SQ / CAM-WC-BTW-SQ)

gloss white
CAM-TS3-SQ

£ ex-vat £ inc-vat
62.50 75.00


NEW



round toilet seat
slimline
supplied with chrome hinges
soft close
(for use with CAM-WC-WH-R0-AW & CAM-WC-BTW-R0-AW)

arctic white
CAM-TS4-R0-AW

£ ex-vat £ inc-vat
62.50 75.00




toilet seat hinge cover plates


chrome
CAM-SP-TSHP-CP
matt black
CAM-TSHC-MB
matt white
CAM-TSHC-MW
NEW pewter
CAM-TSHC-PEW
satin brass
CAM-TSHC-SBR

£ ex-vat £ inc-vat
12.50 15.00
8.33 10.00
8.33 10.00
8.33 10.00
8.33 10.00
8.33 10.00

(CAM-SP-TSHP-CP is a spare that comes with fixings)




WASTES & FITTINGS




Exposed 1/2" Double Check Valve
1/2" BSP female inlet connection
1/2" BSP Male outlet connection
knurled grip to aid installation
type ED double check valve
suitable for Fluid Category 3 risks

chrome	£ ex-vat	£ inc-vat
WG-DCV-1/2-CP	16.67	20.00
brushed black		
IND-DCV-1/2-BLK	25.00	30.00
brushed gold		
IND-DCV-1/2-BRG	25.00	30.00
brushed nickel		
IND-DCV-1/2-BRN	25.00	30.00
brushed bronze		
IND-DCV-1/2-BRZ	25.00	30.00
NEW brushed gunmetal		
IND-DCV-1/2-BGM	25.00	30.00




contemporary 1/4 turn angle valve
wall mounted
with integrated filter
ceramic cartridge
1/2" inlet
1/2" outlet

chrome	£ ex-vat	£ inc-vat
PEX-230-C/P	33.33	40.00
NEW matt black		
PEX-230-MB	37.50	45.00
NEW matt white		
PEX-230-MW	37.50	45.00
NEW pewter		
PEX-230-PEW	37.50	45.00
NEW satin brass		
PEX-230-SBR	37.50	45.00
brushed black		
IND-230-BLK	45.83	55.00
brushed gold		
IND-230-BRG	45.83	55.00
brushed nickel		
IND-230-BRN	45.83	55.00
brushed bronze		
IND-230-BRZ	45.83	55.00
NEW brushed gunmetal		
IND-230-BGM	45.83	55.00




contemporary 1/4 turn angle valve
wall mounted
with integrated filter
ceramic cartridge
1/2" inlet
10mm compression outlet
or 3/8" threaded male outlet

chrome	£ ex-vat	£ inc-vat
PEX-221-C/P	33.33	40.00




luxury brass shattaf handset
wall mounted
with 100cm hose and wall bracket
minimum operating pressure 0.2 LP

brushed black		
IND-SHATTAF-BLK	154.17	185.00
brushed gold		
IND-SHATTAF-BRG	154.17	185.00
brushed nickel		
IND-SHATTAF-BRN	154.17	185.00
brushed bronze		
IND-SHATTAF-BRZ	154.17	185.00
NEW brushed gunmetal		
IND-SHATTAF-BGM	154.17	185.00




luxury brass shattaf handset
with 100cm hose and wall bracket
wall mounted
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
XSH-LUXSHATTAF100-CP	116.67	140.00




luxury shattaf kit
wall mounted
with concealed thermostatic mixing valve
and angle valve
with 100cm hose and wall bracket
mixing valve thermostatic cartridge V-001D-PLA
minimum operating pressure 0.2 LP

brushed black		
IND-SHATTAF/163-BLK	354.17	425.00
brushed gold		
IND-SHATTAF/163-BRG	354.17	425.00
brushed nickel		
IND-SHATTAF/163-BRN	354.17	425.00
brushed bronze		
IND-SHATTAF/163-BRZ	354.17	425.00
NEW brushed gunmetal		
IND-SHATTAF/163-BGM	354.17	425.00




luxury shattaf kit
with concealed thermostatic mixing valve
and angle valve
with 150cm hose and wall bracket
wall mounted
mixing valve thermostatic cartridge V-001D-PLA
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
XSH-SHATTAF/163-C/P	283.33	340.00



universal basin waste
for slotted and un-slotted basins
clic-clac operation
easily converts into a free-flow waste using
the free-flow mechanism supplied in the box
(WG-395-FF-PLA)


chrome	£ ex-vat	£ inc-vat
WG-395-C/P	54.17	65.00
matt black		
WG-395-MB	62.50	75.00
matt white		
WG-395-MW	62.50	75.00
NEW pewter		
WG-395-PEW	62.50	75.00
satin brass		
WG-395-SBR	62.50	75.00
brushed black		
IND-395-BLK	66.67	80.00
brushed gold		
IND-395-BRG	66.67	80.00
brushed nickel		
IND-395-BRN	66.67	80.00
brushed bronze		
IND-395-BRZ	66.67	80.00
NEW brushed gunmetal		
IND-395-BGM	66.67	80.00
polished black		
IND-395-PB	66.67	80.00



*75mm water trap seal

contemporary round bottle trap
35mm x 300mm pipe connections
min-max vertical adjustment 40-150mm to
outlet centre


chrome	£ ex-vat	£ inc-vat
WG-461/RO-CP	87.50	105.00
matt black		
WG-461/RO-MB	95.83	115.00
matt white		
WG-461/RO-MW	95.83	115.00
NEW pewter		
WG-461/RO-PEW	95.83	115.00
satin brass		
WG-461/RO-SBR	95.83	115.00
brushed black		
IND-461/RO-BLK	108.33	130.00
brushed gold		
IND-461/RO-BRG	108.33	130.00
brushed nickel		
IND-461/RO-BRN	108.33	130.00
brushed bronze		
IND-461/RO-BRZ	108.33	130.00
NEW brushed gunmetal		
IND-461/RO-BGM	108.33	130.00
polished black		
IND-461/RO-PB	108.33	130.00



*75mm water trap seal


contemporary square bottle trap
35mm x 300mm pipe connections
min-max vertical adjustment 40-150mm to
outlet centre

	£ ex-vat	£ inc-vat
chrome WG-461/SQ-CP	75.00	90.00




bottle trap
35mm x 400mm pipe connections
min-max vertical adjustment 50-140mm to outlet
centre

	£ ex-vat	£ inc-vat
chrome PEX-460/UK-1.1/4-C/P	54.17	65.00




square
basin waste cover
to suit WG-395-C/P or IND-395

	£ ex-vat	£ inc-vat
chrome WG-395-CAP/SQ-C/P	16.67	20.00
brushed black IND-395CAP/SQ-BLK	25.00	30.00
brushed gold IND-395CAP/SQ-BRG	25.00	30.00
brushed nickel IND-395CAP/SQ-BRN	25.00	30.00
brushed bronze IND-395CAP/SQ-BRZ	25.00	30.00
NEW brushed gunmetal IND-395CAP/SQ-BGM	25.00	30.00




ceramic
basin waste cover
to suit WG-395-C/P or IND-395

	£ ex-vat	£ inc-vat
gloss white WG-395-CAP/RO-WHT	16.67	20.00




slotted captive basin waste
flip top waste
1.1/4" x 10mm threaded connections

chrome	£ ex-vat	£ inc-vat
PEX-392-S-C/P	25.00	30.00




basin waste, metal plug and chain
1.1/4" x 55mm threaded connections

chrome	£ ex-vat	£ inc-vat
PEX-KITA-C/P	16.67	20.00




stowaway bath waste
metal plug and chain
1.1/2" x 15mm threaded connections

chrome	£ ex-vat	£ inc-vat
PEX-KITB-STOW-C/P	29.17	35.00



clic-clac bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-18mm
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
WG-81389/SQ-C/P	158.33	190.00
polished black		
IND-81389/SQ-PB	195.83	235.00



pop-up bath waste and overflow
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-11mm

maximum length 600mm with standard cable
extension kit sold separately to achieve 1000mm
WG-7/8-CABLEEXT


	£ ex-vat	£ inc-vat
chrome WG-71552A-CP	79.17	95.00



clic-clac bath waste and overflow
removable hair trap
adjustable overflow pipe
1.1/2" x 16mm threaded outlet connection
min-max overflow bath thickness 1mm-14mm

	£ ex-vat	£ inc-vat
chrome WG-1389-RO-CP	87.50	105.00
matt black WG-1389-RO-MB	95.83	115.00
matt white WG-1389-RO-MW	95.83	115.00
NEW pewter WG-1389-RO-PEW	95.83	115.00
satin brass WG-1389-RO-SBR	95.83	115.00
brushed black IND-1389-RO-BLK	108.33	130.00
brushed gold IND-1389-RO-BRG	108.33	130.00
brushed nickel IND-1389-RO-BRN	108.33	130.00
brushed bronze IND-1389-RO-BRZ	108.33	130.00
NEW brushed gunmetal IND-1389-RO-BGM	108.33	130.00
polished black IND-1389-RO-PB	108.33	130.00






pop-up bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-11mm
minimum operating pressure 1.0 bar MP


maximum length 600mm with standard cable
extension kit sold separately to achieve 1000mm
WG-7/8-CABLEEXT

chrome	£ ex-vat	£ inc-vat
WG-81552A-CP	145.83	175.00



clic-clac bath filler waste and overflow
removable hair trap
adjustable overflow pipe
2 x 1/2" inlets (one is blanked off)
1.1/2" x 16mm threaded outlet connection
min-max overflow bath thickness 1mm-14mm
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
WG-2389-RO-CP	158.33	190.00
matt black		
WG-2389-RO-MB	170.83	205.00
matt white		
WG-2389-RO-MW	170.83	205.00
NEW pewter		
WG-2389-RO-PEW	170.83	205.00
satin brass		
WG-2389-RO-SBR	170.83	205.00
brushed black		
IND-2389-RO-BLK	195.83	235.00
brushed gold		
IND-2389-RO-BRG	195.83	235.00
brushed nickel		
IND-2389-RO-BRN	195.83	235.00
brushed bronze		
IND-2389-RO-BRZ	195.83	235.00
NEW brushed gunmetal		
IND-2389-RO-BGM	195.83	235.00



Muse
1200 x 500mm round heated towel rail
16 horizontal rails
wall mounted
radiator valves not included
BTU 1156
watts 339
max operating pressure 6 bar
max operating temperature 70°C

matt black	£ ex-vat	£ inc-vat
MUS-HTR-R01200-MB	133.33	160.00
matt white		
MUS-HTR-R01200-MW	133.33	160.00
NEW pewter		
MUS-HTR-R01200-PEW	133.33	160.00


NEW



Muse
heated towel rail cover caps

matt black	£ ex-vat	£ inc-vat
MUS-HTR-CAP-MB	4.17	5.00
matt white		
MUS-HTR-CAP-MW	4.17	5.00
pewter		
MUS-HTR-CAP-PEW	4.17	5.00


NEW



Muse
heated towel rail straight valve pack
2 manual valves
max operating pressure 5 bar

matt black	£ ex-vat	£ inc-vat
MUS-HTR-SVALVE-MB	41.67	50.00
matt white		
MUS-HTR-SVALVE-MW	41.67	50.00
pewter		
MUS-HTR-SVALVE-PEW	41.67	50.00

NEW



Muse
heated towel rail corner valve pack
1 locksheild valve
1 manual valve
max operating pressure 5 bar


matt black	£ ex-vat	£ inc-vat
MUS-HTR-CVALVE-MB	41.67	50.00
matt white		
MUS-HTR-CVALVE-MW	41.67	50.00
pewter		
MUS-HTR-CVALVE-PEW	41.67	50.00

NEW




Muse
heated towel rail pipe sleeving kit

matt black	£ ex-vat	£ inc-vat
MUS-HTR-PK-MB	25.00	30.00
matt white		
MUS-HTR-PK-MW	25.00	30.00
pewter		
MUS-HTR-PK-PEW	25.00	30.00




protherm in-line thermostatic valve
supplied with 15mm compression fittings
22mm compression fittings available separately
thermostatic ceramic cartridge
minimum operating pressure 0.2 bar LP

chrome / white	£ ex-vat	£ inc-vat
PRO-5001-N/P	133.33	160.00





22mm compression fittings
for use with protherm in-line thermostatic valve

chrome	£ ex-vat	£ inc-vat
PRO-5001/C-22MM	25.00	30.00



pair of easy-fix shower brackets with shrouds
wall mounted
15mm compression connection

chrome	£ ex-vat	£ inc-vat
WG-049BRACK+SHR-C/P	25.00	30.00




concealed wall bracket
for mounting VADO thermostatic
shower valves in stud walls
min-max span 360-523
see page 182 for more information

stainless steel	£ ex-vat	£ inc-vat
WG-STUDFAST-C-S/S	50.00	60.00



SHOWERING PACKAGES



Tablet iO Altitude

- 3 outlet thermostatic shower valve with integrated outlet, handset, hose and all-flow function
- Nebula 300mm round head and shower arm
- clic-clac bath filler waste and overflow

thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
flow cartridge FL-301-RTC
minimum operating pressure 1.0 bar MP

kit comprises:

TAB-128/3WO-ALT-CP

NEB-R0/30-SA-CP

WG-2389-R0-CP

2 x 3/4" female inlets
2 x 3/4" female outlets, 1 x 1/2" male outlet
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm


chrome	£ ex-vat	£ inc-vat
TAB-1753/WO-ALT-CP	1,208.33	1,450.00

H₂ECO®

FR-SHOWER/9-C/P (handset)	13.33	16.00
------------------------------	-------	-------

H₂ECO®

FR-SHOWER/9-PLA (fixed head)	8.33	10.00
---------------------------------	------	-------



Tablet iO Notion

- 3 outlet thermostatic shower valve with integrated outlet, handset, hose and all-flow function
- Nebula 300mm square head and shower arm
- square clic-clac bath filler waste and overflow

thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
flow cartridge FL-301-RTC
minimum operating pressure 1.0 bar MP

kit comprises:

TAB-128/3WO-NOT-CP

NEB-SQ/30-SA-CP

WG-81389/SQ-C/P

2 x 3/4" female inlets
2 x 3/4" female outlets, 1 x 1/2" male outlet
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-1753/WO-NOT-CP	1,208.33	1,450.00


H₂ECO®

FR-SHOWER/9-C/P (handset)	13.33	16.00
------------------------------	-------	-------

H₂ECO®

FR-SHOWER/9-PLA (fixed head)	8.33	10.00
---------------------------------	------	-------





Tablet iO Altitude

- 2 outlet thermostatic shower valve with integrated outlet, handset and hose and all-flow function
- Nebula 300mm round head and shower arm


thermostatic cartridge C-704-34S
diverter cartridge FL-802-33/2MX
minimum operating pressure 1.0 bar MP

kit comprises:

TAB-148/2WO-ALT-CP
NEB-R0/30-SA-CP

2 x 3/4" female inlets
1 x 3/4" female outlet, 1 x 1/2" male outlet
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-1721/WO-ALT-CP	991.67	1,190.00
H₂ECO®		
FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO®		
FR-SHOWER/9-PLA (fixed head)	8.33	10.00



Tablet iO Notion

- 2 outlet thermostatic shower valve with integrated outlet, handset and hose and all-flow function
- Nebula 300mm square head and shower arm

thermostatic cartridge C-704-34S
diverter cartridge FL-802-33/2MX
minimum operating pressure 1.0 bar MP


kit comprises:

TAB-148/2WO-NOT-CP
NEB-SQ/30-SA-CP

2 x 3/4" female inlets
1 x 3/4" female outlet, 1 x 1/2" male outlet
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-1721/WO-NOT-CP	991.67	1,190.00
H₂ECO®		
FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO®		
FR-SHOWER/9-PLA (fixed head)	8.33	10.00





- Tablet Altitude Vertical
- 2 outlet thermostatic shower valve with all-flow function
 - Aquablade 300mm round head and shower arm
 - Zoo single function shower kit with integrated outlet and bracket


thermostatic cartridge V-704-34S
2 x flow cartridge FL-301-RTC
minimum operating pressure 1.0 bar MP

kit comprises:

TAB-128/2-ALT-C/P
AQB-RO/30/SA-C/P
ZOO-SFMKW0-C/P

shower valve includes 3/4" - 1/2" adaptors
min-max wall mount 68-77mm (standard)
optimum installation depth 73mm (standard)

chrome	£ ex-vat	£ inc-vat
TAB-1743/ALT-CP	1,037.50	1,245.00
H₂ECO®		
FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO®		
FR-SHOWER/9-PLA (fixed head)	8.33	10.00



- Tablet Notion Vertical
- 2 outlet thermostatic shower valve with all-flow function
 - Aquablade 200mm x 300mm rectangular head and shower arm
 - Instinct single function shower kit with integrated outlet and bracket

thermostatic cartridge V-704-34S
2 x flow cartridge FL-301-RTC
minimum operating pressure 1.0 bar MP


kit comprises:

TAB-128/2-NOT-C/P
AQB-20X30/SA/A-C/P
INS-SFMKW0-C/P

shower valve includes 3/4" - 1/2" adaptors
min-max wall mount 68-77mm (standard)
optimum installation depth 73mm (standard)

chrome	£ ex-vat	£ inc-vat
TAB-1743/NOT-CP	1,050.00	1,260.00
H₂ECO®		
FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO®		
FR-SHOWER/9-PLA (fixed head)	8.33	10.00





- Tablet Altitude Vertical
- 2 outlet thermostatic shower valve with all-flow function
 - Aquablade 300mm round head with shower arm
 - Zoo single function shower kit with integrated outlet and bracket


thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
minimum operating pressure 1.0 bar MP

kit comprises:

TAB-148/2-ALT-C/P
AQB-R0/30/SA-C/P
ZOO-SFMKW0-C/P

shower valve includes 3/4" - 1/2" adaptors
min-max wall mount 68-77mm (standard)
optimum installation depth 73mm (standard)

chrome	£ ex-vat	£ inc-vat
TAB-1721/ALT-CP	1,000.00	1,200.00
H₂ECO®		
FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO®		
FR-SHOWER/9-PLA (fixed head)	8.33	10.00



- Tablet Notion Vertical
- 2 outlet thermostatic shower valve with all-flow function
 - Aquablade 200mm x 300mm rectangular head and shower arm
 - Instinct single function shower kit with integrated outlet and bracket

thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
minimum operating pressure 1.0 bar MP


kit comprises:

TAB-148/2-NOT-C/P
AQB-20X30/SA/A-C/P
INS-SFMKW0-C/P

shower valve includes 3/4" - 1/2" adaptors
min-max wall mount 68-77mm (standard)
optimum installation depth 73mm (standard)

chrome	£ ex-vat	£ inc-vat
TAB-1721/NOT-CP	1,012.50	1,215.00
H₂ECO®		
FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO®		
FR-SHOWER/9-PLA (fixed head)	8.33	10.00





Tablet Altitude Vertical

- 2 outlet thermostatic shower valve with all-flow function
- Aquablade 300mm round head with shower arm
- Atmosphere slide rail shower kit with air-injection single function handset
- Life wall outlet

thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
minimum operating pressure 1.0 bar MP

kit comprises:

TAB-148/2-ALT-C/P

ATM-SFSRK/2-C/P

AQB-RO/30/SA-C/P

LIF-OUTLET-C/P

shower valve includes 3/4" - 1/2" adaptors
min-max wall mount 68-77mm (standard)
optimum installation depth 73mm (standard)

chrome
TAB-1720/ALT-AS-CP £ ex-vat 1,100.00 £ inc-vat 1,320.00

H₂ECO®
FR-SHOWER/9-C/P (handset) 13.33 16.00

H₂ECO®
FR-SHOWER/9-PLA (fixed head) 8.33 10.00



Tablet Notion Vertical

- 2 outlet thermostatic shower valve with all-flow function
- Aquablade 200mm x 300mm rectangular head and shower arm
- V2 slide rail shower kit with single function handset
- Instinct wall outlet

thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
minimum operating pressure 1.0 bar MP

kit comprises:

TAB-148/2-NOT-C/P

AQB-20X30/SA/A-C/P

WG-V2KIT-C/P

INS-OUTLET-C/P


shower valve includes 3/4" - 1/2" adaptors
min-max wall mount 68-77mm (standard)
optimum installation depth 73mm (standard)

chrome
TAB-1720/NOT-V2-CP £ ex-vat 1,087.50 £ inc-vat 1,305.00

H₂ECO®
FR-SHOWER/9-C/P (handset) 13.33 16.00

H₂ECO®
FR-SHOWER/9-PLA (fixed head) 8.33 10.00





- Tablet Altitude Vertical
- 2 outlet thermostatic shower valve with all-flow function
 - Nebula 200mm round head with shower arm
 - Ora 3 function slide rail shower kit with integrated outlet


thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
minimum operating pressure 1.0 bar MP

kit comprises:

TAB-148/2-ALT-C/P
ORA-MFSRKWO-RO-CP
NEB-RO/20-SA-CP

shower valve includes 3/4" - 1/2" adaptors
min-max wall mount 75-100mm (standard)
optimum installation depth 87mm (standard)

chrome	£ ex-vat	£ inc-vat
TAB-1722/ALT-ORA-CP	966.67	1,160.00
H₂ECO® FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO® FR-SHOWER/9-PLA (fixed head)	8.33	10.00



- Tablet Altitude Vertical
- 1 outlet thermostatic shower valve
 - Atmosphere slide rail shower kit with air-injection single function handset
 - Life wall outlet

thermostatic cartridge V-704-34S
flow cartridge FL-301-RTC
minimum operating pressure 0.2 bar LP


kit comprises:

TAB-148-ALT-C/P
ATM-SFSRK/2-C/P
LIF-OUTLET-C/P

2 x 3/4" female inlets
1 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
TAB-1710/ALT-AS-CP	750.00	900.00
H₂ECO® FR-SHOWER/9-C/P	13.33	16.00





Celsius

- 3 outlet thermostatic shower valve
- Aquablade 200mm round head and shower arm
- Zoo single function shower kit with integrated outlet and bracket
- clic-clac bath filler waste and overflow


thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
minimum operating pressure 1.0 bar MP

kit comprises:

CEL-148D/3/SQ-C/P
AQB-RO/20/SA-C/P
ZOO-SFMKW0-C/P
WG-2389-RO-CP

2 x 3/4" female inlets
3 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
DX-173252-CELSQ-CP	1,008.33	1,210.00
H₂ECO® FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO® FR-SHOWER/9-PLA (fixed head)	8.33	10.00



Celsius

- 2 outlet thermostatic shower valve
- Saturn 254mm round head with shower arm
- Zoo single function shower kit with integrated outlet and bracket

thermostatic cartridge V-704-34S
2 x flow cartridge C-301-RTC
minimum operating pressure 0.2 bar LP


kit comprises:

CEL-128D/2-C/P
WG-SATURN2/SA-C/P
ZOO-SFMKW0-C/P

2 x 3/4" female inlets
2 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
DX-174251-CELSQ-CP	825.00	990.00
H₂ECO® FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO® FR-SHOWER/9-PLA (fixed head)	8.33	10.00





- Celsius
- 2 outlet thermostatic shower valve
 - Atmosphere 200mm round head with shower arm
 - Atmosphere slide rail shower kit with air-injection 5 function handset


thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
minimum operating pressure 1.0 bar MP

kit comprises:

CEL-148D/2/SQ-C/P
ATM-HEADRO/B/SA-C/P
ATM-MFSRKWO-CP

2 x 3/4" female inlets
2 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
DX-172252-CELSQ-CP	941.67	1,130.00
H₂ECO® FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO® FR-SHOWER/9-PLA (fixed head)	8.33	10.00



- Life
- 2 outlet thermostatic shower valve
 - Aquablade 200mm x 300mm oval head with shower arm
 - Life single function shower kit with integrated outlet and bracket

thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
minimum operating pressure 1.0 bar MP


kit comprises:

LIF-148D/2-C/P
AQB-OV/30/SA-C/P
LIF-SFMKWO-C/P

2 x 3/4" female inlets
2 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
DX-172251-LIF-CP	937.50	1,125.00
H₂ECO® FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO® FR-SHOWER/9-PLA (fixed head)	8.33	10.00





Mix²

- 2 outlet thermostatic shower valve
- Atmosphere 200mm square head with shower arm
- Instinct single function shower kit with integrated outlet and bracket


thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
minimum operating pressure 1.0 bar MP

kit comprises:

MIX-148D/2-C/P
ATM-HEADSQ/B/SA/A-CP
INS-SFMKW0-C/P

2 x 3/4" female inlets
2 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
DX-172251-MIX-CP	866.67	1,040.00
H₂ECO®		
FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO®		
FR-SHOWER/9-PLA (fixed head)	8.33	10.00



Celsius

- 2 outlet thermostatic shower valve
- Saturn 254mm head with shower arm
- Zoo single function shower kit with integrated outlet and bracket

thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
minimum operating pressure 0.2 bar LP

kit comprises:


CEL-148D/2/SQ-C/P
WG-SATURN2/SA-C/P
ZOO-SFMKW0-C/P

2 x 3/4" female inlets
2 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
DX-172251-CELSQ-CP	770.83	925.00
H₂ECO®		
FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO®		
FR-SHOWER/9-PLA (fixed head)	8.33	10.00







Celsius

- 2 outlet thermostatic shower valve
- Saturn 254mm head with shower arm
- Venus single function slide rail shower kit
- Elements wall outlet


thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
minimum operating pressure 0.2 bar LP

kit comprises:

CEL-148D/2/RO-C/P
WG-SATURN2/SA-C/P
ELE-OUTLET2-CP
WG-VENUSKIT-C/P

2 x 3/4" female inlets
2 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
DX-172250-CELRO-CP	825.00	990.00
H₂ECO® FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO® FR-SHOWER/9-PLA (fixed head)	8.33	10.00



Notion

- 2 outlet thermostatic shower valve
- Aquablade 200mm square head with shower arm
- V2 single function slide rail shower kit
- Instinct wall outlet

thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
minimum operating pressure 0.2 bar LP


kit comprises:

NOT-148D/2-C/P
AQB-SQ/20/SA/A-C/P
WG-V2KIT-C/P
INS-OUTLET-C/P

2 x 3/4" female inlets
2 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
DX-172250-NOT-CP	937.50	1,125.00
H₂ECO® FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO® FR-SHOWER/9-PLA (fixed head)	8.33	10.00





Life

- 2 outlet thermostatic shower valve
- Aquablade 200mm x 300mm oval head with shower arm
- Atmosphere slide rail shower kit with air-injection single function handset
- Life wall outlet

thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
minimum operating pressure 1.0 bar MP

kit comprises:


LIF-148D/2-C/P
ATM-SFSRK/2-C/P
AQB-OV/30-SA-C/P
LIF-OUTLET-C/P

2 x 3/4" female inlets
2 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
DX-172250-LIF-CP	1,025.00	1,230.00

H ₂ eCO®	£ ex-vat	£ inc-vat
FR-SHOWER/9-C/P (handset)	13.33	16.00

H ₂ eCO®	£ ex-vat	£ inc-vat
FR-SHOWER/9-PLA (fixed head)	8.33	10.00



Celsius

- 1 outlet thermostatic shower valve
- Evolve 4 function slide rail shower kit
- Elements wall outlet

thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
minimum operating pressure 0.2 bar LP

kit comprises:


CEL-148D/RO-C/P
EVO-MFSRK-DB-C/P
ELE-OUTLET2-CP

2 x 3/4" female inlets
1 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
inc. bleed valve for system w on installation
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
DX-17120-CELRO-CP	641.67	770.00

H ₂ eCO®	£ ex-vat	£ inc-vat
FR-SHOWER/9-C/P	13.33	16.00





Celsius

- 1 outlet thermostatic shower valve
- Evolve 4 function slide rail shower kit
- Elements wall outlet


thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
minimum operating pressure 0.2 bar LP

kit comprises:

CEL-148D/SQ-C/P
EVO-MFSRK-DB-C/P
ELE-OUTLET2-CP

2 x 3/4" female inlets
1 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
DX-17120-CELSQ-CP	641.67	770.00
H₂OECO®		
FR-SHOWER/9-C/P	13.33	16.00



Celsius

- exposed round thermostatic 1/2" shower valve
- Ora 3 function slide rail shower kit
- easy-fit wall mounting brackets


thermostatic cartridge V-704-34S
flow cartridge C-202-RTC
minimum operating pressure 1.0 bar MP

kit comprises:

ORA-MFSRK/RO-CP
CEL-149-1/2-C/P
WG-049BRACK+SHR-C/P

chrome	£ ex-vat	£ inc-vat
CEL-1701-1/2-ORA-CP	400.00	480.00
H₂OECO®		
FR-SHOWER/9-C/P	13.33	16.00





Celsius


- exposed round thermostatic 3/4" shower valve
- Evolve 4 function slide rail shower kit
- easy-fit wall mounting brackets

thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
minimum operating pressure 0.2 bar LP

kit comprises:

EVO-MFSRK-DB-C/P
CEL-149-3/4-C/P
WG-049BRACK+SHR-C/P

chrome	£ ex-vat	£ inc-vat
CEL-1701-3/4-11-C/P	483.33	580.00
H₂eCO®		
FR-SHOWER/9-C/P	13.33	16.00



Celsius

- exposed round thermostatic 1/2" shower valve
- Evolve 4 function slide rail shower kit
- easy-fit wall mounting brackets



thermostatic cartridge V-704-34S
flow cartridge C-202-RTC
minimum operating pressure 0.2 bar LP

kit comprises:

EVO-MFSRK-DB-C/P
CEL-149-1/2-C/P
WG-049BRACK+SHR-C/P

chrome	£ ex-vat	£ inc-vat
CEL-1701-1/2-11-C/P	412.50	495.00
H₂eCO®		
FR-SHOWER/9-C/P	13.33	16.00





Celsius

- exposed round thermostatic bath shower mixer
- Eris single function slide rail shower kit

thermostatic cartridge V-704-34S
diverter cartridge C-801-33/2P
3/4" x 50mm threaded connection on legs
deck mount drill hole diameter 28mm
minimum operating pressure 1.0 bar MP

kit comprises:

ERI-SFSRK-DB-C/P

CEL-131T-C/P

chrome

CEL-131T+SRK-C/P


£ ex-vat £ inc-vat

370.83 445.00

H₂ECO®

FR-SHOWER/9-C/P

13.33 16.00



Prima

- exposed round thermostatic 1/2" shower valve
- Eris 3 function slide rail shower kit
- easy-fit wall mounting brackets

thermostatic cartridge V-703-34S
flow cartridge C-203-RTC
minimum operating pressure 0.2 bar LP

kit comprises:

ERI-MFSRK-DB-C/P

DGS-149-1/2-C/P

WG-049BRACK+SHR-C/P

chrome

PRIMABOX4/B-MF-C/P

£ ex-vat £ inc-vat



275.00 330.00

H₂ECO®

FR-SHOWER/9-C/P

13.33 16.00





Prima

- exposed round thermostatic 1/2" shower valve
- Eris single function slide rail shower kit
- wall mounting brackets

thermostatic cartridge V-703-34S

flow cartridge C-203-RTC

minimum operating pressure 0.2 bar LP

kit comprises:

ERI-SFSRK-DB-C/P

DGS-149-1/2-C/P

WG-049BRACK+SHR-C/P

chrome

PRIMABOX4/B-SF-C/P

£ ex-vat £ inc-vat

258.33

310.00

H₂eCO®

FR-SHOWER/9-C/P


13.33

16.00





SHOWER COLUMNS




Strata

- thermostatic shower valve with integrated diverter and rigid riser
- glass topped valve doubles as a shelf
- Saturn 254mm (10") round shower head
- Nebula round 3 function shower handset
- easy-fit brackets included

thermostatic cartridge V-703-34S
flow cartridge STRA-002A-PLA
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
STRA-149RRK-CP	829.17	995.00
H₂ECO®		
FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO®		
FR-SHOWER/9-PLA (fixed head)	8.33	10.00





Phase


- square thermostatic shower valve with integrated diverter and rigid riser
- Aquablade 300mm x 200mm rectangular shower head
- Nebula square 3 function shower handset
- 15mm depth adjustment tolerance:
min 65mm – max 80mm
- offset connectors and easy-fit bracket included

thermostatic cartridge V-703-34S
flow cartridge VEL-002A-C/P
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
PHA-149RRK-CP	662.50	795.00
H₂ECO® FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO® FR-SHOWER/9-PLA (fixed head)	8.33	10.00



PRODUCT UPDATE





Aquablade

- round thermostatic shower valve with integrated diverter and rigid riser
- Aquablade 300mm (12") round shower head
- Aquablade round single function shower handset
- 210mm height adjustment tolerance:
min 1080mm – max 1290mm
- 30mm depth adjustment tolerance:
min 60mm – max 90mm
- offset connectors and easy-fit brackets included

thermostatic cartridge V-701-34S
flow cartridge C-801-27/2X
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
AQB-149T-RRK-R0-CP	541.67	650.00
H₂ECO® FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO® FR-SHOWER/9-PLA (fixed head)	8.33	10.00





- round thermostatic shower valve with integrated diverter and rigid riser
- 250mm round shower head
- round single function shower handset
- 410mm height adjustment tolerance:
min 825mm – max 1235mm
- 21mm depth adjustment tolerance:
min 69mm – max 90mm
- offset connectors and easy-fit brackets included



thermostatic cartridge V-704-34S
flow cartridge C-801-33/2P
minimum operating pressure 1.0 bar MP

brushed black	£ ex-vat	£ inc-vat
IND-149RRK-RO-BLK	687.50	825.00
brushed gold		
IND-149RRK-RO-BRG	687.50	825.00
brushed nickel		
IND-149RRK-RO-BRN	687.50	825.00
brushed bronze		
IND-149RRK-RO-BRZ	687.50	825.00
NEW brushed gunmetal		
IND-149RRK-RO-BGM	687.50	825.00

H₂ECO®		
FR-FLEXI/9-PLA (handset)	8.33	10.00
H₂ECO®		
FR-SHOWER/9-PLA (fixed head)	8.33	10.00



PRODUCT UPDATE




- Aquablade
- square thermostatic shower valve with integrated diverter and rigid riser
 - Aquablade 300mm x 200mm rectangular shower head
 - Aquablade square single function shower handset
 - 200mm height adjustment tolerance:
min 940mm – max 1140mm
 - 21mm depth adjustment tolerance:
min 54mm – max 75mm
 - offset connectors and easy-fit brackets included

thermostatic cartridge V-701-34S
flow cartridge C-801-27/2X
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
AQB-149T-RRK-SQ-CP	541.67	650.00
H₂ECO®		
FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO®		
FR-SHOWER/9-PLA (fixed head)	8.33	10.00



PRODUCT UPDATE



Atmosphere

- round thermostatic shower valve with integrated diverter and rigid riser
- Atmosphere 200mm (8") round shower head
- Atmosphere 5 function shower handset
- 210mm height adjustment tolerance:
min 1080mm – max 1290mm
- 30mm depth adjustment tolerance:
min 60mm – max 90mm
- offset connectors and easy-fit brackets included

thermostatic cartridge V-701-34S

flow cartridge C-801-27/2X

minimum operating pressure 1.0 bar MP

chrome

ATM-149T-RRK-R0-CP

£ ex-vat £ inc-vat

541.67 650.00

H₂ECO®

FR-SHOWER/9-C/P
(handset)

13.33 16.00

H₂ECO®

FR-SHOWER/9-PLA
(fixed head)


8.33 10.00



air injection
technology



PRODUCT UPDATE



Velo

- round thermostatic shower valve with integrated diverter
- rigid riser with single function shower head and shower handset
- 250mm round shower head
- 210mm height adjustment tolerance:
min 1080mm – max 1290mm
- 30mm depth adjustment tolerance:
min 60mm – max 90mm
- offset connectors and easy-fit brackets included

thermostatic cartridge V-701-34S

flow cartridge C-801-27/2X

minimum operating pressure 1.0 bar MP

chrome

VEL-149T-RRK-R0-CP

£ ex-vat £ inc-vat

495.83 595.00

H₂ECO®

FR-SHOWER/9-C/P
(handset)

13.33 16.00


H₂ECO®

FR-SHOWER/9-PLA
(fixed head)

8.33 10.00



PRODUCT UPDATE



Velo


- square thermostatic shower valve with integrated diverter
- rigid riser with single function shower head and shower handset
- 200mm square shower head
- 200mm height adjustment tolerance: min 940mm – max 1140mm
- 21mm depth adjustment tolerance: min 54mm – max 75mm
- offset connectors and easy-fit brackets included

thermostatic cartridge V-701-34S

flow cartridge C-801-27/2X

minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
VEL-149T-RRK-SQ-CP	495.83	595.00
H₂ECO®		
FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂ECO®		
FR-SHOWER/9-PLA (fixed head)	8.33	10.00



Cameo

- soft square thermostatic shower valve with integrated diverter and rigid riser
- 300mm x 200mm rectangular shower head
- soft square 4 function shower handset
- 150cm shower hose
- 476mm height adjustment tolerance: min 786mm – max 1262mm
- 24mm depth adjustment tolerance: min 66mm – max 90mm
- 3/4" easy-fit brackets included

thermostatic cartridge V-704-34S


flow cartridge C-801-33/2P

minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
CAM-149T-RRK-CP	520.83	625.00
matt black		
CAM-149T-RRK-MB	579.17	695.00
matt white		
CAM-149T-RRK-MW	579.17	695.00
satin brass		
CAM-149T-RRK-SBR	579.17	695.00
H₂ECO®		
FR-FLEXI/9-PLA (handset)	8.33	10.00
H₂ECO®		
FR-SHOWER/9-PLA (fixed head)	8.33	10.00



NEW



lever thermostatic shower valve with integrated diverter and rigid riser
260mm round shower head
round 4 function shower handset
150cm shower hose
476mm height adjustment tolerance:
min 786mm – max 1262mm
24mm depth adjustment tolerance:
min 66mm – max 90mm
3/4" easy-fit brackets included

thermostatic cartridge V-704-34S
flow cartridge C-801-33/2P
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-149T-RRK-CP	495.83	595.00
matt black	£ ex-vat	£ inc-vat
SAF-149T-RRK-MB	541.67	650.00
pewter	£ ex-vat	£ inc-vat
SAF-149T-RRK-PEW	541.67	650.00
satin brass	£ ex-vat	£ inc-vat
SAF-149T-RRK-SBR	541.67	650.00

H₂ECO®


6 l/m optional flow regulator included (handset)

H₂ECO®

9 l/m optional flow regulator included (fixed head)



NEW



leverless thermostatic shower valve with integrated diverter and rigid riser
260mm round shower head
round 4 function shower handset
150cm shower hose
476mm height adjustment tolerance:
min 786mm – max 1262mm
24mm depth adjustment tolerance:
min 66mm – max 90mm
3/4" easy-fit brackets included

thermostatic cartridge V-704-34S
flow cartridge C-801-33/2P
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-249T-RRK-CP	495.83	595.00
matt black	£ ex-vat	£ inc-vat
SAF-249T-RRK-MB	541.67	650.00
pewter	£ ex-vat	£ inc-vat
SAF-249T-RRK-PEW	541.67	650.00
satin brass	£ ex-vat	£ inc-vat
SAF-249T-RRK-SBR	541.67	650.00

H₂ECO®

6 l/m optional flow regulator included (handset)

H₂ECO®

9 l/m optional flow regulator included (fixed head)



SHOWERING
SHOWER COLUMNS


Studfast Concealed Shower Valve Mounting Bracket

Studfast is an easy, strong and secure method of mounting **VADO** thermostatic shower valves into stud walls to create a firm and trouble-free installation.


fixing holes to suit
VADO concealed
thermostatic
shower valves

adjustable for
variations in
stud walling
(360mm-523mm)

adjustable front
to back 10mm to
ensure accurate
positioning





shower valve
concealed parts



The **VADO** concealed thermostatic shower valve body bolts onto the studfast bracket creating a firm installation.

Look for the  logo which denotes the shower valves suitable for use with the studfast bracket.



concealed wall bracket
for mounting **VADO** thermostatic
shower valves in stud walls
min-max span 360-5230mm

	£ ex-vat	£ inc-vat
stainless steel WG-STUDFAST-C-S/S	50.00	60.00

Shower Valve Depth Calculator

This guide shows how to calculate the depth that your **VADO** shower valve should be set in the wall to create optimum performance and appearance.

STEP 1 Identify the optimum installation depth (X)

Please look up optimum depth for your chosen shower valve in the following pages, or you can access the same information on our website at www.vado.com.

This is represented as X in fig. 1

STEP 2 Calculate the thickness of the finished tile wall (T)

This is the total thickness of your tile plus adhesive plus plasterboard or ply cladding.

This is shown as T in fig.2

Calculation:
 $T = A$ (tile thickness) + B (adhesive thickness, usually 3-5mm) + C (plasterboard or ply cladding thickness)

Example:
If working with a 10mm thick tile, 5mm layer of adhesive, 15mm thick plasterboard.
 $T = 10\text{mm} + 5\text{mm} + 15\text{mm} = 30\text{mm}$.
 T value is therefore 30mm.

STEP 3 Calculate the depth that you need to fit your valve (D)


This depth is the total distance from the front face of the studwall to the back of the shower valve (or front face of your **VADO** WG-STUDFAST bracket if you are using the **VADO** studfast bracket for easier installation).

This is shown as D in fig 2

Calculation: $X - T = D$

Example:
If fitting a NOT-148D-C/P the optimum depth (X) is 82mm.
In step 2, T was identified as 30mm.

D is calculated as:
 $82\text{mm} - 30\text{mm} = 52\text{mm}$.
Therefore you install the valve at a distance of 52mm from the front face of your timber or metal stud wall to the back of the shower valve (or front face of your studfast bracket).





ZONE®

ZONE®

Zone delivers exacting thermostatic water delivery for both bath fill and showering to create a safe, all-round bathroom solution, whilst maximising space due to the seamless design and finish.

- Patented technology for a truly sleek aesthetic; the only TMV without protruding temperature controls.
- Engaging and intuitive operation via all brass, push button controls; quality you can see and feel with every use.
- Precision engineered to provide impeccable water temperature blending, ensuring the safety of all users for the perfect experience every time.


- Temperature control encircled by an ergonomic recess, to gently guide users onto the tactile, linear knurled dial for total connectivity and operation.

- Discreet, 4mm button projection whilst in use and a slim 6mm blackplate to maintain the clean aesthetic.

Zone has been designed with ease of fit, function and performance in mind, starting from the moment the installer opens the box to when the valve is ready to use.

Simplify your daily bathing routine with the push of a button.


Find out more at www.vado.com/zone



Zone
2 outlet 3 control
vertical concealed thermostatic valve
with duo-zone function to operate outlets together
thermostatic cartridge V-701-32S
2 x flow-stop-go cartridge N-1001-F26
2 x 1/2" female inlets
2 x 1/2" female outlets
2 x 1/2" capped-off female outlets*
supplied with mortar guard/tile guide
min-max wall mount 80-117mm
minimum operating pressure 1.0 bar MP

*to operate the additional outlet(s) further purchase of ZON-143 is required


chrome	£ ex-vat	£ inc-vat
ZON-128/2-CP	729.17	875.00
brushed black		
IND-Z128/2-BLK	783.33	940.00
brushed gold		
IND-Z128/2-BRG	783.33	940.00
brushed nickel		
IND-Z128/2-BRN	783.33	940.00
brushed bronze		
IND-Z128/2-BRZ	783.33	940.00
NEW brushed gunmetal		
IND-Z128/2-BGM	783.33	940.00



Zone
1 outlet 1 push button
horizontal concealed additional outlet
flow-stop-go cartridge N-1001-F26
1 x 1/2" female inlet
1 x 1/2" female outlet
supplied with mortar guard/tile guide
min-max wall mount 78-113mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ZON-143-H-CP	133.33	160.00
brushed black		
IND-Z143-H-BLK	145.83	175.00
brushed gold		
IND-Z143-H-BRG	145.83	175.00
brushed nickel		
IND-Z143-H-BRN	145.83	175.00
brushed bronze		
IND-Z143-H-BRZ	145.83	175.00
NEW brushed gunmetal		
IND-Z143-H-BGM	145.83	175.00






Zone
2 outlet 3 control
horizontal concealed thermostatic valve
with duo-zone function to operate outlets together
thermostatic cartridge V-701-32S
2 x flow-stop-go cartridge N-1001-F26
2 x 1/2" female inlets
2 x 1/2" female outlets
2 x 1/2" capped-off female outlets*
supplied with mortar guard/tile guide
min-max wall mount 80-117mm
minimum operating pressure 1.0 bar MP


*to operate the additional outlet(s) further purchase of ZON-143 is required

chrome	£ ex-vat	£ inc-vat
ZON-128/2-H-CP	729.17	875.00
brushed black		
IND-Z128/2-H-BLK	783.33	940.00
brushed gold		
IND-Z128/2-H-BRG	783.33	940.00
brushed nickel		
IND-Z128/2-H-BRN	783.33	940.00
brushed bronze		
IND-Z128/2-H-BRZ	783.33	940.00
NEW brushed gunmetal		
IND-Z128/2-H-BGM	783.33	940.00



Zone
1 outlet 1 push button
vertical concealed additional outlet
flow-stop-go cartridge N-1001-F26
1 x 1/2" female inlet
1 x 1/2" female outlet
supplied with mortar guard/tile guide
min-max wall mount 78-113mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ZON-143-CP	133.33	160.00
brushed black		
IND-Z143-BLK	145.83	175.00
brushed gold		
IND-Z143-BRG	145.83	175.00
brushed nickel		
IND-Z143-BRN	145.83	175.00
brushed bronze		
IND-Z143-BRZ	145.83	175.00
NEW brushed gunmetal		
IND-Z143-BGM	145.83	175.00



Zone
temperature dial trim kit for
IND-Z128/2 comprises:
1 x shroud

brushed black	£ ex-vat	£ inc-vat
IND-Z-HALO-BLK	20.83	25.00
brushed gold		
IND-Z-HALO-BRG	20.83	25.00
brushed nickel		
IND-Z-HALO-BRN	20.83	25.00
brushed bronze		
IND-Z-HALO-BRZ	20.83	25.00
bright gold		
IND-Z-HALO-BG	20.83	25.00
bright nickel		
IND-Z-HALO-BN	20.83	25.00
polished black		
IND-Z-HALO-PB	20.83	25.00
polished bronze		
IND-Z-HALO-PZ	20.83	25.00



IMMERSE YOURSELF IN SHOWERING LUXURY.

Tablet iO is the perfect choice for adding a style statement to your bathroom, uniting the best in British design engineering with a wealth of features.

With all the performance benefits of our popular Tablet valve collection, the new Tablet iO includes a sleek integrated shower kit to provide the ultimate showering experience the whole family can enjoy.


Available in 3 outlet or 2 outlet options, with a choice of round or square trim.

This collection is not just sleek, it is practical too with a compact design and exceptional functionality, as standard:

- Luxurious soft-turn handles
- Exceptional safety from temperature fluctuations
- Excellent flow rates, even at low pressure
- 'All-Flow' function
- Bath fill with a combi boiler at 1.0 bar




TABLET iO



Tablet iO Altitude horizontal concealed thermostatic shower valve with integrated single function round mini kit, 3 outlet 3 handle with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
flow cartridge FL-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets, 1 x 1/2" male outlet
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
TAB-128/3WO-ALT-CP £ ex-vat 854.17 £ inc-vat 1,025.00


H₂ECO®
FR-SHOWER/9-C/P 13.33 16.00



Tablet iO Altitude horizontal concealed thermostatic shower valve with integrated single function round mini kit, 2 outlet 2 handle with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
2 x 3/4" female inlets
1 x 3/4" female outlet, 1 x 1/2" male outlet
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
TAB-148/2WO-ALT-CP £ ex-vat 770.83 £ inc-vat 925.00


H₂ECO®
FR-SHOWER/9-C/P 13.33 16.00



Tablet iO Notion horizontal concealed thermostatic shower valve with integrated single function square mini kit, 3 outlet 3 handle with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
flow cartridge FL-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets, 1 x 1/2" male outlet
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
TAB-128/3WO-NOT-CP £ ex-vat 854.17 £ inc-vat 1,025.00

H₂ECO®
FR-SHOWER/9-C/P 13.33 16.00



Tablet iO Notion horizontal concealed thermostatic shower valve with integrated single function square mini kit, 2 outlet 2 handle with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
2 x 3/4" female inlets
1 x 3/4" female outlet, 1 x 1/2" male outlet
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
TAB-148/2WO-NOT-CP £ ex-vat 770.83 £ inc-vat 925.00

H₂ECO®
FR-SHOWER/9-C/P 13.33 16.00



ARRONDI®




CONRAN AND
PARTNERS

VADO



For installation over bath




horizontal concealed thermostatic bath/shower valve with integrated single function mini kit
3 outlet 3 handle
thermostatic cartridge V-704-34S
diverter cartridge FL-801-33/2SX
flow cartridge FL-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 79.5-101.5mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
TAB-128/3WO-B-ARR-CP	854.17	1,025.00
H₂ECO®		
FR-FLEXI/9-PLA	8.33	10.00




For installation in shower




horizontal concealed thermostatic shower valve with integrated single function mini kit
3 outlet 3 handle
with all-flow function - 1.0 bar MOP to operate
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
flow cartridge FL-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 79.5-101.5mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
TAB-128/3WO-S-ARR-CP	854.17	1,025.00
H₂ECO®		
FR-FLEXI/9-PLA	8.33	10.00



vertical concealed thermostatic shower valve
2 outlet 2 handle
with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 79.5-101.5mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
TAB-148/2-ARR-CP	645.83	775.00



vertical concealed thermostatic shower valve
1 outlet 2 handle
thermostatic cartridge V-704-34S
flow cartridge FL-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
min-max wall mount 79.5-101.5mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
TAB-148-ARR-CP	579.17	695.00





SHOWERING
KNURLED

KNURLED



Tablet Knurled Accents 3 outlet 3 handle
horizontal concealed thermostatic shower valve
with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
flow cartridge FL-301-RTC
2 x 3/4" female inlets / 3 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
TAB-128/3-H-CPK	729.17	875.00
brushed black		
IND-T128/3-H-BLKK	783.33	940.00
brushed gold		
IND-T128/3-H-BRGK	783.33	940.00
brushed nickel		
IND-T128/3-H-BRNK	783.33	940.00
brushed bronze		
IND-T128/3-H-BRZK	783.33	940.00
NEW brushed gunmetal		
IND-T128/3-H-BGMK	783.33	940.00



3 outlet



all-flow



Tablet Knurled Accents 2 outlet 2 handle
vertical concealed thermostatic shower valve
with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
2 x 3/4" female inlets / 2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
TAB-148/2-CPK	645.83	775.00
brushed black		
IND-T148/2-BLKK	695.83	835.00
brushed gold		
IND-T148/2-BRGK	695.83	835.00
brushed nickel		
IND-T148/2-BRNK	695.83	835.00
brushed bronze		
IND-T148/2-BRZK	695.83	835.00
NEW brushed gunmetal		
IND-T148/2-BGMK	695.83	835.00



2 outlet



all-flow



Tablet Knurled Accents 2 outlet 2 handle
horizontal concealed thermostatic shower valve
with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
2 x 3/4" female inlets / 2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
TAB-148/2-H-CPK	645.83	775.00
brushed black		
IND-T148/2-H-BLKK	695.83	835.00
brushed gold		
IND-T148/2-H-BRGK	695.83	835.00
brushed nickel		
IND-T148/2-H-BRNK	695.83	835.00
brushed bronze		
IND-T148/2-H-BRZK	695.83	835.00
NEW brushed gunmetal		
IND-T148/2-H-BGMK	695.83	835.00



2 outlet





all-flow



SHOWERING
OMIKA

OMIKA




Tablet Omika
3 outlet 3 handle
horizontal concealed thermostatic shower valve with
all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
flow cartridge FL-301-RTC
2 x 3/4" female inlets
3 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

polished black
IND-T128/3-H-OMI-PB £ ex-vat £ inc-vat
783.33 940.00



3 outlet




Tablet Omika
2 outlet 2 handle
vertical concealed thermostatic shower valve
with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
TAB-148/2-OMI-C/P £ ex-vat £ inc-vat
645.83 775.00
polished black
IND-T148/2-OMI-PB 695.83 835.00



2 outlet



Tablet Omika
2 outlet 2 handle
horizontal concealed thermostatic shower valve
with all-flow function
wall mounted
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome
TAB-148/2-H-OMI-C/P £ ex-vat £ inc-vat
645.83 775.00
polished black
IND-T148/2-H-OMI-PB 695.83 835.00



2 outlet




ALTITUDE



Tablet Altitude
3 outlet 3 handle
vertical concealed thermostatic shower valve with
all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
flow cartridge FL-301-RTC
2 x 3/4" female inlets
3 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
TAB-128/3-ALT-C/P	729.17	875.00



Tablet Altitude
3 outlet 3 handle
horizontal concealed thermostatic shower valve
with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
flow cartridge FL-301-RTC
2 x 3/4" female inlets
3 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
TAB-128/3-H-ALT-C/P	729.17	875.00
brushed black		
IND-T128/3-H-ALT-BLK	783.33	940.00
brushed gold		
IND-T128/3-H-ALT-BRG	783.33	940.00
brushed nickel		
IND-T128/3-H-ALT-BRN	783.33	940.00
brushed bronze		
IND-T128/3-H-ALT-BRZ	783.33	940.00
NEW brushed gunmetal		
IND-T128/3-H-ALT-BGM	783.33	940.00






Tablet Altitude
2 outlet 3 handle
vertical concealed thermostatic shower valve
thermostatic cartridge V-704-34S
2 x flow cartridge FL-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
TAB-128/2-ALT-C/P £ ex-vat 687.50 £ inc-vat 825.00



Tablet Altitude
2 outlet 3 handle
horizontal concealed thermostatic shower valve
thermostatic cartridge V-704-34S
2 x flow cartridge FL-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome
TAB-128/2-H-ALT-C/P £ ex-vat 687.50 £ inc-vat 825.00



Tablet Altitude
2 outlet 2 handle
vertical concealed thermostatic shower valve
with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome
TAB-148/2-ALT-C/P £ ex-vat 645.83 £ inc-vat 775.00
brushed black
IND-T148/2-ALT-BLK £ ex-vat 695.83 £ inc-vat 835.00
brushed gold
IND-T148/2-ALT-BRG £ ex-vat 695.83 £ inc-vat 835.00
brushed nickel
IND-T148/2-ALT-BRN £ ex-vat 695.83 £ inc-vat 835.00
brushed bronze
IND-T148/2-ALT-BRZ £ ex-vat 695.83 £ inc-vat 835.00
NEW brushed gunmetal
IND-T148/2-ALT-BGM £ ex-vat 695.83 £ inc-vat 835.00






Tablet Altitude
2 outlet 2 handle
horizontal concealed thermostatic shower valve
with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
TAB-148/2-H-ALT-C/P	645.83	775.00
brushed black		
IND-T148/2-H-ALT-BLK	695.83	835.00
brushed gold		
IND-T148/2-H-ALT-BRG	695.83	835.00
brushed nickel		
IND-T148/2-H-ALT-BRN	695.83	835.00
brushed bronze		
IND-T148/2-H-ALT-BRZ	695.83	835.00
NEW brushed gunmetal		
IND-T148/2-H-ALT-BGM	695.83	835.00



Tablet Altitude
1 outlet 2 handle
vertical concealed thermostatic shower valve
thermostatic cartridge V-704-34S
flow cartridge FL-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
TAB-148-ALT-C/P	579.17	695.00
brushed black		
IND-T148-ALT-BLK	629.17	755.00
brushed gold		
IND-T148-ALT-BRG	629.17	755.00
brushed nickel		
IND-T148-ALT-BRN	629.17	755.00
brushed bronze		
IND-T148-ALT-BRZ	629.17	755.00
NEW brushed gunmetal		
IND-T148-ALT-BGM	629.17	755.00




Tablet Altitude
1 outlet 2 handle
horizontal concealed thermostatic shower valve
thermostatic cartridge V-704-34S
flow cartridge FL-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
TAB-148-H-ALT-C/P	579.17	695.00





NOTION



Tablet Notion
3 outlet 3 handle
vertical concealed thermostatic shower valve
with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
flow cartridge FL-301-RTC
2 x 3/4" female inlets
3 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
TAB-128/3-NOT-C/P	729.17	875.00



Tablet Notion
3 outlet 3 handle
horizontal concealed thermostatic shower valve
with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
flow cartridge FL-301-RTC
2 x 3/4" female inlets
3 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
TAB-128/3-H-NOT-C/P	729.17	875.00
brushed black		
IND-T128/3-H-NOT-BLK	783.33	940.00
brushed gold		
IND-T128/3-H-NOT-BRG	783.33	940.00
brushed nickel		
IND-T128/3-H-NOT-BRN	783.33	940.00
brushed bronze		
IND-T128/3-H-NOT-BRZ	783.33	940.00
NEW brushed gunmetal		
IND-T128/3-H-NOT-BGM	783.33	940.00






Tablet Notion
2 outlet 3 handle
vertical concealed thermostatic shower valve
thermostatic cartridge V-704-34S
2 x flow cartridge FL-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
TAB-128/2-NOT-C/P £ ex-vat 687.50 £ inc-vat 825.00



Tablet Notion
2 outlet 3 handle
horizontal concealed thermostatic shower valve
thermostatic cartridge V-704-34S
2 x flow cartridge FL-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome
TAB-128/2-H-NOT-C/P £ ex-vat 687.50 £ inc-vat 825.00



Tablet Notion
2 outlet 2 handle
vertical concealed thermostatic shower valve
with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome
TAB-148/2-NOT-C/P £ ex-vat 645.83 £ inc-vat 775.00
brushed black
IND-T148/2-NOT-BLK £ ex-vat 695.83 £ inc-vat 835.00
brushed gold
IND-T148/2-NOT-BRG £ ex-vat 695.83 £ inc-vat 835.00
brushed nickel
IND-T148/2-NOT-BRN £ ex-vat 695.83 £ inc-vat 835.00
brushed bronze
IND-T148/2-NOT-BRZ £ ex-vat 695.83 £ inc-vat 835.00
NEW brushed gunmetal
IND-T148/2-NOT-BGM £ ex-vat 695.83 £ inc-vat 835.00






Tablet Notion
2 outlet 2 handle
horizontal concealed thermostatic shower valve
with all-flow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
TAB-148/2-H-NOT-C/P £ ex-vat 645.83 £ inc-vat 775.00



Tablet Notion
1 outlet 2 handle
vertical concealed thermostatic shower valve
thermostatic cartridge V-704-34S
flow cartridge FL-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome
TAB-148-NOT-C/P £ ex-vat 579.17 £ inc-vat 695.00
brushed black
IND-T148-NOT-BLK 629.17 755.00
brushed gold
IND-T148-NOT-BRG 629.17 755.00
brushed nickel
IND-T148-NOT-BRN 629.17 755.00
brushed bronze
IND-T148-NOT-BRZ 629.17 755.00
NEW brushed gunmetal
IND-T148-NOT-BGM 629.17 755.00



Tablet Notion
1 outlet 2 handle
horizontal concealed thermostatic shower valve
thermostatic cartridge V-704-34S
flow cartridge FL-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
TAB-148-H-NOT-C/P £ ex-vat 579.17 £ inc-vat 695.00






DX Notion
3 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets, 3 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
NOT-148D/3-C/P


£ ex-vat £ inc-vat
579.17 695.00



DX Notion
2 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets, 2 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
NOT-148D/2-C/P


£ ex-vat £ inc-vat
562.50 675.00



DX Notion
1 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
2 x 3/4" female inlets, 1 x 3/4" female outlet
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
NOT-148D-C/P

£ ex-vat £ inc-vat
495.83 595.00




DX Notion
2 outlet 3 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
2 x flow cartridge C-301-RTC
2 x 3/4" female inlets, 2 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
NOT-128D/2-C/P

£ ex-vat £ inc-vat
625.00 750.00






DX Origins
 2 outlet 2 handle
 concealed thermostatic shower valve
 with circular backplate
 thermostatic cartridge V-704-34S
 diverter cartridge C-803-33X/3X
 2 x 3/4" female inlets
 2 x 3/4" female outlets
 supplied with mortar/tile guard
 inc. bleed valve for system flush on installation
 min-max wall mount 70-95mm
 optimum installation depth 82mm
 minimum operating pressure
 0.2 bar LP (shower) 1.0 bar MP (bath)

chrome

ORI-148D/2-C/P

£ ex-vat £ inc-vat

562.50 675.00



DX Origins
 1 outlet 2 handle
 concealed thermostatic shower valve
 with circular backplate
 thermostatic cartridge V-704-34S
 flow cartridge C-301-RTC
 2 x 3/4" female inlets
 1 x 3/4" female outlet
 supplied with mortar/tile guard
 inc. bleed valve for system flush on installation
 min-max wall mount 70-95mm
 optimum installation depth 82mm
 minimum operating pressure
 0.2 bar LP (shower) 1.0 bar MP (bath)

chrome

ORI-148D-C/P


£ ex-vat £ inc-vat

495.83 595.00






ELEMENTS




DX Elements
3 outlet 2 handle
concealed thermostatic shower valve
with circular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
3 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
ELE-148D/3-C/P
£ ex-vat 579.17 £ inc-vat 695.00



DX Elements
2 outlet 2 handle
concealed thermostatic shower valve
with circular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome
ELE-148D/2-C/P
brushed black
IND-ELE148D/2-BLK
brushed gold
IND-ELE148D/2-BRG
brushed nickel
IND-ELE148D/2-BRN
brushed bronze
IND-ELE148D/2-BRZ
NEW brushed gunmetal
IND-ELE148D/2-BGM
£ ex-vat 562.50 £ inc-vat 675.00
608.33 730.00
608.33 730.00
608.33 730.00
608.33 730.00
608.33 730.00
608.33 730.00



DX Elements
1 outlet 2 handle
concealed thermostatic shower valve
with circular backplate
thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome
ELE-148D-C/P
£ ex-vat 495.83 £ inc-vat 595.00






DX Elements
2 outlet 3 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
2 x flow cartridge C-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
ELE-128D/2-C-CP
£ ex-vat 625.00 £ inc-vat 750.00




DX Elements
3 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
3 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
ELE-148D/3/SQ-CP
£ ex-vat 579.17 £ inc-vat 695.00



DX Elements
2 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
ELE-148D/2/SQ-CP
£ ex-vat 562.50 £ inc-vat 675.00




DX Elements
1 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
ELE-148D/SQ-CP
£ ex-vat 495.83 £ inc-vat 595.00






CELSIUS




DX Celsius
3 outlet 2 handle
concealed thermostatic shower valve
with circular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
3 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
CEL-148D/3/R0-C/P
£ ex-vat 579.17 £ inc-vat 695.00



DX Celsius
2 outlet 2 handle
concealed thermostatic shower valve
with circular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome
CEL-148D/2/R0-C/P
£ ex-vat 562.50 £ inc-vat 675.00



DX Celsius
1 outlet 2 handle
concealed thermostatic shower valve
with circular backplate
thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome
CEL-148D/R0-C/P
£ ex-vat 495.83 £ inc-vat 595.00






DX Celsius
3 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
3 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
CEL-148D/3/SQ-C/P
£ ex-vat 579.17 £ inc-vat 695.00




DX Celsius
2 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
CEL-148D/2/SQ-C/P
£ ex-vat 562.50 £ inc-vat 675.00



DX Celsius
1 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
CEL-148D/SQ-C/P
£ ex-vat 495.83 £ inc-vat 595.00




DX Celsius
2 outlet 3 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
2 x flow cartridge C-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
CEL-128D/2-C/P
£ ex-vat 625.00 £ inc-vat 750.00



LIFE



DX Life


3 outlet 2 handle
concealed thermostatic shower valve
with oval backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
3 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome

LIF-148D/3-C/P

£ ex-vat £ inc-vat

579.17 695.00



DX Life


2 outlet 2 handle
concealed thermostatic shower valve
with oval backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome

LIF-148D/2-C/P

£ ex-vat £ inc-vat

562.50 675.00



DX Life

1 outlet 2 handle
concealed thermostatic shower valve
with oval backplate
thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome

LIF-148D-C/P

£ ex-vat £ inc-vat

495.83 595.00






Safari®

SHOWERING
SAFARI®

NEW




DX Safari
lever
3 outlet 2 handle
concealed thermostatic shower valve
rectangular backplate
thermostatic temperature stop
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
3 x 3/4" female outlets
inc. bleed valve for system flush on installation
tile-to-mortar guard included
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
SAF-148D/3-CP	579.17	695.00
matt black		
SAF-148D/3-MB	595.83	715.00
pewter		
SAF-148D/3-PEW	595.83	715.00
satin brass		
SAF-148D/3-SBR	595.83	715.00



NEW




DX Safari
lever
2 outlet 2 handle
concealed thermostatic shower valve
rectangular backplate
thermostatic temperature stop
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
2 x 3/4" female outlets
inc. bleed valve for system flush on installation
tile-to-mortar guard included
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
SAF-148D/2-CP	562.50	675.00
matt black		
SAF-148D/2-MB	579.17	695.00
pewter		
SAF-148D/2-PEW	579.17	695.00
satin brass		
SAF-148D/2-SBR	579.17	695.00



NEW




DX Safari
lever
1 outlet 2 handle
concealed thermostatic shower valve
rectangular backplate
thermostatic temperature stop
thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
inc. bleed valve for system flush on installation
tile-to-mortar guard included
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
SAF-148D-CP	495.83	595.00
matt black		
SAF-148D-MB	512.50	615.00
pewter		
SAF-148D-PEW	512.50	615.00
satin brass		
SAF-148D-SBR	512.50	615.00



NEW




DX Safari
leverless
3 outlet 2 handle
concealed thermostatic shower valve
rectangular backplate
thermostatic temperature stop
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
3 x 3/4" female outlets
inc. bleed valve for system flush on installation
tile-to-mortar guard included
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
SAF-248D/3-CP	579.17	695.00
matt black		
SAF-248D/3-MB	595.83	715.00
pewter		
SAF-248D/3-PEW	595.83	715.00
satin brass		
SAF-248D/3-SBR	595.83	715.00



NEW




DX Safari
leverless
2 outlet 2 handle
concealed thermostatic shower valve
rectangular backplate
thermostatic temperature stop
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
2 x 3/4" female outlets
inc. bleed valve for system flush on installation
tile-to-mortar guard included
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
SAF-248D/2-CP	562.50	675.00
matt black		
SAF-248D/2-MB	579.17	695.00
pewter		
SAF-248D/2-PEW	579.17	695.00
satin brass		
SAF-248D/2-SBR	579.17	695.00



NEW




DX Safari
leverless
1 outlet 2 handle
concealed thermostatic shower valve
rectangular backplate
thermostatic temperature stop
thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
inc. bleed valve for system flush on installation
tile-to-mortar guard included
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
SAF-248D-CP	495.83	595.00
matt black		
SAF-248D-MB	512.50	615.00
pewter		
SAF-248D-PEW	512.50	615.00
satin brass		
SAF-248D-SBR	512.50	615.00



CAMEO®




DX Cameo
3 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic temperature stop
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets, 3 x 3/4" female outlets
inc. bleed valve for system flush on installation
supplied with mortar/tile guard
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
CAM-148D/3-CP £ ex-vat 579.17 £ inc-vat 695.00

matt black
CAM-148D/3-MB 595.83 715.00

matt white
CAM-148D/3-MW 595.83 715.00

satin brass
CAM-148D/3-SBR 595.83 715.00




DX Cameo
2 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic temperature stop
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets, 2 x 3/4" female outlets
inc. bleed valve for system flush on installation
supplied with mortar/tile guard
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
CAM-148D/2-CP £ ex-vat 562.50 £ inc-vat 675.00

matt black
CAM-148D/2-MB 579.17 695.00

matt white
CAM-148D/2-MW 579.17 695.00

satin brass
CAM-148D/2-SBR 579.17 695.00



DX Cameo
1 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic temperature stop
thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
2 x 3/4" female inlets, 1 x 3/4" female outlet
inc. bleed valve for system flush on installation
supplied with mortar/tile guard
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
CAM-148D-CP £ ex-vat 495.83 £ inc-vat 595.00


matt black
CAM-148D-MB 512.50 615.00

matt white
CAM-148D-MW 512.50 615.00

satin brass
CAM-148D-SBR 512.50 615.00




PHASE




DX Phase
3 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
3 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
PHA-148D/3-C/P
£ ex-vat 579.17 £ inc-vat 695.00



DX Phase
2 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
PHA-148D/2-C/P
£ ex-vat 562.50 £ inc-vat 675.00




DX Phase
1 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
PHA-148D-C/P
£ ex-vat 495.83 £ inc-vat 595.00




PHOTON




DX Photon
3 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
3 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
PHO-148D/3-C/P
£ ex-vat 579.17 £ inc-vat 695.00



DX Photon
2 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
PHO-148D/2-C/P
£ ex-vat 562.50 £ inc-vat 675.00




DX Photon
1 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
PHO-148D-C/P
£ ex-vat 495.83 £ inc-vat 595.00





MIX²

**DX Mix²**


3 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
3 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome

MIX-148D/3-C/P

£ ex-vat £ inc-vat

579.17 695.00

**DX Mix²**


2 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome

MIX-148D/2-C/P

£ ex-vat £ inc-vat

562.50 675.00

**DX Mix²**


1 outlet 2 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome

MIX-148D-C/P

£ ex-vat £ inc-vat

495.83 595.00

**DX Mix²**

2 outlet 3 handle
concealed thermostatic shower valve
with rectangular backplate
thermostatic cartridge V-704-34S
2 x flow cartridge C-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
inc. bleed valve for system flush on installation
min-max wall mount 70-95mm
optimum installation depth 82mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome


MIX-128D/2-C/P

£ ex-vat £ inc-vat

625.00 750.00




Please order **separate shower valves and trim kits** from this section only if you need shower valves delivered separately to corresponding trim kits.



SHOWER VALVE COMPONENT KITS


VALVE BODY



concealed 2 outlet 3 control thermostatic valve
thermostatic cartridge V-701-32S
2 x flow-stop-go cartridge N-1001-F26
2 x 1/2" female inlets, 2 x 1/2" female outlet
2 x 1/2" capped-off female outlets*
supplied with mortar guard/tile guide
min-max wall mount 80-117mm
minimum operating pressure 1.0 bar MP
concealed valve body suitable for both vertical and horizontal installation

	£ ex-vat	£ inc-vat
ZON-028/2-CONC	512.50	615.00


2 outlet



Zone
vertical trim kit for ZON-128/2-CP comprises:
2 x push buttons for flow
1 x dial for temperature control with trim
rectangle backplate

	£ ex-vat	£ inc-vat
ZON-128/2-TRIM-CP	216.67	260.00


(for use with ZON-028/2-CONC)



Zone
horizontal trim kit for ZON-128/2-H-CP comprises:
2 x push buttons for flow
1 x dial for temperature control with trim
rectangle backplate

	£ ex-vat	£ inc-vat
ZON-128/2-H-TRIM-CP	216.67	260.00


(for use with ZON-028/2-CONC)



Zone
temperature dial trim kit for
IND-Z128/2 comprises:
1 x shroud


	£ ex-vat	£ inc-vat
brushed black IND-Z-HALO-BLK	20.83	25.00
brushed gold IND-Z-HALO-BRG	20.83	25.00
brushed nickel IND-Z-HALO-BRN	20.83	25.00
brushed bronze IND-Z-HALO-BRZ	20.83	25.00
bright gold IND-Z-HALO-BG	20.83	25.00
bright nickel IND-Z-HALO-BN	20.83	25.00
polished black IND-Z-HALO-PB	20.83	25.00
polished bronze IND-Z-HALO-PZ	20.83	25.00

VALVE BODY



concealed 1 outlet 1 push button
additional outlet
flow-stop-go cartridge N-1001-F26
1 x 1/2" female inlet, 1 x 1/2" female outlet
supplied with mortar guard/tile guide
min-max wall mount 78-113mm
minimum operating pressure 1.0 bar MP
concealed outlet body suitable for both vertical and horizontal installation


brass	£ ex-vat	£ inc-vat
ZON-043-CONC	83.33	100.00



Zone
vertical trim kit for ZON-143-CP comprises:
1 x push button for flow
rectangle backplate

chrome	£ ex-vat	£ inc-vat
ZON-143-TRIM-CP	50.00	60.00


(for use with ZON-043-CONC)



Zone
horizontal trim kit for ZON-143-H-CP comprises:
1 x push button for flow
rectangle backplate

chrome	£ ex-vat	£ inc-vat
ZON-143-H-TRIM-CP	50.00	60.00

(for use with ZON-043-CONC)




concealed thermostatic 3 outlet 3 handle
thermostatic shower valve with integrated outlet
thermostatic cartridge V-704-34S
diverter cartridge FL-801-33/2SX
flow cartridge FL-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
minimum operating pressure 1.0 bar MP

chrome
TAB-ARR028/3WOB-CONC £ ex-vat 570.83 £ inc-vat 685.00




For installation over bath



Tablet Arrondi horizontal
trim kit for TAB-128/3WO-B-ARR-CP comprises:
integrated single function mini kit
3 x handles with flow and temperature shrouds
oval backplate
min-max wall mount 79.5-101.5mm

chrome
TAB-1283WOB-ARR-T-CP £ ex-vat 283.33 £ inc-vat 340.00

(for use with TAB-ARR028/3WOB-CONC)




concealed thermostatic 3 outlet 3 handle
thermostatic shower valve with integrated outlet
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
flow cartridge FL-301-RTC
2 x 3/4" female inlets, 2 x 3/4" female outlets
supplied with mortar/tile guard
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
TAB-ARR028/3WOS-CONC £ ex-vat 570.83 £ inc-vat 685.00




For installation in shower



Tablet Arrondi horizontal
trim kit for TAB-128/3WO-S-ARR-CP comprises:
integrated single function mini kit
3 x handles with flow and temperature shrouds
oval backplate
min-max wall mount 79.5-101.5mm


chrome
TAB-1283WOS-ARR-T-CP £ ex-vat 283.33 £ inc-vat 340.00

(for use with TAB-ARR028/3WOS-CONC)



concealed 2 outlet 2 handle
thermostatic shower valve
thermostatic cartridge V-704-34S
flow cartridge FL-802-33/2MX
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


brass
TAB-ARR-048/2-CONC
£ ex-vat 445.83 £ inc-vat 535.00



Tablet Arrondi vertical
trim kit for TAB-148/2-ARR-CP comprises:
2 x handles with flow and temperature shrouds
oval backplate
min-max wall mount 79.5-101.5mm


chrome
TAB-148/2-ARR-T-CP
£ ex-vat 200.00 £ inc-vat 240.00

(for use with TAB-ARR-048/2-CONC)



concealed 1 outlet 2 handle
thermostatic shower valve
thermostatic cartridge V-704-34S
flow cartridge FL-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
supplied with mortar/tile guard
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

brass
TAB-ARR-048-CONC
£ ex-vat 379.17 £ inc-vat 455.00




Tablet Arrondi vertical
trim kit for TAB-148-ARR-CP comprises:
2 x handles with flow and temperature shrouds
oval backplate
min-max wall mount 79.5-101.5mm

chrome
TAB-148-ARR-T-CP
£ ex-vat 200.00 £ inc-vat 240.00


(for use with TAB-ARR-048-CONC)

VALVE BODY



concealed thermostatic bath shower mixer
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2SX
2 x 3/4" female inlets
supplied with mortar/tile guard
minimum operating pressure 1.0 bar MP


brass
TAB-ARR-023T/WO-CONC £ ex-vat 566.67 £ inc-vat 680.00



Arrondi thermostatic bath shower mixer
trim kit for TAB-123T/WO-ARR-CP comprises:
integrated single function mini kit
2 x lever handles with flow and temperature shrouds
1 x spout
oval backplate
min-max wall mount 79.5-101.5mm

chrome
TAB-123T/WO-ARR-T-CP £ ex-vat 433.33 £ inc-vat 520.00

(for use with TAB-ARR-023T/WO-CONC)





Arrondi thermostatic bath shower mixer
trim kit for TAB-223T/WO-ARR-CP comprises:
integrated single function mini kit
2 x cross handles with flow and temperature shrouds
1 x spout
oval backplate
min-max wall mount 79.5-101.5mm

chrome
TAB-223T/WO-ARR-T-CP £ ex-vat 433.33 £ inc-vat 520.00


(for use with TAB-ARR-023T/WO-CONC)

VALVE BODY



concealed 3 outlet 3 handle
thermostatic shower valve with integrated outlet
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
flow cartridge FL-301-RTC
2 x 3/4" female inlets
3 x 3/4" female outlets
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


brass
TAB-028/3WO-CONC
£ ex-vat 570.83 £ inc-vat 685.00



Tablet iO Altitude horizontal
trim kit for TAB-128/3WO-ALT-CP comprises:
integrated single function round mini kit
3 x handles
rectangular backplate
thermostatic safety stop
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome
TAB-128/3WO-ALT-T-CP
£ ex-vat 283.33 £ inc-vat 340.00

(for use with TAB-028/3WO-CONC)




Tablet iO Notion horizontal
trim kit for TAB-128/3WO-NOT-CP comprises:
integrated single function square mini kit
3 x handles
rectangular backplate
thermostatic safety stop
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome
TAB-128/3WO-NOT-T-CP
£ ex-vat 283.33 £ inc-vat 340.00


(for use with TAB-028/3WO-CONC)

VALVE BODY



concealed 2 outlet 2 handle
thermostatic shower valve with integrated outlet
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
2 x 3/4" female inlets, 3 x 3/4" female outlets
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


brass
TAB-048/2WO-CONC
£ ex-vat 504.17 £ inc-vat 605.00



Tablet iO Altitude horizontal
trim kit for TAB-148/2WO-ALT-CP comprises:
integrated single function round mini kit
2 x handles
rectangular backplate
thermostatic safety stop
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome
TAB-148/2WO-ALT-T-CP
£ ex-vat 266.67 £ inc-vat 320.00

(for use with TAB-048/2WO-CONC)




Tablet iO Notion horizontal
trim kit for TAB-148/2WO-NOT-CP comprises:
integrated single function square mini kit
2 x handles
rectangular backplate
thermostatic safety stop
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome
TAB-148/2WO-NOT-T-CP
£ ex-vat 266.67 £ inc-vat 320.00


(for use with TAB-048/2WO-CONC)

VALVE BODY



concealed 3 outlet 3 handle
thermostatic shower valve
thermostatic cartridge V-704-34S
thermostatic temperature stop
diverter cartridge FL-802-33/2MX
flow cartridge FL-301-RTC
2 x 3/4" female inlets
3 x 3/4" female outlets
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


brass	£ ex-vat	£ inc-vat
TAB-028/3-CONC	512.50	615.00



Tablet Knurled Accents horizontal
trim kit for TAB-128/3-H-CPK comprises:
3 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-128/3-H-T-CPK	216.67	260.00


(for use with TAB-028/3-CONC)



Tablet Altitude horizontal
trim kit for TAB-128/3-H-ALT-C/P comprises:
3 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-128/3-H-ALT-TRIM	216.67	260.00

(for use with TAB-028/3-CONC)



Tablet Altitude vertical
trim kit for TAB-128/3-ALT-C/P comprises:
3 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm



chrome	£ ex-vat	£ inc-vat
TAB-128/3-ALT-TRIM	216.67	260.00

(for use with TAB-028/3-CONC)



SCAN QR FOR MORE INFORMATION ON TABLET.


Compact in form and unique in operation, Tablet embraces the latest innovations in maximising water flow performance to ensure a fully immersive showering experience.



Tablet Notion horizontal
trim kit for TAB-128/3-H-NOT-C/P comprises:
3 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-128/3-H-NOT-TRIM	216.67	260.00

(for use with TAB-028/3-CONC)




Tablet Notion vertical
trim kit for TAB-128/3-NOT-C/P comprises:
3 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-128/3-NOT-TRIM	216.67	260.00

(for use with TAB-028/3-CONC)

VALVE BODY




concealed 2 outlet 3 handle
thermostatic shower valve
thermostatic cartridge V-704-34S
thermostatic temperature stop
2 x flow cartridge FL-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

brass

TAB-028/2-CONC

£ ex-vat £ inc-vat

470.83 565.00



Tablet Altitude horizontal
trim kit for TAB-128/2-H-ALT-C/P comprises:
3 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm


chrome

TAB-128/2-H-ALT-TRIM

£ ex-vat £ inc-vat

216.67 260.00

(for use with TAB-028/2-CONC)



Tablet Altitude vertical
trim kit for TAB-128/2-ALT-C/P comprises:
3 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome

TAB-128/2-ALT-TRIM

£ ex-vat £ inc-vat


216.67 260.00

(for use with TAB-028/2-CONC)



SCAN QR FOR MORE INFORMATION ON TABLET.


Compact in form and unique in operation, Tablet embraces the latest innovations in maximising water flow performance to ensure a fully immersive showering experience.



Tablet Notion horizontal
trim kit for TAB-128/2-H-NOT-C/P comprises:
3 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-128/2-H-NOT-TRIM	216.67	260.00

(for use with TAB-028/2-CONC)




Tablet Notion vertical
trim kit for TAB-128/2-NOT-C/P comprises:
3 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-128/2-NOT-TRIM	216.67	260.00


(for use with TAB-028/2-CONC)

VALVE BODY



concealed 2 outlet 2 handle
thermostatic shower valve
thermostatic cartridge V-704-34S
thermostatic temperature stop
diverter cartridge FL-802-33/2MX
2 x 3/4" female inlets
2 x 3/4" female outlets
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


brass	£ ex-vat	£ inc-vat
TAB-048/2-CONC	462.50	555.00



Tablet Knurled Accents horizontal
trim kit for TAB-148/2-CPK comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-148/2-H-T-CPK	200.00	240.00


(for use with TAB-048/2-CONC)



Tablet Knurled Accents vertical
trim kit for TAB-148/2-CPK comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-148/2-T-CPK	200.00	240.00


(for use with TAB-048/2-CONC)



Tablet Omika horizontal
trim kit for TAB-148/2-H-OMI-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-148/2-H-OMI-TRIM	200.00	240.00

(for use with TAB-048/2-CONC)



Tablet Omika vertical
trim kit for TAB-148/2-OMI-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm


chrome	£ ex-vat	£ inc-vat
TAB-148/2-OMI-TRIM	200.00	240.00

(for use with TAB-048/2-CONC)



SCAN QR FOR MORE INFORMATION ON TABLET.


Compact in form and unique in operation, Tablet embraces the latest innovations in maximising water flow performance to ensure a fully immersive showering experience.



Tablet Altitude horizontal trim kit for TAB-148/2-H-ALT-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-148/2-H-ALT-TRIM	200.00	240.00


(for use with TAB-048/2-CONC)



Tablet Altitude vertical trim kit for TAB-148/2-ALT-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-148/2-ALT-TRIM	200.00	240.00


(for use with TAB-048/2-CONC)



Tablet Notion horizontal trim kit for TAB-148/2-H-NOT-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-148/2-H-NOT-TRIM	200.00	240.00

(for use with TAB-048/2-CONC)




Tablet Notion vertical trim kit for TAB-148/2-NOT-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-148/2-NOT-TRIM	200.00	240.00


(for use with TAB-048/2-CONC)

VALVE BODY



concealed 1 outlet 2 handle
thermostatic shower valve
thermostatic cartridge V-704-34S
thermostatic temperature stop
flow cartridge FL-301-RTC
2 x 3/4" female inlets
1 x 3/4" female outlet
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


brass
TAB-048-CONC
£ ex-vat 379.17 £ inc-vat 455.00



Tablet Altitude horizontal
trim kit for TAB-148-H-ALT-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome
TAB-148-H-ALT-TRIM
£ ex-vat 200.00 £ inc-vat 240.00

(for use with TAB-048-CONC)



Tablet Altitude vertical
trim kit for TAB-148-ALT-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm



chrome
TAB-148-ALT-TRIM
£ ex-vat 200.00 £ inc-vat 240.00

(for use with TAB-048-CONC)



SCAN QR FOR MORE INFORMATION ON TABLET.


Compact in form and unique in operation, Tablet embraces the latest innovations in maximising water flow performance to ensure a fully immersive showering experience.



Tablet Notion horizontal
trim kit for TAB-148-H-NOT-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-148-H-NOT-TRIM	200.00	240.00

(for use with TAB-048-CONC)




Tablet Notion vertical
trim kit for TAB-148-NOT-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 75-100mm
optimum installation depth 87mm

chrome	£ ex-vat	£ inc-vat
TAB-148-NOT-TRIM	200.00	240.00

(for use with TAB-048-CONC)

VALVE BODY




concealed 3 outlet 2 handle
thermostatic shower valve with integrated diverter
thermostatic cartridge V-704-34S
thermostatic temperature stop
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets, 3 x 3/4" female outlets
supplied with mortar/tile guard
includes bleed valve for system flush
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

brass

CON-BV048D/3-BR

£ ex-vat £ inc-vat

395.83 475.00



DX Notion

trim kit for NOT-148D/3-C/P comprises:

2 x handles

rectangular backplate

flow and temperature shrouds

min-max wall mount 70-95mm

optimum installation depth 82mm


chrome

NOT-148D/3-TRIM-C/P

£ ex-vat £ inc-vat

183.33 220.00

(for use with CON-BV048D/3-BR)



DX Elements

trim kit for ELE-148D/3-C/P comprises:

2 x handles

circular backplate

flow and temperature shrouds

min-max wall mount 70-95mm

optimum installation depth 82mm


chrome

ELE-148D/3-TRIM-C/P

£ ex-vat £ inc-vat

183.33 220.00

(for use with CON-BV048D/3-BR)



DX Elements

trim kit for ELE-148D/3/SQ-CP comprises:

2 x handles

rectangular backplate

flow and temperature shrouds

min-max wall mount 70-95mm

optimum installation depth 82mm


chrome

ELE-148D/3/SQ-TRIM-CP

£ ex-vat £ inc-vat

183.33 220.00

(for use with CON-BV048D/3-BR)




DX Life
trim kit for LIF-148D/3-C/P comprises:
2 x handles
oval backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
LIF-148D/3-TRIM-C/P	183.33	220.00

(for use with CON-BV048D/3-BR)

NEW



DX Safari
trim kit for SAF-148D/3-XX comprises:
2 x lever handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm
for use with CON-BV048D/3-BR

chrome	£ ex-vat	£ inc-vat
SAF-148D/3-TRIM-CP	183.33	220.00


matt black		
SAF-148D/3-TRIM-MB	200.00	240.00

pewter		
SAF-148D/3-TRIM-PEW	200.00	240.00

satin brass		
SAF-148D/3-TRIM-SBR	200.00	240.00

(for use with CON-BV048D/3-BR)

NEW



DX Safari
trim kit for SAF-248D/3-XX comprises:
2 x leverless handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm
for use with CON-BV048D/3-BR


chrome	£ ex-vat	£ inc-vat
SAF-248D/3-TRIM-CP	183.33	220.00

matt black		
SAF-248D/3-TRIM-MB	200.00	240.00

pewter		
SAF-248D/3-TRIM-PEW	200.00	240.00

satin brass		
SAF-248D/3-TRIM-SBR	200.00	240.00

(for use with CON-BV048D/3-BR)



DX Cameo
trim kit for CAM-148D/3-XX comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm


chrome	£ ex-vat	£ inc-vat
CAM-148D/3-TRIM-CP	183.33	220.00

matt black		
CAM-148D/3-TRIM-MB	200.00	240.00

matt white		
CAM-148D/3-TRIM-MW	200.00	240.00

satin brass		
CAM-148D/3-TRIM-SBR	200.00	240.00


(for use with CON-BV048D/3-BR)



DX Celsius
trim kit for CEL-148D/3/RO-C/P comprises:
2 x handles
circular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome
CEL-148D/3/RO-TRIM
(for use with CON-BVD48D/3-BR)


£ ex-vat £ inc-vat
183.33 220.00



DX Celsius
trim kit for CEL-148D/3/SQ-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome
CEL-148D/3/SQ-TRIM
(for use with CON-BVD48D/3-BR)


£ ex-vat £ inc-vat
183.33 220.00



DX Phase
trim kit for PHA-148D/3-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm


chrome
PHA-148D/3-TRIM-C/P
(for use with CON-BVD48D/3-BR)

£ ex-vat £ inc-vat
183.33 220.00



SCAN QR FOR MORE INFORMATION ON THE DX VALVE AND BLEED VALVE.


To remove unwanted residue, improve product durability and maximise product longevity, it is strongly recommended that you flush your showering system upon installation using the bleed valve supplied.



DX Photon
trim kit for PHO-148D/3-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
PHO-148D/3-TRIM-C/P	183.33	220.00

(for use with CON-BVD48D/3-BR)




DX Mix²
trim kit for MIX-148D/3-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
MIX-148D/3-TRIM-C/P	183.33	220.00

(for use with CON-BVD48D/3-BR)

VALVE BODY




concealed 2 outlet 2 handle
thermostatic shower valve with integrated diverter
thermostatic cartridge V-704-34S
thermostatic temperature stop
diverter cartridge C-803-33X/3X
2 x 3/4" female inlets, 2 x 3/4" female outlets
supplied with mortar/tile guard
includes bleed valve for system flush
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

brass

CON-BV048D/2-BR

£ ex-vat £ inc-vat

379.17 455.00



DX Notion

trim kit for NOT-148D/2-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm


chrome

NOT-148D/2-TRIM-C/P

£ ex-vat £ inc-vat

183.33 220.00

(for use with CON-BV048D/2-BR)



DX Origins

trim kit for ORI-148D/2-C/P comprises:
2 x handles
circular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm


chrome

ORI-148D/2-TRIM-C/P

£ ex-vat £ inc-vat

183.33 220.00

(for use with CON-BV048D/2-BR)



DX Elements

trim kit for ELE-148D/2-C/P comprises:
2 x handles
circular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm


chrome

ELE-148D/2-TRIM-C/P

£ ex-vat £ inc-vat

183.33 220.00


(for use with CON-BV048D/2-BR)



DX Elements
trim kit for ELE-148D/2/SQ-CP comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
ELE-148D/2-SQ-TRIM-CP	183.33	220.00

(for use with CON-BV048D/2-BR)




DX Life
trim kit for LIF-148D/2-C/P comprises:
2 x handles
oval backplate
securing rings
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
LIF-148D/2-TRIM-C/P	183.33	220.00

(for use with CON-BV048D/2-BR)

NEW



DX Safari
trim kit for SAF-148D/2-XX comprises:
2 x lever handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm
for use with CON-BV048D/2-BR

chrome	£ ex-vat	£ inc-vat
SAF-148D/2-TRIM-CP	183.33	220.00


matt black		
SAF-148D/2-TRIM-MB	200.00	240.00

pewter		
SAF-148D-TRIM/2-PEW	200.00	240.00

satin brass		
SAF-148D-TRIM/2-SBR	200.00	240.00

(for use with CON-BV048D/2-BR)

NEW



DX Safari
trim kit for SAF-248D/2-XX comprises:
2 x leverless handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm
for use with CON-BV048D/2-BR


chrome	£ ex-vat	£ inc-vat
SAF-248D/2-TRIM-CP	183.33	220.00

matt black		
SAF-248D/2-TRIM-MB	200.00	240.00

pewter		
SAF-248D-TRIM/2-PEW	200.00	240.00


satin brass		
SAF-248D-TRIM/2-SBR	200.00	240.00

(for use with CON-BV048D/2-BR)




DX Cameo
trim kit for CAM-148D/2-XX comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
CAM-148D/2-TRIM-CP	183.33	220.00
matt black		
CAM-148D/2-TRIM-MB	200.00	240.00
matt white		
CAM-148D/2-TRIM-MW	200.00	240.00
satin brass		
CAM-148D/2-TRIM-SBR	200.00	240.00
(for use with CON-BVD48D/2-BR)		




DX Celsius
trim kit for CEL-148D/2/RO-C/P comprises:
2 x handles
circular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
CEL-148D/2/RO-TRIM	183.33	220.00
(for use with CON-BVD48D/2-BR)		



DX Celsius
trim kit for CEL-148D/2/SQ-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm


chrome	£ ex-vat	£ inc-vat
CEL-148D/2/SQ-TRIM	183.33	220.00
(for use with CON-BVD48D/2-BR)		



DX Phase
trim kit for PHA-148D/2-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome
PHA-148D/2-TRIM-C/P
(for use with CON-BVD48D/2-BR)


	£ ex-vat	£ inc-vat
PHA-148D/2-TRIM-C/P	183.33	220.00



DX Photon
trim kit for PHO-148D/2-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome
PHO-148D/2-TRIM-C/P
(for use with CON-BVD48D/2-BR)

	£ ex-vat	£ inc-vat
PHO-148D/2-TRIM-C/P	183.33	220.00




DX Mix²
trim kit for MIX-148D/2-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome
MIX-148D/2-TRIM-C/P
(for use with CON-BVD48D/2-BR)


	£ ex-vat	£ inc-vat
MIX-148D/2-TRIM-C/P	183.33	220.00

VALVE BODY



concealed 1 outlet 2 handle
thermostatic shower valve
thermostatic cartridge V-704-34S
thermostatic temperature stop
flow cartridge C-301-RTC
2 x 3/4" female inlets, 1 x 3/4" female outlet
supplied with mortar/tile guard
includes bleed valve for system flush
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


brass	£ ex-vat	£ inc-vat
CON-BV048D-BR	312.50	375.00



DX Notion
trim kit for NOT-148D-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
NOT-148D-TRIM-C/P	183.33	220.00


(for use with CON-BV048D-BR)



DX Origins
trim kit for ORI-148D-C/P comprises:
2 x handles
circular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
ORI-148D-TRIM-C/P	183.33	220.00


(for use with CON-BV048D-BR)



DX Elements
trim kit for ELE-148D-C/P comprises:
2 x handles
circular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
ELE-148D-TRIM-C/P	183.33	220.00


(for use with CON-BV048D-BR)



DX Elements
trim kit for ELE-148D/SQ-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome
ELE-148D/SQ-TRIM-CP £ ex-vat 183.33 £ inc-vat 220.00

(for use with CON-BV048D-BR)




DX Life
trim kit for LIF-148D-C/P comprises:
2 x handles
oval backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome
LIF-148D-TRIM-C/P £ ex-vat 183.33 £ inc-vat 220.00

(for use with CON-BV048D-BR)

NEW



DX Safari
trim kit for SAF-148D-XX comprises:
2 x lever handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm
for use with CON-BV048D-BR

chrome
SAF-148D-TRIM-CP £ ex-vat 183.33 £ inc-vat 220.00


matt black
SAF-148D-TRIM-MB 200.00 240.00

pewter
SAF-148D-TRIM-PEW 200.00 240.00

satin brass
SAF-148D-TRIM-SBR 200.00 240.00

(for use with CON-BV048D-BR)

NEW



DX Safari
trim kit for SAF-248D-XX comprises:
2 x leverless handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm
for use with CON-BV048D-BR


chrome
SAF-248D-TRIM-CP £ ex-vat 183.33 £ inc-vat 220.00

matt black
SAF-248D-TRIM-MB 200.00 240.00

pewter
SAF-248D-TRIM-PEW 200.00 240.00


satin brass
SAF-248D-TRIM-SBR 200.00 240.00

(for use with CON-BV048D-BR)




DX Cameo
trim kit for CAM-148D-XX comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
CAM-148D-TRIM-CP	183.33	220.00
matt black		
CAM-148D-TRIM-MB	200.00	240.00
matt white		
CAM-148D-TRIM-MW	200.00	240.00
satín brass		
CAM-148D-TRIM-SBR	200.00	240.00
(for use with CON-BVD48D-BR)		




DX Celsius
trim kit for CEL-148D/RO-C/P comprises:
2 x handles
circular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
CEL-148D/RO-TRIM-C/P	183.33	220.00
(for use with CON-BVD48D-BR)		



DX Celsius
trim kit for CEL-148D/SQ-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm


chrome	£ ex-vat	£ inc-vat
CEL-148D/SQ-TRIM-C/P	183.33	220.00
(for use with CON-BVD48D-BR)		



DX Phase
trim kit for PHA-148D-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome
PHA-148D-TRIM-C/P
(for use with CON-BVD48D-BR)


	£ ex-vat	£ inc-vat
PHA-148D-TRIM-C/P	183.33	220.00



DX Photon
trim kit for PHO-148D-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome
PHO-148D-TRIM-C/P
(for use with CON-BVD48D-BR)

	£ ex-vat	£ inc-vat
PHO-148D-TRIM-C/P	183.33	220.00




DX Mix²
trim kit for MIX-148D-C/P comprises:
2 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome
MIX-148D-TRIM-C/P
(for use with CON-BVD48D-BR)


	£ ex-vat	£ inc-vat
MIX-148D-TRIM-C/P	183.33	220.00

VALVE BODY



concealed 2 outlet 3 handle
thermostatic shower valve
thermostatic cartridge V-704-34S
thermostatic temperature stop
flow cartridge C-301-RTC
2 x 3/4" female inlets
2 x 3/4" female outlets
supplied with mortar/tile guard
includes bleed valve for system flush
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


brass	£ ex-vat	£ inc-vat
CON-BV028D/2-BR	425.00	510.00



DX Notion
trim kit for NOT-128D/2-C/P comprises:
3 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
NOT-128D/2-TRIM-C/P	200.00	240.00


(for use with CON-BV028D/2-BR)



DX Elements
trim kit for ELE-128D/2-C/P comprises:
3 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
ELE-128D/2-TRIM-C/P	200.00	240.00


(for use with CON-BV028D/2-BR)



DX Celsius
trim kit for CEL-128D/2-C/P comprises:
3 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
CEL-128D/2-TRIM-C/P	200.00	240.00

(for use with CON-BV028D/2-BR)



DX Mix²
trim kit for MIX-128D/2-C/P comprises:
3 x handles
rectangular backplate
flow and temperature shrouds
min-max wall mount 70-95mm
optimum installation depth 82mm

chrome	£ ex-vat	£ inc-vat
MIX-128D/2-TRIM-C/P	200.00	240.00


(for use with CON-BV028D/2-BR)



EXPOSED THERMOSTATIC SHOWER VALVES

SHOWERING
EXPOSED THERMO VALVES

NEW




exposed thermostatic shower valve
lever
wall mounted
thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
3/4" easy-fit brackets included
1/2" hose connection
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-149T-CP	245.83	295.00
matt black		
SAF-149T-MB	270.83	325.00
pewter		
SAF-149T-PEW	270.83	325.00
satin brass		
SAF-149T-SBR	270.83	325.00




NEW



exposed thermostatic shower valve
leverless
wall mounted
thermostatic cartridge V-704-34S
flow cartridge C-301-RTC
3/4" easy-fit brackets included
1/2" hose connection
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
SAF-249T-CP	245.83	295.00
matt black		
SAF-249T-MB	270.83	325.00
pewter		
SAF-249T-PEW	270.83	325.00
satin brass		
SAF-249T-SBR	270.83	325.00



Cameo
exposed thermostatic shower valve
wall mounted
thermostatic cartridge V-704-34S
flow cartridge C-303-RTC
3/4" easy-fit brackets included
1/2" hose connection
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
CAM-149T-CP	250.00	300.00
matt black		
CAM-149T-MB	275.00	330.00
matt white		
CAM-149T-MW	275.00	330.00
satin brass		
CAM-149T-SBR	275.00	330.00





Tê
exposed thermostatic shower valve 1/2"
wall mounted
thermostatic cartridge V-703-34S
flow cartridge TE-002B-1/2
3/4" x 1/2" offset connectors
minimum operating pressure 0.2 bar LP


chrome	£ ex-vat	£ inc-vat
TE-149T-C/P	300.00	360.00
H₂eCO®		
FR-SHOWER/9-C/P	13.33	16.00



Celsius
exposed thermostatic shower valve 1/2"
wall mounted
thermostatic cartridge V-704-34S
flow cartridge C-202-RTC
3/4" x 1/2" offset connectors
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
CEL-149-1/2-C/P	266.67	320.00
H₂eCO®		
FR-SHOWER/9-C/P	13.33	16.00

Compatible easy-fit brackets available to purchase separately see WG-049BRACK+SHR-C/P below.




pair of easy-fix shower brackets with shrouds
wall mounted
15mm compression connection

chrome	£ ex-vat	£ inc-vat
WG-049BRACK+SHR-C/P	25.00	30.00




MANUAL VALVES

SHOWERING
MANUAL VALVES





Notion
concealed 2 outlet shower valve with diverter
single lever
wall mounted
with rectangular backplate
ceramic cartridge CAR-K35A
2 x 1/2" female inlets
2 x 1/2" female outlets
supplied with mortar/tile guard
min-max wall mount 50-70mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
NOT-147A-C/P	250.00	300.00
brushed black		
IND-NOT147A-BLK	312.50	375.00
brushed gold		
IND-NOT147A-BRG	312.50	375.00
brushed nickel		
IND-NOT147A-BRN	312.50	375.00
brushed bronze		
IND-NOT147A-BRZ	312.50	375.00
NEW brushed gunmetal		
IND-NOT147A-BGM	312.50	375.00




Notion
concealed 1 outlet shower valve
single lever
wall mounted
with rectangular backplate
ceramic cartridge CAR-K35A
2 x 1/2" female inlets
2 x 1/2" female outlets (one is blanked off)
supplied with mortar/tile guard
min-max wall mount 40-65mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
NOT-145A-C/P	183.33	220.00
brushed black		
IND-NOT145A-BLK	229.17	275.00
brushed gold		
IND-NOT145A-BRG	229.17	275.00
brushed nickel		
IND-NOT145A-BRN	229.17	275.00
brushed bronze		
IND-NOT145A-BRZ	229.17	275.00



Edit
concealed 2 outlet shower valve with diverter
single lever
wall mounted
with rectangular backplate
ceramic cartridge CAR-K35A
2 x 1/2" female inlets
2 x 1/2" female outlets
supplied with mortar/tile guard
min-max wall mount 50-70mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
EDI-147A-C/P	250.00	300.00
brushed black		
IND-EDI147A-BLK	312.50	375.00
brushed gold		
IND-EDI147A-BRG	312.50	375.00
brushed nickel		
IND-EDI147A-BRN	312.50	375.00
brushed bronze		
IND-EDI147A-BRZ	312.50	375.00
NEW brushed gunmetal		
IND-EDI147A-BGM	312.50	375.00



Edit
concealed 1 outlet shower valve
single lever
wall mounted
with rectangular backplate
ceramic cartridge CAR-K35A
2 x 1/2" female inlets
2 x 1/2" female outlets (one is blanked off)
supplied with mortar/tile guard
min-max wall mount 40-65mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
EDI-145A-C/P	183.33	220.00
brushed black		
IND-EDI145A-BLK	229.17	275.00
brushed gold		
IND-EDI145A-BRG	229.17	275.00
brushed nickel		
IND-EDI145A-BRN	229.17	275.00
brushed bronze		
IND-EDI145A-BRZ	229.17	275.00
NEW brushed gunmetal		
IND-EDI145A-BGM	229.17	275.00






Origins
concealed 2 outlet shower valve with diverter
single lever
wall mounted
with circular backplate
ceramic cartridge CAR-K35A
2 x 1/2" female inlets
2 x 1/2" female outlets
supplied with mortar/tile guard
min-max wall mount 50-70mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
ORI-147A-C/P	250.00	300.00
brushed black		
IND-ORI147A-BLK	312.50	375.00
brushed gold		
IND-ORI147A-BRG	312.50	375.00
brushed nickel		
IND-ORI147A-BRN	312.50	375.00
brushed bronze		
IND-ORI147A-BRZ	312.50	375.00
NEW brushed gunmetal		
IND-ORI147A-BGM	312.50	375.00




Origins
concealed 1 outlet shower valve
single lever
wall mounted
with circular backplate
ceramic cartridge CAR-K35A
2 x 1/2" female inlets
2 x 1/2" female outlets (one is blanked off)
supplied with mortar/tile guard
min-max wall mount 40-65mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
ORI-145A-C/P	183.33	220.00
brushed black		
IND-ORI145A-BLK	229.17	275.00
brushed gold		
IND-ORI145A-BRG	229.17	275.00
brushed nickel		
IND-ORI145A-BRN	229.17	275.00
brushed bronze		
IND-ORI145A-BRZ	229.17	275.00
NEW brushed gunmetal		
IND-ORI145A-BGM	229.17	275.00

**NEW**

Safari
concealed 2 outlet shower valve with diverter
single lever
wall mounted
rectangular backplate
ceramic cartridge C-006-N35
2 x 1/2" female inlets
2 x 1/2" female outlets
supplied with tile-to-mortar guard
min-max wall mount 50-70mm
minimum operating pressure
0.2 bar LP (shower) 1 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
SAF-147A-CP	233.33	280.00
matt black		
SAF-147A-MB	250.00	300.00
pewter		
SAF-147A-PEW	250.00	300.00
satin brass		
SAF-147A-SBR	250.00	300.00

**NEW**

Safari
concealed 1 outlet shower valve
single lever
wall mounted
rectangular backplate
ceramic cartridge C-006-N35
2 x 1/2" female inlets
2 x 1/2" female outlets (one is blanked off)
supplied with tile-to-mortar guard
min-max wall mount 40-65mm
minimum operating pressure
0.2 bar LP (shower) 1 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
SAF-145A-CP	183.33	220.00
matt black		
SAF-145A-MB	200.00	240.00
pewter		
SAF-145A-PEW	200.00	240.00
satin brass		
SAF-145A-SBR	200.00	240.00






Cameo
concealed 2 outlet shower valve with diverter
single lever
wall mounted
with rectangular backplate
ceramic cartridge C-006-N35
2 x 1/2" female inlets
2 x 1/2" female outlets
supplied with mortar guard
min-max wall mount 50-75mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
CAM-247A-CP	233.33	280.00
matt black		
CAM-247A-MB	250.00	300.00
matt white		
CAM-247A-MW	250.00	300.00
satin brass		
CAM-247A-SBR	250.00	300.00




Cameo
concealed 1 outlet shower valve
single lever
wall mounted
with rectangular backplate
ceramic cartridge C-006-N35
2 x 1/2" female inlets
2 x 1/2" female outlets (one is blanked off)
supplied with mortar guard
min-max wall mount 40-65mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome	£ ex-vat	£ inc-vat
CAM-245A-CP	183.33	220.00
matt black		
CAM-245A-MB	200.00	240.00
matt white		
CAM-245A-MW	200.00	240.00
satin brass		
CAM-245A-SBR	200.00	240.00



Life
concealed 2 outlet shower valve with diverter
single lever
wall mounted
with oval backplate
ceramic cartridge CAR-K35A
2 x 1/2" female inlets
2 x 1/2" female outlets
supplied with mortar/tile guard
min-max wall mount 50-70mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
LIF-147A-C/P	250.00	300.00



Life
concealed 1 outlet shower valve
single lever
wall mounted
with oval backplate
ceramic cartridge CAR-K35A
2 x 1/2" female inlets
2 x 1/2" female outlets (one is blanked off)
supplied with mortar/tile guard
min-max wall mount 40-65mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome	£ ex-vat	£ inc-vat
LIF-145A-C/P	183.33	220.00






Phase
concealed 2 outlet shower valve with diverter
single lever
wall mounted
with rectangular backplate
ceramic cartridge CAR-K35A
2 x 1/2" female inlets
2 x 1/2" female outlets
supplied with mortar guard
min-max wall mount 50-70mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
PHA-147A-C/P
£ ex-vat 250.00 £ inc-vat 300.00




Phase
concealed 1 outlet shower valve
single lever
wall mounted
with rectangular backplate
ceramic cartridge CAR-K35A
2 x 1/2" female inlets
2 x 1/2" female outlets (one is blanked off)
supplied with mortar/tile guard
min-max wall mount 40-65mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

chrome
PHA-145A-C/P
£ ex-vat 183.33 £ inc-vat 220.00



Photon
concealed 2 outlet shower valve with diverter
single lever
wall mounted
with oval backplate
ceramic cartridge CAR-K35A
2 x 1/2" female inlets
2 x 1/2" female outlets
supplied with mortar/tile guard
min-max wall mount 50-70mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome
PHO-147A-C/P
£ ex-vat 250.00 £ inc-vat 300.00



Photon
concealed 1 outlet shower valve
single lever
wall mounted
with oval backplate
ceramic cartridge CAR-K35A
2 x 1/2" female inlets
2 x 1/2" female outlets (one is blanked off)
supplied with mortar/tile guard
min-max wall mount 40-65mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)


chrome
PHO-145A-C/P
£ ex-vat 183.33 £ inc-vat 220.00






Zoo
concealed 2 outlet diverter valve
wall mounted
ceramic cartridge ZOO-144/2-CARTRIDGE
2 x 1/2" inlets
2 x 1/2" outlets
min-max wall mount 75-85mm
minimum operating pressure 0.2 bar LP

chrome
ZOO-144/2-C/P
£ ex-vat 150.00 £ inc-vat 180.00



Zoo
pair of valves 3/4"
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
3/4" x 10mm thread length male inlet
3/4" x 10mm thread length male outlet
10mm thread length
deck mount drill hole diameter 33mm
max bath thickness 25mm
minimum operating pressure 0.2 bar LP

chrome
ZOO-142/PR-3/4-C/P
£ ex-vat 216.67 £ inc-vat 260.00




Zoo
concealed stop valve 3/4"
wall mounted
ceramic cartridge ELE-VALVE/CD-3/4
1 x 3/4" female inlet
1 x 3/4" female outlet
minimum operating pressure 0.2 bar LP

chrome
ZOO-143-3/4-C/P
£ ex-vat 100.00 £ inc-vat 120.00





SHOWERING
SOLUTIONS

SHOWERING SOLUTIONS



rigid riser kit
with integrated diverter
with integral outlet
for use with concealed valves
1/2" threaded inlet
254mm round shower head
Atmosphere single function shower handset
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
WG-RRK/DIV-148-C/P	433.33	520.00
H₂eCO® FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂eCO® FR-SHOWER/9-C/P (head)	13.33	16.00




rigid riser kit
with integrated diverter
with integral outlet
for use with concealed valves
1/2" threaded inlet
200mm square shower head
single function shower handset
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
WG-RRK/DIV/SQ-148-CP	433.33	520.00
H₂eCO® FR-SHOWER/9-C/P (handset)	13.33	16.00
H₂eCO® FR-SHOWER/9-C/P (head)	13.33	16.00





NEW



slide rail shower kit
with round 4 function push-button control handset
rub-clean nozzles
fully adjustable slider with twist control
fully adjustable wall brackets
680mm overall rail length
with 150cm hose and hose retainer
minimum operating pressure 1.0 bar MP




	chrome	€ ex-vat	€ inc-vat
SAF-MFSRK-CP		133.33	160.00
matt black			
SAF-MFSRK-MB		150.00	180.00
pewter			
SAF-MFSRK-PEW		150.00	180.00
satin brass			
SAF-MFSRK-SBR		150.00	180.00

H₂ECO®

6 l/m optional flow regulator included

NEW



slide rail shower kit
with round single function handset
rub-clean nozzles
fully adjustable slider with twist control
fully adjustable wall brackets
680mm overall rail length
with 150cm hose and hose retainer
minimum operating pressure 0.2 bar LP




	chrome	€ ex-vat	€ inc-vat
SAF-SFSRK-CP		116.67	140.00
matt black			
SAF-SFSRK-MB		133.33	160.00
pewter			
SAF-SFSRK-PEW		133.33	160.00
satin brass			
SAF-SFSRK-SBR		133.33	160.00

H₂ECO®

6 l/m optional flow regulator included

NEW





single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm smooth hose
and bracket with integrated outlet
optional wall shroud
1/2" male 51mm threaded inlet connection
minimum operating pressure 0.2 bar LP

	chrome	€ ex-vat	€ inc-vat
SAF-SFMKW0-CP		116.67	140.00
matt black			
SAF-SFMKW0-MB		133.33	160.00
pewter			
SAF-SFMKW0-PEW		133.33	160.00
satin brass			
SAF-SFMKW0-SBR		133.33	160.00

H₂ECO®

6 l/m optional flow regulator included

NEW




single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm smooth hose and bracket
minimum operating pressure 0.2 bar LP

	chrome	€ ex-vat	€ inc-vat
SAF-SFMK-CP		83.33	100.00
matt black			
SAF-SFMK-MB		91.67	110.00
pewter			
SAF-SFMK-PEW		91.67	110.00
satin brass			
SAF-SFMK-SBR		91.67	110.00

H₂ECO®

6 l/m optional flow regulator included


NEW



slim slide rail
lever
no handset included (for use with Safari handsets)
adjustable slider with twist control
632mm overall rail length
1/2" male 51mm threaded inlet
with 150cm smooth hose
with integrated outlet

	£ ex-vat	£ inc-vat
chrome SAF-SRW01+SH-CP	133.33	160.00
matt black SAF-SRW01+SH-MB	145.83	175.00
pewter SAF-SRW01+SH-PEW	145.83	175.00
satin brass SAF-SRW01+SH-SBR	145.83	175.00


NEW



slim slide rail
leverless
no handset included (for use with Safari handsets)
adjustable slider with twist control
632mm overall rail length
1/2" male 51mm threaded inlet
with 150cm smooth hose
with integrated outlet

	£ ex-vat	£ inc-vat
chrome SAF-SRW02+SH-CP	133.33	160.00
matt black SAF-SRW02+SH-MB	145.83	175.00
pewter SAF-SRW02+SH-PEW	145.83	175.00
satin brass SAF-SRW02+SH-SBR	145.83	175.00


NEW



slim slide rail
lever
no handset included (for use with Safari handsets)
adjustable slider with twist control
600mm overall rail length
with 150cm smooth hose

	£ ex-vat	£ inc-vat
chrome SAF-SR1+SH-CP	116.67	140.00
matt black SAF-SR1+SH-MB	129.17	155.00
pewter SAF-SR1+SH-PEW	129.17	155.00
satin brass SAF-SR1+SH-SBR	129.17	155.00


NEW



slim slide rail
leverless
no handset included (for use with Safari handsets)
adjustable slider with twist control
600mm overall rail length
with 150cm smooth hose

	£ ex-vat	£ inc-vat
chrome SAF-SR2+SH-CP	116.67	140.00
matt black SAF-SR2+SH-MB	129.17	155.00
pewter SAF-SR2+SH-PEW	129.17	155.00
satin brass SAF-SR2+SH-SBR	129.17	155.00

NEW




round 4 function push-button control handset
rub-clean nozzles
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-HANDSET-MF-CP	50.00	60.00
matt black		
SAF-HANDSET-MF-MB	54.17	65.00
pewter		
SAF-HANDSET-MF-PEW	54.17	65.00
satin brass		
SAF-HANDSET-MF-SBR	54.17	65.00

H₂ECO®

6 l/m optional flow regulator included

NEW




round single function handset
rub-clean nozzles
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-HANDSET-SF-CP	33.33	40.00
matt black		
SAF-HANDSET-SF-MB	37.50	45.00
pewter		
SAF-HANDSET-SF-PEW	37.50	45.00
satin brass		
SAF-HANDSET-SF-SBR	37.50	45.00

H₂ECO®

6 l/m optional flow regulator included

NEW




single function handset
rub-clean nozzles
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-HANDSET-CP	41.67	50.00
matt black		
SAF-HANDSET-MB	45.83	55.00
pewter		
SAF-HANDSET-PEW	45.83	55.00
satin brass		
SAF-HANDSET-SBR	45.83	55.00

H₂ECO®

6 l/m optional flow regulator included


NEW



wall outlet
1/2" threaded inlet
1/2" threaded outlet

chrome	£ ex-vat	£ inc-vat
SAF-OUTLET-CP	50.00	60.00
matt black		
SAF-OUTLET-MB	54.17	65.00
pewter		
SAF-OUTLET-PEW	54.17	65.00
satin brass		
SAF-OUTLET-SBR	54.17	65.00

NEW





round single function shower head
rub-clean nozzles
1/2" female inlet
260mm (10") diameter
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-HEAD-260-CP	66.67	80.00
matt black		
SAF-HEAD-260-MB	75.00	90.00
pewter		
SAF-HEAD-260-PEW	75.00	90.00
satin brass		
SAF-HEAD-260-SBR	75.00	90.00

H₂ECO®

9 l/m optional flow regulator included

NEW




deep round single function shower head
rub-clean nozzles
1/2" female inlet
320mm (12.6") diameter
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-HEAD-320D-CP	100.00	120.00
matt black		
SAF-HEAD-320D-MB	108.33	130.00
pewter		
SAF-HEAD-320D-PEW	108.33	130.00
satin brass		
SAF-HEAD-320D-SBR	108.33	130.00

H₂ECO®

9 l/m optional flow regulator included

NEW




easy fit shower arm
wall mounted

chrome	£ ex-vat	£ inc-vat
SAF-EFSA-CP	83.33	100.00
matt black		
SAF-EFSA-MB	91.67	110.00
pewter		
SAF-EFSA-PEW	91.67	110.00
satin brass		
SAF-EFSA-SBR	91.67	110.00


SHOWERING SAFARI®

NEW



Elements
fixed head ceiling mounting arm
100mm (4")
1/2" x 70mm threaded inlet
1/2" threaded outlet

chrome	£ ex-vat	£ inc-vat
ELE-CMA/4IN-C/P	54.17	65.00
matt black		
ELE-CMA/4IN-MB	58.33	70.00
NEW pewter		
ELE-CMA/4IN-PEW	58.33	70.00
satin brass		
ELE-CMA/4IN-SBR	58.33	70.00




slide rail shower kit
with soft square 4 function push-button
control handset
rub-clean nozzles
490mm adjustable slider with twist control
600mm overall rail length
with 150cm hose and hose retainer
minimum operating pressure 1.0 bar MP

	£ ex-vat	£ inc-vat
chrome CAM-MFSRK-CP	150.00	180.00
matt black CAM-MFSRK-MB	166.67	200.00
matt white CAM-MFSRK-MW	166.67	200.00
satin brass CAM-MFSRK-SBR	166.67	200.00
H₂ECO® FR-FLEXI/9-PLA	8.33	10.00




NEW




single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm smooth hose
and bracket with integrated outlet
optional wall shroud
1/2" male 51mm threaded inlet connection
minimum operating pressure 0.2 bar LP

	£ ex-vat	£ inc-vat
chrome CAM-SFMKW0-CP	116.67	140.00
matt black CAM-SFMKW0-MB	133.33	160.00
pewter CAM-SFMKW0-MW	133.33	160.00
satin brass CAM-SFMKW0-SBR	133.33	160.00
H₂ECO® FR-SHOWER/9-PLA	8.33	10.00




single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm smooth hose and bracket
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
CAM-SFMK-CP	83.33	100.00
matt black		
CAM-SFMK-MB	91.67	110.00
matt white		
CAM-SFMK-MW	91.67	110.00
satin brass		
CAM-SFMK-SBR	91.67	110.00
H₂ECO®		
FR-FLEX/9-PLA	8.33	10.00



wall outlet
1/2" threaded inlet
1/2" threaded outlet

chrome	£ ex-vat	£ inc-vat
CAM-OUTLET-CP	58.33	70.00
matt black		
CAM-OUTLET-MB	62.50	75.00
matt white		
CAM-OUTLET-MW	62.50	75.00
satin brass		
CAM-OUTLET-SBR	62.50	75.00



rectangular single function shower head
rub-clean nozzles
with shower arm
wall mounted
200mm x 300mm (8" x 12")
minimum operating pressure 0.2 bar LP


chrome	£ ex-vat	£ inc-vat
CAM-HEAD/SA-CP	150.00	180.00
matt black		
CAM-HEAD/SA-MB	166.67	200.00
matt white		
CAM-HEAD/SA-MW	166.67	200.00
satin brass		
CAM-HEAD/SA-SBR	166.67	200.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00



ARRONDI®

CONRAN AND
PARTNERS


VADO



slide rail shower kit
with single function shower handset
rub-clean nozzles
622mm adjustable slider with twist control
680mm overall rail length
with 150cm smooth hose
minimum operating pressure 0.2 bar LP


also includes:
wall outlet
1/2" threaded inlet

chrome	£ ex-vat	£ inc-vat
ARR-SFSRK+0-CP	316.67	380.00
H₂ECO®		
FR-FLEXI/9-PLA	8.33	10.00



single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm hose
and bracket with integrated outlet
1/2" inlet
minimum operating pressure 0.2 bar LP



chrome	£ ex-vat	£ inc-vat
ARR-SFMKW0-CP	229.17	275.00
H₂ECO®		
FR-FLEXI/9-PLA	8.33	10.00



round single function shower head
rub-clean nozzles
with shower arm
wall mounted
250mm (10") diameter
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
ARR-HEAD/SA-CP	333.33	400.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00

OMIKA

OMIKA
DESIGNED BY




single function mini shower kit
wall mounted
with 150cm shower hose
and bracket with integrated outlet
1/2" inlet
min-max wall mount 0-11mm
minimum operating pressure 1.0 bar MP

chrome	€ ex-vat	€ inc-vat
OMI-SFMKW0/A-CP	229.17	275.00
polished black		
IND-OMI/SFMKW0/A-PB	270.83	325.00
H₂ECO®		
FR-FLEXI/8-PLA	8.33	10.00




shower head
wall mounted
2 functions: rain and water blade
min-max wall mount 50-65mm
optimum installation depth 57mm
minimum operating pressure 1.0 bar MP

chrome	€ ex-vat	€ inc-vat
OMI-WMHEAD-C/P	1,250.00	1,500.00
H₂ECO®		
FR-106/9-PLA (2 are required)	8.33	10.00




rectangular shower head
single function
easy clean
200 x 300mm (8" x 12")
minimum operating pressure 1.0 bar MP

chrome	€ ex-vat	€ inc-vat
OMI-HEAD-C/P	279.17	335.00
polished black		
IND-OMI/HEAD-PB	370.83	445.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00




Mix²
easy fit shower arm
wall mounted

chrome	€ ex-vat	€ inc-vat
WG-EFSA/SQ-C/P	87.50	105.00
polished black		
IND-EFSA/SQ-PB	108.33	130.00




Ora
slide rail shower kit
with round 3 function push-button control handset
rub-clean nozzles
900mm slide rail with integrated outlet
with 150cm hose and hose retainer
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ORA-MFSRKWO-R0-CP	200.00	240.00
H₂eCO®		
FR-SHOWER/9-C/P	13.33	16.00




Nebula
slide rail shower kit
with round 3 function push-button control handset
rub-clean nozzles
900mm slide rail with integrated outlet
with 150cm hose and hose retainer
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
NEB-MFSRKWO-R0-CP	216.67	260.00
H₂eCO®		
FR-SHOWER/9-C/P	13.33	16.00



Atmosphere
slide rail shower kit
with 5 function air-injection handset
rub-clean nozzles
900mm slide rail with integrated outlet
with 150cm hose and hose retainer
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
ATM-MFSRKWO-CP	250.00	300.00
H₂eCO®		
FR-SHOWER/9-C/P	13.33	16.00



Evolve
slide rail shower kit
with 5 function handset
rub-clean nozzles
900mm slide rail with integrated outlet
with 150cm hose and hose retainer
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
EVO-MFSRKWO-CP	200.00	240.00
H₂eCO®		
FR-SHOWER/9-C/P	13.33	16.00

NEW




slide rail shower kit
with round 4 function push-button control handset
rub-clean nozzles
fully adjustable slider with twist control
fully adjustable wall brackets
680mm overall rail length
with 150cm hose and hose retainer
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
SAF-MFSRK-CP	133.33	160.00
matt black		
SAF-MFSRK-MB	150.00	180.00
pewter		
SAF-MFSRK-PEW	150.00	180.00
satin brass		
SAF-MFSRK-SBR	150.00	180.00

H₂ECO®

6 l/m optional flow regulator included




Cameo
slide rail shower kit
with soft square 4 function push-button
control handset
rub-clean nozzles
490mm adjustable slider with twist control
600mm overall rail length
with 150cm hose and hose retainer
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
CAM-MFSRK-CP	150.00	180.00
matt black		
CAM-MFSRK-MB	166.67	200.00
matt white		
CAM-MFSRK-MW	166.67	200.00
satin brass		
CAM-MFSRK-SBR	166.67	200.00

H₂ECO®


FR-FLEXI/9-PLA

8.33 10.00




Ora
slide rail shower kit
with round 3 function push-button control handset
rub-clean nozzles
546mm adjustable slider with twist control
680mm overall rail length
with 150cm hose and hose retainer
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ORA-MFSRK/RO-CP	150.00	180.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00




Ora
slide rail shower kit
with square 3 function push-button control handset
rub-clean nozzles
644mm adjustable slider with twist control
704mm overall rail length
with 150cm hose
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ORA-MFSRK/SQ-CP	150.00	180.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00




Nebula
slide rail shower kit
with round 3 function push-button control handset
rub-clean nozzles
546mm adjustable slider with twist control
680mm overall rail length
with 150cm hose and hose retainer
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
NEB-MFSRK/RO-DB-C/P	183.33	220.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00




Nebula
slide rail shower kit
with round 3 function push-button control handset
rub-clean nozzles
546mm adjustable slider with twist control
680mm overall rail length
with 150cm smooth hose
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
NEB-MFSRK/RO/B-DB-CP	183.33	220.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00




Nebula
slide rail shower kit
with square 3 function push-button control handset
rub-clean nozzles
644mm adjustable slider with twist control
704mm overall rail length
with 150cm hose
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
NEB-MFSRK/SQ-DB-C/P	183.33	220.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00



Nebula square
slide rail shower kit
with square 3 function push-button control handset
rub-clean nozzles
644mm adjustable slider with twist control
704mm overall rail length
with 150cm smooth hose
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
NEB-MFSRK/SQ/B-DB-CP	183.33	220.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00



Atmosphere
slide rail shower kit
with 5 function air-injection handset
rub-clean nozzles
805mm adjustable slider with twist control
900mm overall rail length
with 150cm smooth hose
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
ATM-MFSRK-C/P	216.67	260.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00






Evolve
slide rail shower kit
with 4 function handset
rub-clean nozzles
546mm adjustable slider with twist control
680mm overall rail length
with 150cm hose and hose retainer
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
EVO-MFSRK-DB-C/P	166.67	200.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00




Evolve
slide rail shower kit
with 4 function handset
rub-clean nozzles
546mm adjustable slider with twist control
680mm overall rail length
with 150cm smooth hose and hose retainer
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
EVO-MFSRK/B-DB-C/P	166.67	200.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00




Eris
slide rail shower kit
with 3 function handset
rub-clean nozzles
566mm slide rail
700mm overall slide rail
with 150cm hose and hose retainer
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
ERI-MFSRK-DB-C/P	83.33	100.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00



Arrondi
slide rail shower kit
with single function shower handset
rub-clean nozzles
622mm adjustable slider with twist control
680mm overall rail length
with 150cm smooth hose
minimum operating pressure 0.2 bar LP
also includes:
wall outlet
1/2" threaded inlet


chrome	£ ex-vat	£ inc-vat
ARR-SFSRK+0-CP	316.67	380.00
H₂ECO®		
FR-FLEXI/9-PLA	8.33	10.00



Instinct
slide rail shower kit
with single function handset
556mm slide rail
600mm overall rail length
with 150cm hose
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
INS-SFSRK-C/P	250.00	300.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00






Aquablade
slide rail shower kit
with round single function shower handset
rub-clean nozzles
805mm adjustable slider with twist control
900mm overall rail length
with 150cm smooth hose
minimum operating pressure 0.2 bar LP

chrome
AQB-SFSRK/RO-C/P £ ex-vat 216.67 £ inc-vat 260.00


H₂ECO®
9 l/m flow regulator fitted as standard



Aquablade
slide rail shower kit
with square single function shower handset
rub-clean nozzles
644mm adjustable slider with twist control
704mm overall rail length
with 150cm smooth hose
minimum operating pressure 0.2 bar LP

chrome
AQB-SFSRK/SQ-C/P £ ex-vat 216.67 £ inc-vat 260.00

H₂ECO®
9 l/m flow regulator fitted as standard




slide rail shower kit
with single function handset
556mm slide rail
600mm overall rail length
with 150cm shower hose
minimum operating pressure 0.2 bar LP

brushed black
IND-SFSRK/SQ-BLK £ ex-vat 250.00 £ inc-vat 300.00
brushed gold
IND-SFSRK/SQ-BRG 250.00 300.00
brushed nickel
IND-SFSRK/SQ-BRN 250.00 300.00
brushed bronze
IND-SFSRK/SQ-BRZ 250.00 300.00
NEW brushed gunmetal
IND-SFSRK/SQ-BGM 250.00 300.00



NEW




slide rail shower kit
with round single function handset
rub-clean nozzles
fully adjustable slider with twist control
fully adjustable wall brackets
680mm overall rail length
with 150cm hose and hose retainer
minimum operating pressure 0.2 bar LP

chrome
SAF-SFSRK-CP £ ex-vat 116.67 £ inc-vat 140.00
matt black
SAF-SFSRK-MB 133.33 160.00
pewter
SAF-SFSRK-PEW 133.33 160.00
satin brass
SAF-SFSRK-SBR 133.33 160.00


H₂ECO®
6 l/m optional flow regulator included






V2
slide rail shower kit
with single function handset
rub-clean nozzles
644mm adjustable slider with twist control
704mm overall rail length
with 150cm hose
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
WG-V2KIT-C/P	183.33	220.00
H2ECO®		
FR-SHOWER/9-C/P	13.33	16.00



Venus
slide rail shower kit
with single function handset
rub-clean nozzles
520mm adjustable slider with twist control
680mm overall rail length
with 150cm hose and hose retainer
minimum operating pressure 0.2 bar LP


chrome	£ ex-vat	£ inc-vat
WG-VENUSKIT-C/P	150.00	180.00
H2ECO®		
FR-SHOWER/9-C/P	13.33	16.00



Atmosphere
slide rail shower kit
with single function air-injection handset
rub-clean nozzles
805mm adjustable slider with twist control
900mm overall rail length
with 150cm smooth hose
minimum operating pressure 0.2 bar LP




chrome	£ ex-vat	£ inc-vat
ATM-SFSRK/2-C/P	200.00	240.00
brushed black		
IND-SFSRK/RO-ATM-BLK	250.00	300.00
brushed gold		
IND-SFSRK/RO-ATM-BRG	250.00	300.00
brushed nickel		
IND-SFSRK/RO-ATM-BRN	250.00	300.00
brushed bronze		
IND-SFSRK/RO-ATM-BRZ	250.00	300.00
NEW brushed gunmetal		
IND-SFSRK/RO-ATM-BGM	250.00	300.00
H2ECO®		
FR-SHOWER/9-C/P	13.33	16.00



Eris
slide rail shower kit
with single function handset
rub-clean nozzles
566mm slide rail
700mm overall rail length
with 150cm hose and hose retainer
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
ERI-SFSRK-DB-C/P	66.67	80.00
H2ECO®		
FR-SHOWER/9-C/P	13.33	16.00


NEW



round 4 function push-button control handset
rub-clean nozzles
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
SAF-HANDSET-MF-CP	50.00	60.00
matt black		
SAF-HANDSET-MF-MB	54.17	65.00
pewter		
SAF-HANDSET-MF-PEW	54.17	65.00
satin brass		
SAF-HANDSET-MF-SBR	54.17	65.00

H2ECO®
6 l/m optional flow regulator included




Ora
round 3 function push-button control handset
rub-clean nozzles
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ORA-HANDSET-DB-RO-CP	54.17	65.00




Ora
square 3 function push-button control handset
rub-clean nozzles
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ORA-HANDSET-DB-SQ-CP	54.17	65.00




Nebula
round 3 function push-button control handset
rub-clean nozzles
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
NEB-HANDSET-RO-DB-CP	70.83	85.00
H2ECO®		
FR-SHOWER/9-C/P	13.33	16.00



Nebula
square 3 function push-button control handset
rub-clean nozzles
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
NEB-HANDSET-SQ-DB-CP	70.83	85.00
H2ECO®		
FR-SHOWER/9-C/P	13.33	16.00



Atmosphere
air-injection handset
5 function
rub-clean nozzles
minimum operating pressure 1.0 bar MP

chrome £ ex-vat £ inc-vat
ATM-HANDSET/MF-DB-CP 87.50 105.00


H₂ECO®
FR-SHOWER/9-C/P 13.33 16.00



Evolve
4 function handset
rub-clean nozzles
minimum operating pressure 0.2 bar LP

chrome £ ex-vat £ inc-vat
EVO-HANDSET/MF-DB-CP 45.83 55.00


H₂ECO®
FR-SHOWER/9-C/P 13.33 16.00



Eris
3 function handset
rub-clean nozzles
minimum operating pressure 0.2 bar LP

chrome £ ex-vat £ inc-vat
ERI-HANDSET/MF-DB-CP 37.50 45.00


H₂ECO®
FR-SHOWER/9-C/P 13.33 16.00



Aquablade
round single function handset
rub-clean nozzles
minimum operating pressure 0.2 bar LP

chrome £ ex-vat £ inc-vat
AQB-HANDSET/RO-DB-CP 87.50 105.00

H₂ECO®
9 l/m flow regulator fitted as standard




Aquablade
square single function handset
rub-clean nozzles
minimum operating pressure 0.2 bar LP

chrome £ ex-vat £ inc-vat
AQB-HANDSET/SQ-DB-CP 87.50 105.00

H₂ECO®
9 l/m flow regulator fitted as standard

NEW




round single function handset
rub-clean nozzles
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-HANDSET-SF-CP	33.33	40.00
matt black		
SAF-HANDSET-SF-MB	37.50	45.00
pewter		
SAF-HANDSET-SF-PEW	37.50	45.00
satin brass		
SAF-HANDSET-SF-SBR	37.50	45.00

H₂ECO®
6 l/m optional flow regulator included


NEW



single function handset
rub-clean nozzles
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-HANDSET-CP	41.67	50.00
matt black		
SAF-HANDSET-MB	45.83	55.00
pewter		
SAF-HANDSET-PEW	45.83	55.00
satin brass		
SAF-HANDSET-SBR	45.83	55.00


H₂ECO®
6 l/m optional flow regulator included



Atmosphere
air-injection handset
single function
rub-clean nozzles
minimum operating pressure 0.2 bar LP


chrome	£ ex-vat	£ inc-vat
ATM-HANDSET/SF-DB-CP	70.83	85.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00

 air injection
technology



V2
single function shower handset
rub-clean nozzles
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
WG-V2HANDSET-DB-C/P	54.17	65.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00






Eris
single function shower handset
rub-clean nozzles
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
ERI-HANDSET/SF-DB-CP	29.17	35.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00



available with round and square options




Capsule
single function shower handset
deck mounted
with flexible hose
deck mount drill hole diameter 32mm
capsule concealed box to eliminate water ingress
height adjustment (480 - 570mm)
escutcheon bath deck thickness (1 - 35mm)
fits bath cavities of 50mm wide
can be fitted in corner of bath*
minimum operating pressure 1.0 bar MP

for backflow prevention please fit with a double
check valve

chrome	£ ex-vat	£ inc-vat
round option ZOO-CAPSULE-C/P	312.50	375.00
square option NOT-CAPSULE-C/P	312.50	375.00
H₂ECO® FR-106/4-PLA	8.33	10.00

*please do not install under a direct flow of water




Zoo
single function shower handset
rub-clean nozzles
deck mounted
with hose and handset
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP

to change any deck mounted handset to sit at a
45° angle order product WG-ELBOW/45-C/P see
page 291 for full details

chrome	£ ex-vat	£ inc-vat
ZOO-DECKKIT-C/P	175.00	210.00
H₂ECO® FR-SHOWER/9-C/P	13.33	16.00

NEW




single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm smooth hose and bracket
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-SFMK-CP	83.33	100.00
matt black		
SAF-SFMK-MB	91.67	110.00
pewter		
SAF-SFMK-PEW	91.67	110.00
satin brass		
SAF-SFMK-SBR	91.67	110.00

H₂ECO®

6 l/m optional flow regulator included




Cameo
single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm smooth hose and bracket
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
CAM-SFMK-CP	83.33	100.00
matt black		
CAM-SFMK-MB	91.67	110.00
matt white		
CAM-SFMK-MW	91.67	110.00
satin brass		
CAM-SFMK-SBR	91.67	110.00

H₂ECO®

FR-FLEXI/9-PLA

8.33 10.00




Eris
single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm hose and adjustable bracket
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
ERI-SFMK-C/P	54.17	65.00

H₂ECO®

FR-SHOWER/9-C/P

13.33 16.00




Arrondi
single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm hose
and bracket with integrated outlet
1/2" inlet
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
ARR-SFMKW0-CP	229.17	275.00

H₂ECO®

FR-FLEXI/9-PLA

8.33 10.00



Omika
single function mini shower kit
wall mounted
with 150cm shower hose
and bracket with integrated outlet
1/2" inlet
min-max wall mount 0-11mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
OMI-SFMKW0/A-CP	229.17	275.00


polished black

IND-OMI/SFMKW0/A-PB	270.83	325.00
----------------------------	--------	--------

H₂ECO®


FR-FLEXI/8-PLA

8.33 10.00



Instinct
single function mini shower kit
wall mounted
with 150cm shower hose
and bracket with integrated outlet
1/2" inlet
min-max wall mount 0-11mm
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
INS-SFMKW0-C/P	158.33	190.00
H₂ECO®		
FR-FLEXI/8-PLA	8.33	10.00



Life
single function mini shower kit
wall mounted
with 150cm shower hose
and bracket with integrated outlet
1/2" inlet
min-max wall mount 0-11mm
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
LIF-SFMKW0-C/P	158.33	190.00
H₂ECO®		
FR-FLEXI/8-PLA	8.33	10.00


NEW



single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm smooth hose
and bracket with integrated outlet
optional wall shroud
1/2" male 51mm threaded inlet connection
minimum operating pressure 0.2 bar LP


chrome	£ ex-vat	£ inc-vat
SAF-SFMKW0-CP	116.67	140.00
matt black		
SAF-SFMKW0-MB	133.33	160.00
pewter		
SAF-SFMKW0-PEW	133.33	160.00
satin brass		
SAF-SFMKW0-SBR	133.33	160.00
H₂ECO®		
6 l/m optional flow regulator included		

NEW




single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm smooth hose
and bracket with integrated outlet
optional wall shroud
1/2" male 51mm threaded inlet connection
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
CAM-SFMKW0-CP	116.67	140.00
matt black		
CAM-SFMKW0-MB	133.33	160.00
pewter		
CAM-SFMKW0-MW	133.33	160.00
satin brass		
CAM-SFMKW0-SBR	133.33	160.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00




Aquablade
round single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm hose
and bracket with integrated outlet
1/2" inlet
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
AQB-SFMKW0/RO-C/P	158.33	190.00
H₂ECO®		
9 l/m flow regulator fitted as standard		




AquaBlade
square single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm hose
and bracket with integrated outlet
1/2" inlet
min-max wall mount 0-11mm
minimum operating pressure 1.0 bar MP

chrome
AQB-SFMKW0/SQ-C/P
£ ex-vat 158.33 £ inc-vat 190.00
H2ECO®
9 l/m flow regulator fitted as standard




single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm hose
and bracket with integrated outlet
1/2" inlet
minimum operating pressure 0.2 bar LP

brushed black
IND-SFMKW0/RO-BLK
£ ex-vat 175.00 £ inc-vat 210.00
brushed gold
IND-SFMKW0/RO-BRG
175.00 210.00
brushed nickel
IND-SFMKW0/RO-BRN
175.00 210.00
brushed bronze
IND-SFMKW0/RO-BRZ
175.00 210.00
NEW brushed gunmetal
IND-SFMKW0/RO-BGM
175.00 210.00
H2ECO®
FR-SHOWER/9-C/P
13.33 16.00




Mix²
single function mini shower kit
rub-clean nozzles
wall mounted
with 150cm hose
and bracket with integrated outlet
1/2" inlet
minimum operating pressure 1.0 bar MP

chrome
MIX-SFMKW0-C/P
£ ex-vat 141.67 £ inc-vat 170.00
H2ECO®
FR-SHOWER/9-C/P
13.33 16.00




single function mini shower kit
wall mounted
with 150cm hose
and bracket with integrated outlet
1/2" inlet
minimum operating pressure 0.2 bar LP

brushed black
IND-SFMKW0/SQ-BLK
£ ex-vat 175.00 £ inc-vat 210.00
brushed gold
IND-SFMKW0/SQ-BRG
175.00 210.00
brushed nickel
IND-SFMKW0/SQ-BRN
175.00 210.00
brushed bronze
IND-SFMKW0/SQ-BRZ
175.00 210.00
NEW brushed gunmetal
IND-SFMKW0/SQ-BGM
175.00 210.00




round single function shower head
rub-clean nozzles
with shower arm
wall mounted
250mm (10") diameter
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ARR-HEAD/SA-CP	333.33	400.00
H₂eCO®		
FR-SHOWER/9-PLA	8.33	10.00



Nebula
round single function shower head
rub-clean nozzles
with shower arm
wall mounted
300mm (12") diameter
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
NEB-RO/30-SA-CP	333.33	400.00
H₂eCO®		
FR-SHOWER/9-PLA	8.33	10.00




Nebula
round single function shower head
rub-clean nozzles
with shower arm
wall mounted
250mm (10") diameter
minimum operating pressure 1.0 Bar MP

chrome	£ ex-vat	£ inc-vat
NEB-RO/25-SA-CP	283.33	340.00
H₂eCO®		
FR-SHOWER/9-PLA	8.33	10.00




Nebula
round single function shower head
rub-clean nozzles
with shower arm
wall mounted
200mm (8") diameter
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
NEB-RO/20-SA-CP	233.33	280.00
H₂eCO®		
FR-SHOWER/9-PLA	8.33	10.00




Nebula
square single function shower head
rub-clean nozzles
with shower arm
wall mounted
300mm (12")
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
NEB-SQ/30-SA-CP	333.33	400.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00



Nebula
square single function shower head
rub-clean nozzles
with shower arm
wall mounted
200mm (8")
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
NEB-SQ/20-SA-CP	233.33	280.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00




Aquablade
round slimline single function shower head
rub-clean nozzles
with shower arm
wall mounted

300mm (12") diameter
minimum operating pressure 1.0 bar MP

200mm (8") diameter
minimum operating pressure 0.2 bar LP

chrome / stainless steel	£ ex-vat	£ inc-vat
AQB-RQ/30-SA-C/P	320.83	385.00
AQB-RQ/20-SA-C/P	237.50	285.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00




Aquablade
square slimline single function shower head
rub-clean nozzles
with shower arm
wall mounted

300mm (12")
minimum operating pressure 1.0 bar MP


200mm (8")
minimum operating pressure 0.2 bar LP

chrome / stainless steel	£ ex-vat	£ inc-vat
AQB-SQ/30-SA-A-C/P	320.83	385.00
AQB-SQ/20-SA-A-C/P	237.50	285.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00




Aquablade
oval slimline single function shower head
rub-clean nozzles
with shower arm
wall mounted
200mm x 300mm (8" x 12")
minimum operating pressure 1.0 bar MP

chrome / stainless steel	£ ex-vat	£ inc-vat
AQB-0V/30/SA-C/P	320.83	385.00
H₂eCO®		
FR-SHOWER/9-PLA	8.33	10.00




Aquablade
rectangular slimline single function shower head
rub-clean nozzles
with shower arm
wall mounted
200mm x 300mm (8" x 12")
minimum operating pressure 1.0 bar MP

chrome / stainless steel	£ ex-vat	£ inc-vat
AQB-20X30/SA-A-C/P	320.83	385.00
H₂eCO®		
FR-SHOWER/9-PLA	8.33	10.00



Atmosphere
round single function aerated shower head
rub-clean nozzles
with shower arm
wall mounted
200mm (8") diameter
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ATM-HEADR0/B/SA-C/P	241.67	290.00
H₂eCO®		
FR-SHOWER/9-PLA	8.33	10.00




Atmosphere
square single function aerated shower head
rub-clean nozzles
with shower arm
wall mounted
200mm (8")
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
ATM-HEADSQ/B/SA-A-CP	241.67	290.00
H₂eCO®		
FR-SHOWER/9-PLA	8.33	10.00




PRODUCT UPDATE




Saturn
round single function shower head
rub-clean nozzles
with shower arm
wall mounted
254mm (10") diameter
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
WG-SATURN3/SA-C/P	154.17	185.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00




Cameo
rectangular single function shower head
rub-clean nozzles
with shower arm
wall mounted
200mm x 300mm (8" x 12")
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
CAM-HEAD/SA-CP	150.00	180.00
matt black		
CAM-HEAD/SA-MB	166.67	200.00
matt white		
CAM-HEAD/SA-MW	166.67	200.00
satin brass		
CAM-HEAD/SA-SBR	166.67	200.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00




Aquablade
round slimline single function shower head
rub-clean nozzles
with shower arm
wall mounted
150mm (6") diameter
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
AQB-R0/15/SA-C/P	154.17	185.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00




single function fixed shower head
rub-clean nozzles
with shower arm
wall mounted
85mm (3") diameter
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
WG-SFKIT2-C/P	66.67	80.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00



5 function fixed shower head
rub-clean nozzles
with shower arm
wall mounted
102mm (4") diameter
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
WG-MFKIT2-C/P	83.33	100.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00



Nebula
round single function shower head
rub-clean nozzles
1/2" female inlet
300mm (12") diameter
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
NEB-RO/30-CP	262.50	315.00
brushed black		
IND-RO/30-BLK	325.00	390.00
brushed gold		
IND-RO/30-BRG	325.00	390.00
brushed nickel		
IND-RO/30-BRN	325.00	390.00
brushed bronze		
IND-RO/30-BRZ	325.00	390.00
NEW brushed gunmetal		
IND-RO/30-BGM	325.00	390.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00

NEW




Nebula
round single function shower head
rub-clean nozzles
1/2" female inlet
250mm (10") diameter
minimum operating pressure 1.0 Bar MP

chrome	£ ex-vat	£ inc-vat
NEB-RO/25-CP	208.33	250.00
brushed black		
IND-RO/25-BLK	262.50	315.00
brushed gold		
IND-RO/25-BRG	262.50	315.00
brushed nickel		
IND-RO/25-BRN	262.50	315.00
brushed bronze		
IND-RO/25-BRZ	262.50	315.00
brushed gunmetal		
IND-RO/25-BGM	262.50	315.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00




Nebula
round single function shower head
rub-clean nozzles
1/2" female inlet
200mm (8") diameter
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
NEB-RO/20-CP	158.33	190.00
brushed black		
IND-RO/20-BLK	195.83	235.00
brushed gold		
IND-RO/20-BRG	195.83	235.00
brushed nickel		
IND-RO/20-BRN	195.83	235.00
brushed bronze		
IND-RO/20-BRZ	195.83	235.00
NEW brushed gunmetal		
IND-RO/20-BGM	195.83	235.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00




Nebula
square single function shower head
rub-clean nozzles
1/2" female inlet
300mm (12")
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
NEB-SQ/30-CP	262.50	315.00
brushed black		
IND-SQ/30-BLK	325.00	390.00
brushed gold		
IND-SQ/30-BRG	325.00	390.00
brushed nickel		
IND-SQ/30-BRN	325.00	390.00
brushed bronze		
IND-SQ/30-BRZ	325.00	390.00
NEW brushed gunmetal		
IND-SQ/30-BGM	325.00	390.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00



Nebula
square single function shower head
rub-clean nozzles
1/2" female inlet
200mm (8")
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
NEB-SQ/20-CP	158.33	190.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00



Aquablade
square slimline single function shower head
rub-clean nozzles
1/2" female inlet


200mm (8")
minimum operating pressure 0.2 bar LP

300mm (12")
minimum operating pressure 1.0 bar MP

400mm (16")
minimum operating pressure 1.0 bar MP

500mm (20")
minimum operating pressure 1.0 bar MP

stainless steel / chrome	£ ex-vat	£ inc-vat
AQB-SQ/20-C/P	170.83	205.00
AQB-SQ/30-C/P	254.17	305.00
AQB-SQ/40-C/P	337.50	405.00
AQB-SQ/50-C/P	420.83	505.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00



Aquablade
round slimline single function shower head
rub-clean nozzles
1/2" female inlet



200mm (8") diameter
minimum operating pressure 0.2 bar LP

300mm (12") diameter
minimum operating pressure 1.0 bar MP

400mm (16") diameter
minimum operating pressure 1.0 bar MP


500mm (20") diameter
minimum operating pressure 1.0 bar MP

stainless steel / chrome	£ ex-vat	£ inc-vat
AQB-RO/20-C/P	170.83	205.00
AQB-RO/30-C/P	254.17	305.00
AQB-RO/40-C/P	337.50	405.00
AQB-RO/50-C/P	420.83	505.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00



Aquablade
oval slimline single function shower head
rub-clean nozzles
200mm x 300mm (8" x 12")
1/2" female inlet
minimum operating pressure 1.0 bar MP


stainless steel / chrome	£ ex-vat	£ inc-vat
AQB-0V/30-C/P	254.17	305.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00



Aquablade
rectangular slimline single function shower head
rub-clean nozzles
200mm x 300mm (8" x 12")
1/2" female inlet
minimum operating pressure 1.0 bar MP

stainless steel / chrome	£ ex-vat	£ inc-vat
AQB-20X30-C/P	254.17	305.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00

NEW




deep round single function shower head
rub-clean nozzles
1/2" female inlet
320mm (12.6") diameter
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-HEAD-320D-CP	100.00	120.00
matt black		
SAF-HEAD-320D-MB	108.33	130.00
pewter		
SAF-HEAD-320D-PEW	108.33	130.00
satin brass		
SAF-HEAD-320D-SBR	108.33	130.00

H₂ECO®
9 l/m optional flow regulator included

NEW




round single function shower head
rub-clean nozzles
1/2" female inlet
260mm (10") diameter
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
SAF-HEAD-260-CP	66.67	80.00
matt black		
SAF-HEAD-260-MB	75.00	90.00
pewter		
SAF-HEAD-260-PEW	75.00	90.00
satin brass		
SAF-HEAD-260-SBR	75.00	90.00


H₂ECO®
9 l/m optional flow regulator included

PRODUCT UPDATE




Saturn
round single function fixed shower head
rub-clean nozzles
254mm (10")
1/2" female inlet
minimum operating pressure 0.2 bar LP

chrome	£ ex-vat	£ inc-vat
WG-SATURN3-C/P	83.33	100.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00




Omika
rectangular single function shower head
rub-clean nozzles
200 x 300mm (8" x 12")
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
OMI-HEAD-C/P	279.17	335.00
polished black		
IND-OMI/HEAD-PB	370.83	445.00
H₂ECO®		
FR-SHOWER/9-PLA	8.33	10.00




Aquablade
rectangular shower head
rub-clean nozzles
wall mounted
2 functions: rain and water blade
min-max wall mount 48-68mm
optimum installation depth 58mm
minimum operating pressure 1.0 bar MP

stainless steel / chrome	£ ex-vat	£ inc-vat
AQB-WMSQ-C/P	579.17	695.00
H₂ECO®		
12 l/m flow regulator fitted as standard		



Omika
shower head
rub-clean nozzles
wall mounted
2 functions: rain and water blade
min-max wall mount 50-65mm
optimum installation depth 57mm
minimum operating pressure 1.0 bar MP



chrome	£ ex-vat	£ inc-vat
OMI-WMHEAD-C/P	1,250.00	1,500.00
H₂ECO®		
FR-106/9-PLA	8.33	10.00
(2 are required)		



Sky
square flush-fit single function shower head
rub-clean nozzles
ceiling mounted
350mm (14") diameter
minimum operating pressure 1.0 bar MP


chrome	£ ex-vat	£ inc-vat
SKY-SQ35-C/P	662.50	795.00
H₂ECO®		
FR-SHOWER/9-C/P	13.33	16.00

- Improved shower arm design makes fitting simpler and faster
- Head and arm can be fitted as a second fix item
- Two part system allows much greater fitting depth tolerance into the wall
- Minimalist design
- All brass construction




Elements
easy fit shower arm
wall mounted

chrome	£ ex-vat	£ inc-vat
WG-EFSA/RO-C/P	87.50	105.00
brushed black		
IND-EFSA/RO-BLK	108.33	130.00
brushed gold		
IND-EFSA/RO-BRG	108.33	130.00
brushed nickel		
IND-EFSA/RO-BRN	108.33	130.00
brushed bronze		
IND-EFSA/RO-BRZ	108.33	130.00
NEW brushed gunmetal		
IND-EFSA/RO-BGM	108.33	130.00




Mix²
easy fit shower arm
wall mounted

chrome	£ ex-vat	£ inc-vat
WG-EFSA/SQ-C/P	87.50	105.00
brushed black		
IND-EFSA/SQ-BLK	108.33	130.00
brushed gold		
IND-EFSA/SQ-BRG	108.33	130.00
brushed nickel		
IND-EFSA/SQ-BRN	108.33	130.00
brushed bronze		
IND-EFSA/SQ-BRZ	108.33	130.00
NEW brushed gunmetal		
IND-EFSA/SQ-BGM	108.33	130.00
polished black		
IND-EFSA/SQ-PB	108.33	130.00




Safari
easy fit shower arm
wall mounted

chrome	£ ex-vat	£ inc-vat
SAF-EFSA-CP	83.33	100.00
matt black		
SAF-EFSA-MB	91.67	110.00
pewter		
SAF-EFSA-PEW	91.67	110.00
satin brass		
SAF-EFSA-SBR	91.67	110.00



Elements
fixed head ceiling mounting arm
100mm (4")
1/2" x 70mm threaded inlet
1/2" threaded outlet

chrome	£ ex-vat	£ inc-vat
ELE-CMA/4IN-C/P	54.17	65.00
NEW matt black		
ELE-CMA/4IN-MB	58.33	70.00
NEW pewter		
ELE-CMA/4IN-PEW	58.33	70.00
NEW satin brass		
ELE-CMA/4IN-SBR	58.33	70.00
brushed black		
IND-CMA/RO/4IN-BLK	87.50	105.00
brushed gold		
IND-CMA/RO/4IN-BRG	87.50	105.00
brushed nickel		
IND-CMA/RO/4IN-BRN	87.50	105.00
brushed bronze		
IND-CMA/RO/4IN-BRZ	87.50	105.00
NEW brushed gunmetal		
IND-CMA/RO/4IN-BGM	87.50	105.00
polished black		
IND-CMA/RO/4IN-PB	87.50	105.00




Elements
fixed head ceiling mounting arm
150mm (6")
1/2" x 70mm threaded inlet
1/2" threaded outlet

chrome	£ ex-vat	£ inc-vat
ELE-CMA/6IN-C/P	62.50	75.00




Elements
fixed head ceiling mounting arm
300mm (12")
1/2" x 70mm threaded inlet
1/2" threaded outlet

chrome	£ ex-vat	£ inc-vat
ELE-CMA/12IN-C/P	79.17	95.00




Mix²
fixed head ceiling mounting arm
150mm (6")
1/2" x 63mm threaded inlet
1/2" threaded outlet

chrome	£ ex-vat	£ inc-vat
MIX-CMA/150-C/P	62.50	75.00




luxury brass shattaf handset
wall mounted
with 100cm hose and wall bracket
minimum operating pressure 0.2 LP

brushed black	£ ex-vat	£ inc-vat
IND-SHATTAF-BLK	154.17	185.00
brushed gold		
IND-SHATTAF-BRG	154.17	185.00
brushed nickel		
IND-SHATTAF-BRN	154.17	185.00
brushed bronze		
IND-SHATTAF-BRZ	154.17	185.00
NEW brushed gunmetal		
IND-SHATTAF-BGM	154.17	185.00




luxury brass shattaf handset
with 100cm hose and wall bracket
wall mounted
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
XSH-LUXSHATTAF100-CP	116.67	140.00



luxury shattaf kit
wall mounted
with concealed thermostatic mixing valve
and angle valve
with 100cm hose and wall bracket
mixing valve thermostatic cartridge V-001D-PLA
minimum operating pressure 0.2 LP


brushed black	£ ex-vat	£ inc-vat
IND-SHATTAF/163-BLK	354.17	425.00
brushed gold		
IND-SHATTAF/163-BRG	354.17	425.00
brushed nickel		
IND-SHATTAF/163-BRN	354.17	425.00
brushed bronze		
IND-SHATTAF/163-BRZ	354.17	425.00
NEW brushed gunmetal		
IND-SHATTAF/163-BGM	354.17	425.00



luxury shattaf kit
with concealed thermostatic mixing valve
and angle valve
with 150cm hose and wall bracket
wall mounted
mixing valve thermostatic cartridge V-001D-PLA
minimum operating pressure 1.0 bar MP

chrome	£ ex-vat	£ inc-vat
XSH-SHATTAF/163-C/P	283.33	340.00


NEW



slim slide rail
lever
no handset included (for use with Safari handsets)
adjustable slider with twist control
632mm overall rail length
1/2" male 51mm threaded inlet
with 150cm smooth hose
with integrated outlet

chrome	£ ex-vat	£ inc-vat
SAF-SRW01+SH-CP	133.33	160.00
matt black		
SAF-SRW01+SH-MB	145.83	175.00
pewter		
SAF-SRW01+SH-PEW	145.83	175.00
satin brass		
SAF-SRW01+SH-SBR	145.83	175.00


NEW



slim slide rail
leverless
no handset included (for use with Safari handsets)
adjustable slider with twist control
632mm overall rail length
1/2" male 51mm threaded inlet
with 150cm smooth hose
with integrated outlet

chrome	£ ex-vat	£ inc-vat
SAF-SRW02+SH-CP	133.33	160.00
matt black		
SAF-SRW02+SH-MB	145.83	175.00
pewter		
SAF-SRW02+SH-PEW	145.83	175.00
satin brass		
SAF-SRW02+SH-SBR	145.83	175.00


NEW



slim slide rail
lever
no handset included (for use with Safari handsets)
adjustable slider with twist control
600mm overall rail length
with 150cm smooth hose


chrome	£ ex-vat	£ inc-vat
SAF-SR1+SH-CP	116.67	140.00
matt black		
SAF-SR1+SH-MB	129.17	155.00
pewter		
SAF-SR1+SH-PEW	129.17	155.00
satin brass		
SAF-SR1+SH-SBR	129.17	155.00

NEW




slim slide rail
leverless
no handset included (for use with Safari handsets)
adjustable slider with twist control
600mm overall rail length
with 150cm smooth hose

chrome	£ ex-vat	£ inc-vat
SAF-SR2+SH-CP	116.67	140.00
matt black		
SAF-SR2+SH-MB	129.17	155.00
pewter		
SAF-SR2+SH-PEW	129.17	155.00
satin brass		
SAF-SR2+SH-SBR	129.17	155.00



Elements
contemporary slide rail
805mm adjustable slider with twist control
900mm overall rail length

chrome
ELE-SR/900-C/P £ ex-vat 125.00 £ inc-vat 150.00



Space
contemporary slide rail kit
150cm shower hose and hose retainer
546mm adjustable slider with twist control
680mm overall rail length

chrome
WG-SPACE/RK-DB-C/P £ ex-vat 104.17 £ inc-vat 125.00



smoothflex
anti-twist silver hose
1/2" x 1/2" conical connection
150cm

silver
ZOO-HOSE/AT-DB-SIL £ ex-vat 37.50 £ inc-vat 45.00



chrome plated brass
standard bore shower hose
1/2" x 1/2" conical connection

120cm

chrome
SH-012-120-DB-C/P £ ex-vat 29.17 £ inc-vat 35.00

150cm

SH-012-150-DB-C/P £ ex-vat 33.33 £ inc-vat 40.00


200cm

SH-012-200-DB-C/P £ ex-vat 37.50 £ inc-vat 45.00




chrome plated brass
large bore shower hose
1/2" x 1/2" conical connection
150cm

chrome
SH-013-150-DB-CP-LB £ ex-vat 37.50 £ inc-vat 45.00




Instinct
wall outlet
1/2" threaded inlet
1/2" threaded outlet

chrome	£ ex-vat	£ inc-vat
INS-OUTLET-C/P	54.17	65.00
brushed black		
IND-OUTLET/SQ-BLK	66.67	80.00
brushed gold		
IND-OUTLET/SQ-BRG	66.67	80.00
brushed nickel		
IND-OUTLET/SQ-BRN	66.67	80.00
brushed bronze		
IND-OUTLET/SQ-BRZ	66.67	80.00
NEW brushed gunmetal		
IND-OUTLET/SQ-BGM	66.67	80.00



Life
wall outlet
1/2" threaded inlet
1/2" threaded outlet


chrome	£ ex-vat	£ inc-vat
LIF-OUTLET-C/P	54.17	65.00



Elements
wall outlet
1/2" threaded inlet
1/2" threaded outlet

chrome	£ ex-vat	£ inc-vat
ELE-OUTLET2-CP	54.17	65.00
brushed black		
IND-OUTLET/R02-BLK	66.67	80.00
brushed gold		
IND-OUTLET/R02-BRG	66.67	80.00
brushed nickel		
IND-OUTLET/R02-BRN	66.67	80.00
brushed bronze		
IND-OUTLET/R02-BRZ	66.67	80.00
NEW brushed gunmetal		
IND-OUTLET/R02-BGM	66.67	80.00


NEW



wall outlet
1/2" threaded inlet
1/2" threaded outlet


chrome	£ ex-vat	£ inc-vat
SAF-OUTLET-CP	50.00	60.00
matt black		
SAF-OUTLET-MB	54.17	65.00
pewter		
SAF-OUTLET-PEW	54.17	65.00
satin brass		
SAF-OUTLET-SBR	54.17	65.00

NEW




Cameo
wall outlet
1/2" threaded inlet
1/2" threaded outlet

chrome	£ ex-vat	£ inc-vat
CAM-OUTLET-CP	58.33	70.00
matt black		
CAM-OUTLET-MB	62.50	75.00
matt white		
CAM-OUTLET-MW	62.50	75.00
satin brass		
CAM-OUTLET-SBR	62.50	75.00




Mix²
integrated outlet
and shower bracket
wall mounted
1/2" threaded inlet
1/2" threaded outlet

chrome	£ ex-vat	£ inc-vat
MIX-WE02-CP	70.83	85.00




Elements
integrated outlet
and shower bracket
wall mounted
1/2" threaded inlet
1/2" threaded outlet

chrome	£ ex-vat	£ inc-vat
ELE-OUTLETBRACK3-CP	70.83	85.00




adjustable shower bracket
wall mounted

chrome	£ ex-vat	£ inc-vat
SH-711-BRACKET-C/P	29.17	35.00




bath shower mixer extension elbow
for use with bath shower mixer
to extend the distance between
hose connection and bath tub
in case of protruding pop-up waste

chrome	£ ex-vat	£ inc-vat
WG-130ELBOW-C/P	20.83	25.00




elbow
to suit deck mounted
pull-up handsets
deck mounted


chrome	£ ex-vat	£ inc-vat
WG-ELBOW/45-C/P	20.83	25.00

KNURLED
ACCENTSknurled paper holder
wall mounted

chrome	£ ex-vat	£ inc-vat
SPA-180-CPK	54.17	65.00
brushed black		
IND-SPA180-BLKK	66.67	80.00
brushed gold		
IND-SPA180-BRGK	66.67	80.00
brushed nickel		
IND-SPA180-BRNK	66.67	80.00
brushed bronze		
IND-SPA180-BRZK	66.67	80.00
NEW brushed gunmetal		
IND-SPA180-BGMK	66.67	80.00

knurled robe hook
wall mounted

chrome	£ ex-vat	£ inc-vat
SPA-186-CPK	37.50	45.00
brushed black		
IND-SPA186-BLKK	45.83	55.00
brushed gold		
IND-SPA186-BRGK	45.83	55.00
brushed nickel		
IND-SPA186-BRNK	45.83	55.00
brushed bronze		
IND-SPA186-BRZK	45.83	55.00
NEW brushed gunmetal		
IND-SPA186-BGMK	45.83	55.00

knurled towel rail
wall mounted
450mm (18")


chrome	£ ex-vat	£ inc-vat
SPA-184-45-CPK	70.83	85.00
brushed black		
IND-SPA184-45-BLKK	87.50	105.00
brushed gold		
IND-SPA184-45-BRGK	87.50	105.00
brushed nickel		
IND-SPA184-45-BRNK	87.50	105.00
brushed bronze		
IND-SPA184-45-BRZK	87.50	105.00
NEW brushed gunmetal		
IND-SPA184-45-BGMK	87.50	105.00

OMIKA
DESIGNED BY

John




OMIKA




closed paper holder
wall mounted

chrome	£ ex-vat	£ inc-vat
OMI-180-C/P	104.17	125.00
polished black		
IND-OMI180-PB	133.33	160.00





shelf with geometric insert
wall mounted
100mm (4")

chrome	£ ex-vat	£ inc-vat
OMI-185-10-C/P	104.17	125.00




shelf with geometric insert
wall mounted
200mm (8")

chrome	£ ex-vat	£ inc-vat
OMI-185-20-C/P	191.67	230.00
polished black		
IND-OMI185-20-PB	241.67	290.00




shelf with geometric insert
wall mounted
500mm (20")

chrome	£ ex-vat	£ inc-vat
OMI-185-50-C/P	333.33	400.00
polished black		
IND-OMI185-50-PB	412.50	495.00




robe hook
wall mounted

chrome	£ ex-vat	£ inc-vat
SHA-186-C/P	54.17	65.00
polished black		
IND-SHA186-PB	62.50	75.00





towel bar
wall mounted

chrome	£ ex-vat	£ inc-vat
OMI-181-C/P	104.17	125.00
polished black		
IND-OMI181-PB	133.33	160.00




towel rail
wall mounted
450mm (18")

chrome	£ ex-vat	£ inc-vat
OMI-184-45-C/P	175.00	210.00
polished black		
IND-OMI184-45-PB	216.67	260.00




towel rail
wall mounted
600mm (24")

chrome	£ ex-vat	£ inc-vat
OMI-184-60-C/P	229.17	275.00




paper holder
wall mounted

chrome	£ ex-vat	£ inc-vat
SPA-180-C/P	54.17	65.00
brushed black		
IND-SPA180-BLK	66.67	80.00
brushed gold		
IND-SPA180-BRG	66.67	80.00
brushed nickel		
IND-SPA180-BRN	66.67	80.00
brushed bronze		
IND-SPA180-BRZ	66.67	80.00
NEW brushed gunmetal		
IND-SPA180-BGM	66.67	80.00




frosted glass soap dish and holder
wall mounted

chrome	£ ex-vat	£ inc-vat
SPA-182-C/P	54.17	65.00
replacement frosted glass soap dish:		
ELE-182-GLS		




frosted glass tumbler and holder
wall mounted

chrome	£ ex-vat	£ inc-vat
SPA-183-C/P	54.17	65.00
replacement frosted glass tumbler:		
ELE-TUMBLER-GLS		




toilet brush
and polished stainless steel holder
wall mounted

	£ ex-vat	£ inc-vat
stainless steel INF-188-C/P	87.50	105.00




robe hook
wall mounted

	£ ex-vat	£ inc-vat
chrome SPA-186-C/P	37.50	45.00
brushed black IND-SPA186-BLK	45.83	55.00
brushed gold IND-SPA186-BRG	45.83	55.00
brushed nickel IND-SPA186-BRN	45.83	55.00
brushed bronze IND-SPA186-BRZ	45.83	55.00
NEW brushed gunmetal IND-SPA186-BGM	45.83	55.00




angled grab rail with basket
wall mounted
456mm (18")

	£ ex-vat	£ inc-vat
chrome SPA-1802-C/P	141.67	170.00




grab or towel rail
wall mounted
300mm (12")

	£ ex-vat	£ inc-vat
chrome SPA-1801-30-C/P	70.83	85.00
brushed black IND-SPA1801-30-BLK	87.50	105.00
brushed gold IND-SPA1801-30-BRG	87.50	105.00
brushed nickel IND-SPA1801-30-BRN	87.50	105.00
brushed bronze IND-SPA1801-30-BRZ	87.50	105.00
NEW brushed gunmetal IND-SPA1801-30-BGM	87.50	105.00




grab or towel rail
wall mounted
450mm (18")

chrome	£ ex-vat	£ inc-vat
SPA-1801-45-C/P	79.17	95.00




towel rail
wall mounted
450mm (18")

chrome	£ ex-vat	£ inc-vat
SPA-184-45-C/P	70.83	85.00
brushed black		
IND-SPA184-45-BLK	87.50	105.00
brushed gold		
IND-SPA184-45-BRG	87.50	105.00
brushed nickel		
IND-SPA184-45-BRN	87.50	105.00
brushed bronze		
IND-SPA184-45-BRZ	87.50	105.00
NEW brushed gunmetal		
IND-SPA184-45-BGM	87.50	105.00




towel rail
wall mounted
600mm (24")

chrome	£ ex-vat	£ inc-vat
SPA-184-C/P	79.17	95.00



towel shelf with towel rail
wall mounted
600mm (24")


chrome	£ ex-vat	£ inc-vat
SPA-185B-C/P	229.17	275.00
brushed black		
IND-SPA185B-BLK	270.83	325.00
brushed gold		
IND-SPA185B-BRG	270.83	325.00
brushed nickel		
IND-SPA185B-BRN	270.83	325.00
brushed bronze		
IND-SPA185B-BRZ	270.83	325.00
NEW brushed gunmetal		
IND-SPA185B-BGM	270.83	325.00



paper holder
wall mounted

chrome
ELE-180-C/P


£ ex-vat £ inc-vat
54.17 65.00



covered paper holder
wall mounted

chrome
ELE-180A-C/P

£ ex-vat £ inc-vat
62.50 75.00




frosted glass soap dish and holder
wall mounted

chrome
ELE-182-C/P

£ ex-vat £ inc-vat
54.17 65.00


replacement frosted glass soap dish
ELE-182-GLS



frosted glass tumbler and holder
wall mounted


chrome
ELE-183-C/P £ ex-vat 54.17 £ inc-vat 65.00

replacement frosted glass tumbler
ELE-TUMBLER-GLS




robe hook
wall mounted

chrome
ELE-186-C/P £ ex-vat 37.50 £ inc-vat 45.00




towel ring
wall mounted

chrome
ELE-181-C/P £ ex-vat 62.50 £ inc-vat 75.00



soap dispenser
wall mounted


chrome
ELE-182B-C/P £ ex-vat 79.17 £ inc-vat 95.00



toilet brush and frosted glass holder
wall mounted

chrome
ELE-188-C/P £ ex-vat 104.17 £ inc-vat 125.00

replacement brush
ELE-188-BRUSH



spare paper holder
wall mounted

chrome
ELE-180S-C/P


£ ex-vat £ inc-vat
62.50 75.00



frosted glass shelf
wall mounted
chrome brackets
558mm (22")

chrome
ELE-185-C/P



£ ex-vat £ inc-vat
70.83 85.00



towel rail
wall mounted
450mm (18")

chrome
ELE-184-45-C/P



£ ex-vat £ inc-vat
70.83 85.00



towel rail
wall mounted
695mm (27")

chrome
ELE-184-C/P

£ ex-vat £ inc-vat
79.17 95.00








soap holder
wall mounted


chrome
ELE-182A-C/P

£ ex-vat £ inc-vat
62.50 75.00



LIFE


 	paper holder wall mounted	chrome LIF-180-C/P £ ex-vat £ inc-vat 54.17 65.00
 	frosted glass soap dish and holder wall mounted	chrome LIF-182-C/P £ ex-vat £ inc-vat 54.17 65.00 replacement frosted glass soap dish ATO-SOAPDISH-GLS
 	frosted glass tumbler and holder wall mounted	chrome LIF-183-C/P £ ex-vat £ inc-vat 54.17 65.00 replacement frosted glass tumbler ATO-TUMBLER-GLS
 	robe hook wall mounted	chrome LIF-186-C/P £ ex-vat £ inc-vat 37.50 45.00
 	towel ring wall mounted	chrome LIF-181-C/P £ ex-vat £ inc-vat 79.17 95.00



soap dispenser
wall mounted

chrome
ELF-182B-C/P

£ ex-vat £ inc-vat
79.17 95.00




toilet brush and frosted glass holder
wall mounted

chrome
LIF-188-C/P

£ ex-vat £ inc-vat
104.17 125.00


replacement brush
LIF-188/H+B-C/P



towel rail
wall mounted
450mm (18")

chrome
LIF-184-45-C/P


£ ex-vat £ inc-vat
70.83 85.00



towel rail
wall mounted
655mm (26")

chrome
LIF-184-C/P

£ ex-vat £ inc-vat
79.17 95.00



frosted glass shelf
wall mounted
chrome brackets
530mm (21")


chrome
LIF-185-C/P

£ ex-vat £ inc-vat
70.83 85.00




SHAMA

paper holder
wall mounted




chrome	£ ex-vat	£ inc-vat
SHA-180-C/P	70.83	85.00
brushed black		
IND-SHA180-BLK	83.33	100.00
brushed gold		
IND-SHA180-BRG	83.33	100.00
brushed nickel		
IND-SHA180-BRN	83.33	100.00
brushed bronze		
IND-SHA180-BRZ	83.33	100.00
NEW brushed gunmetal		
IND-SHA180-BGM	83.33	100.00

frosted glass soap dish and holder
wall mounted




chrome	£ ex-vat	£ inc-vat
SHA-182-C/P	70.83	85.00
replacement frosted glass soap dish		
SHA-SOAPDISH-GLS		



frosted glass tumbler and holder
wall mounted


chrome	£ ex-vat	£ inc-vat
SHA-183-C/P	70.83	85.00

replacement frosted glass tumbler
SHA-TUMBLER-GLS




double towel rail
wall mounted
350mm (14")

chrome	£ ex-vat	£ inc-vat
SHA-184B-C/P	104.17	125.00





soap dispenser
wall mounted

chrome	£ ex-vat	£ inc-vat
LEV-182B-C/P	104.17	125.00




robe hook
wall mounted

chrome	£ ex-vat	£ inc-vat
SHA-186-C/P	54.17	65.00
brushed black		
IND-SHA186-BLK	62.50	75.00
brushed gold		
IND-SHA186-BRG	62.50	75.00
brushed nickel		
IND-SHA186-BRN	62.50	75.00
brushed bronze		
IND-SHA186-BRZ	62.50	75.00
NEW brushed gunmetal		
IND-SHA186-BGM	62.50	75.00
polished black		
IND-SHA186-PB	62.50	75.00





towel bar
wall mounted

brushed black	£ ex-vat	£ inc-vat
IND-SHA181-BLK	104.17	125.00
brushed gold		
IND-SHA181-BRG	104.17	125.00
brushed nickel		
IND-SHA181-BRN	104.17	125.00
brushed bronze		
IND-SHA181-BRZ	104.17	125.00




towel rail
wall mounted
450mm (18")

chrome	£ ex-vat	£ inc-vat
SHA-184-45-C/P	125.00	150.00
brushed black		
IND-SHA184-45-BLK	145.83	175.00
brushed gold		
IND-SHA184-45-BRG	145.83	175.00
brushed nickel		
IND-SHA184-45-BRN	145.83	175.00
brushed bronze		
IND-SHA184-45-BRZ	145.83	175.00
NEW brushed gunmetal		
IND-SHA184-45-BGM	145.83	175.00



towel rail
wall mounted
640mm (25")

chrome	£ ex-vat	£ inc-vat
SHA-184-C/P	141.67	170.00




toilet brush and frosted glass holder
wall mounted

chrome	£ ex-vat	£ inc-vat
SHA-188-C/P	141.67	170.00
replacement brush		
SQU-188-BRUSH		



ZOO


NEW



paper holder
wall mounted

chrome	£ ex-vat	£ inc-vat
ZOO-180-CP	29.17	35.00
matt black		
ZOO-180-MB	33.33	40.00
pewter		
ZOO-180-PEW	33.33	40.00
satin brass		
ZOO-180-SBR	33.33	40.00


NEW



280mm towel bar
wall mounted

chrome	£ ex-vat	£ inc-vat
ZOO-181-CP	41.67	50.00
matt black		
ZOO-181-MB	45.83	55.00
pewter		
ZOO-181-PEW	45.83	55.00
satin brass		
ZOO-181-SBR	45.83	55.00


NEW



450mm towel rail
wall mounted

chrome	£ ex-vat	£ inc-vat
ZOO-184-45-CP	45.83	55.00
matt black		
ZOO-184-45-MB	50.00	60.00
pewter		
ZOO-184-45-PEW	50.00	60.00
satin brass		
ZOO-184-45-SBR	50.00	60.00


NEW



600mm towel rail
wall mounted

chrome	£ ex-vat	£ inc-vat
ZOO-184-60-CP	50.00	60.00
matt black		
ZOO-184-60-MB	54.17	65.00
pewter		
ZOO-184-60-PEW	54.17	65.00
satin brass		
ZOO-184-60-SBR	54.17	65.00

NEW



600mm double towel rail
wall mounted

chrome	£ ex-vat	£ inc-vat
Z00-184B-60-CP	62.50	75.00
matt black		
Z00-184B-60-MB	66.67	80.00
pewter		
Z00-184B-60-PEW	66.67	80.00
satin brass		
Z00-184B-60-SBR	66.67	80.00


NEW



460mm metal shelf
wall mounted

chrome	£ ex-vat	£ inc-vat
Z00-185-CP	70.83	85.00
matt black		
Z00-185-MB	75.00	90.00
pewter		
Z00-185-PEW	75.00	90.00
satin brass		
Z00-185-SBR	75.00	90.00


NEW



robe hook
wall mounted

chrome	£ ex-vat	£ inc-vat
Z00-186-CP	20.83	25.00
matt black		
Z00-186-MB	25.00	30.00
pewter		
Z00-186-PEW	25.00	30.00
satin brass		
Z00-186-SBR	25.00	30.00

NEW




soap dispenser
wall mounted

chrome	£ ex-vat	£ inc-vat
Z00-182B-CP	75.00	90.00
matt black		
Z00-182B-MB	83.33	100.00
pewter		
Z00-182B-PEW	83.33	100.00
satin brass		
Z00-182B-SBR	83.33	100.00




MUSE




closed paper holder
with black glass shelf
wall mounted

black glass / chrome	£ ex-vat	£ inc-vat
MUS-180-BLK-CP	58.33	70.00
black glass / matt black		
MUS-180-BLK-MB	66.67	80.00
black glass / satin brass		
MUS-180-BLK-SBR	66.67	80.00




closed paper holder
with white glass shelf
wall mounted

white glass / chrome	£ ex-vat	£ inc-vat
MUS-180-WHT-CP	58.33	70.00
white glass / matt white		
MUS-180-WHT-MW	66.67	80.00
white glass / satin brass		
MUS-180-WHT-SBR	66.67	80.00




robe hook
wall mounted

chrome	£ ex-vat	£ inc-vat
MUS-186-CP	33.33	40.00
matt black		
MUS-186-MB	37.50	45.00
matt white		
MUS-186-MW	37.50	45.00
satin brass		
MUS-186-SBR	37.50	45.00




450mm towel bar or shelf frame
wall mounted

chrome	£ ex-vat	£ inc-vat
MUS-184-45-CP	104.17	125.00
matt black		
MUS-184-45-MB	116.67	140.00
matt white		
MUS-184-45-MW	116.67	140.00
satin brass		
MUS-184-45-SBR	116.67	140.00




600mm towel bar or shelf frame
wall mounted

chrome	£ ex-vat	£ inc-vat
MUS-184-60-CP	125.00	150.00
matt black		
MUS-184-60-MB	137.50	165.00
matt white		
MUS-184-60-MW	137.50	165.00
satin brass		
MUS-184-60-SBR	137.50	165.00




150mm glass shelf insert
(for use with MUS-184-45 / MUS-184-60)

	£ ex-vat	£ inc-vat
black glass MUS-085-15-BLK	25.00	30.00
white glass MUS-085-15-WHT	25.00	30.00




300mm glass shelf insert
(for use with MUS-184-45 / MUS-184-60)

	£ ex-vat	£ inc-vat
black glass MUS-085-30-BLK	41.67	50.00
white glass MUS-085-30-WHT	41.67	50.00




frosted glass tumbler with 150mm glass insert
(for use with MUS-184-45 / MUS-184-60)

	£ ex-vat	£ inc-vat
black glass MUS-083-BLK	41.67	50.00
white glass MUS-083-WHT	41.67	50.00



frosted glass with brass soap dispenser
with 150mm black glass insert
(for use with MUS-184-45 / MUS-184-60)


	£ ex-vat	£ inc-vat
black glass / chrome MUS-082B-BLK-CP	58.33	70.00
black glass / matt black MUS-082B-BLK-MB	66.67	80.00
black glass / satin brass MUS-082B-BLK-SBR	66.67	80.00



frosted glass with brass soap dispenser
with 150mm white glass insert
(for use with MUS-184-45 / MUS-184-60)

	£ ex-vat	£ inc-vat
white glass / chrome MUS-082B-WHT-CP	58.33	70.00
white glass / matt white MUS-082B-WHT-MW	66.67	80.00
white glass / satin brass MUS-082B-WHT-SBR	66.67	80.00


NEW



Muse
recessed wall niche
323mm x 323mm

stainless steel	£ ex-vat	£ inc-vat
MUS-18502-3-SS	116.67	140.00
matt black		
MUS-18502-3-MB	133.33	160.00
matt white		
MUS-18502-3-MW	133.33	160.00
pewter		
MUS-18502-3-PEW	133.33	160.00
satin brass		
MUS-18502-3-SBR	133.33	160.00


NEW



Muse
recessed wall niche
623mm x 323mm

stainless steel	£ ex-vat	£ inc-vat
MUS-18502-6-SS	166.67	200.00
matt black		
MUS-18502-6-MB	183.33	220.00
matt white		
MUS-18502-6-MW	183.33	220.00
pewter		
MUS-18502-6-PEW	183.33	220.00
satin brass		
MUS-18502-6-SBR	183.33	220.00

NEW






Muse
recessed wall niche
923mm x 323mm



stainless steel	£ ex-vat	£ inc-vat
MUS-18502-9-SS	216.67	260.00
matt black		
MUS-18502-9-MB	233.33	280.00
matt white		
MUS-18502-9-MW	233.33	280.00
pewter		
MUS-18502-9-PEW	233.33	280.00
satin brass		
MUS-18502-9-SBR	233.33	280.00





PHASE

		paper holder wall mounted	chrome	£ ex-vat	£ inc-vat
			PHA-180-C/P	54.17	65.00

		frosted glass soap dish and holder wall mounted	chrome	£ ex-vat	£ inc-vat
			PHA-182-C/P	54.17	65.00

		frosted glass tumbler and holder wall mounted	chrome	£ ex-vat	£ inc-vat
			PHA-183-C/P	54.17	65.00



		towel ring wall mounted	chrome	£ ex-vat	£ inc-vat
			PHA-181-C/P	62.50	75.00



towel rail
wall mounted
450mm (18")

chrome
PHA-184-45-C/P



£ ex-vat £ inc-vat
70.83 85.00



towel rail
wall mounted
600mm (24")

chrome
PHA-184-C/P


£ ex-vat £ inc-vat
79.17 95.00



robe hook
wall mounted

chrome
PHA-186-C/P


£ ex-vat £ inc-vat
37.50 45.00



frosted glass shelf
wall mounted
558mm (22")

chrome
PHA-185-C/P

£ ex-vat £ inc-vat
70.83 85.00




toilet brush and frosted glass holder
wall mounted

chrome
PHA-188-C/P

£ ex-vat £ inc-vat
104.17 125.00




PHOTON



paper holder
wall mounted

chrome
PHO-180-C/P


£ ex-vat £ inc-vat
54.17 65.00



covered paper holder
wall mounted

chrome
PHO-180A-C/P


£ ex-vat £ inc-vat
62.50 75.00



paper holder
wall mounted

chrome
INF-180-C/P


£ ex-vat £ inc-vat
70.83 85.00



spare paper holder
wall mounted

chrome
PHO-180S-C/P



£ ex-vat £ inc-vat
54.17 65.00



small towel bar
wall mounted

chrome
PHO-181-C/P


£ ex-vat £ inc-vat
62.50 75.00



frosted glass soap dish and holder
wall mounted

chrome
PHO-182-C/P £ ex-vat 54.17 £ inc-vat 65.00


replacement frosted glass soap dish:
ELE-182-GLS



frosted glass tumbler and holder
wall mounted


chrome
PHO-183-C/P £ ex-vat 54.17 £ inc-vat 65.00

replacement frosted glass tumbler:
ELE-TUMBLER-GLS




soap holder
wall mounted

	£ ex-vat	£ inc-vat
chrome PHO-182A-C/P	87.50	105.00
brushed black IND-PHO182A-BLK	108.33	130.00
brushed gold IND-PHO182A-BRG	108.33	130.00
brushed nickel IND-PHO182A-BRN	108.33	130.00
brushed bronze IND-PHO182A-BRZ	108.33	130.00
NEW brushed gunmetal IND-PHO182A-BGM	108.33	130.00




shelf
wall mounted
380mm (15")

	£ ex-vat	£ inc-vat
chrome PHO-185A-CP	125.00	150.00
brushed black IND-PHO185A-BLK	154.17	185.00
brushed gold IND-PHO185A-BRG	154.17	185.00
brushed nickel IND-PHO185A-BRN	154.17	185.00
brushed bronze IND-PHO185A-BRZ	154.17	185.00
NEW brushed gunmetal IND-PHO185A-BGM	154.17	185.00




towel rail
wall mounted
450mm (18")

chrome	£ ex-vat	£ inc-vat
PHO-184-45-C/P	70.83	85.00




towel rail
wall mounted
600mm (24")

chrome	£ ex-vat	£ inc-vat
PHO-184-C/P	79.17	95.00





robe hook
wall mounted

chrome	£ ex-vat	£ inc-vat
PHO-186-C/P	37.50	45.00



clear glass shelf
wall mounted
573mm (23")

chrome	£ ex-vat	£ inc-vat
PHO-185-C/P	125.00	150.00




toilet brush and frosted glass holder
wall mounted

chrome	£ ex-vat	£ inc-vat
PHO-188-C/P	104.17	125.00




LEVEL




paper holder
wall mounted

chrome
LEV-180-C/P £ ex-vat £ inc-vat
54.17 65.00



spare paper holder
wall mounted


chrome
LEV-180S-C/P £ ex-vat £ inc-vat
54.17 65.00



frosted glass soap dish and holder
wall mounted

chrome
LEV-182-C/P £ ex-vat £ inc-vat
54.17 65.00


replacement frosted glass soap dish
LEV-SOAPDISH-GLS



frosted glass tumbler and holder
wall mounted


chrome
LEV-183-C/P £ ex-vat 54.17 £ inc-vat 65.00

replacement frosted glass tumbler
LEV-TUMBLER-GLS




robe hook
wall mounted

chrome
LEV-186-C/P £ ex-vat 37.50 £ inc-vat 45.00





towel ring
wall mounted

chrome
LEV-181-C/P £ ex-vat 62.50 £ inc-vat 75.00




soap dispenser
wall mounted

chrome
LEV-182B-C/P £ ex-vat 104.17 £ inc-vat 125.00




towel shelf with towel rail
wall mounted
550mm (22")

chrome
LEV-185B-C/P £ ex-vat 229.17 £ inc-vat 275.00




frosted glass shelf
wall mounted
chrome brackets
530mm (21")

chrome	£ ex-vat	£ inc-vat
LEV-185-C/P	70.83	85.00




towel rail
wall mounted
450mm (18")

chrome	£ ex-vat	£ inc-vat
LEV-184-45-C/P	70.83	85.00




towel rail
wall mounted
650mm (26")

chrome	£ ex-vat	£ inc-vat
LEV-184-C/P	79.17	95.00




toilet brush and frosted glass holder
wall mounted

chrome	£ ex-vat	£ inc-vat
LEV-188-C/P	104.17	125.00
replacement brush SQU-188-BRUSH		




BASKETS

corner shelf
wall mounted





	£ ex-vat	£ inc-vat
chrome SHF-18501-CP	54.17	65.00
brushed black IND-18501-BLK	66.67	80.00
brushed gold IND-18501-BRG	66.67	80.00
brushed nickel IND-18501-BRN	66.67	80.00
brushed bronze IND-18501-BRZ	66.67	80.00
NEW brushed gunmetal IND-18501-BGM	66.67	80.00

removable triangular corner basket
wall mounted




	£ ex-vat	£ inc-vat
chrome BAS-2000-C/P	104.17	125.00



medium triangular corner basket
wall mounted

chrome
BAS-2015M-C/P


£ ex-vat £ inc-vat
54.17 65.00



large triangular corner basket
wall mounted

chrome
BAS-2015L-C/P


£ ex-vat £ inc-vat
70.83 85.00



large triangular corner basket
wall mounted

chrome
BAS-2012-C/P


£ ex-vat £ inc-vat
87.50 105.00



corner basket with hook
wall mounted

chrome
BAS-2014-C/P


£ ex-vat £ inc-vat
95.83 115.00



small rectangular basket
wall mounted



chrome
BAS-2001-C/P

£ ex-vat £ inc-vat
45.83 55.00




medium rectangular basket
wall mounted

chrome	£ ex-vat	£ inc-vat
BAS-2002-C/P	54.17	65.00




medium rectangular basket
wall mounted

chrome	£ ex-vat	£ inc-vat
BAS-2016M-C/P	70.83	85.00




large rectangular basket
wall mounted

chrome	£ ex-vat	£ inc-vat
BAS-2016L-C/P	79.17	95.00



large double triangular corner basket
wall mounted

chrome	£ ex-vat	£ inc-vat
BAS-2013-C/P	104.17	125.00



large double triangular corner basket
with integral hook
wall mounted


chrome	£ ex-vat	£ inc-vat
BAS-2004-C/P	141.67	170.00



MIRRORS & LIGHTING


ACCESSORIES

MIRRORS & LIGHTING




500mm round illuminated mirror
separate power / demister controls
adjustable light intensity and colour from bright to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted

satin chrome	£ ex-vat	£ inc-vat
CAM-M51-R0-SC	250.00	300.00
matt black		
CAM-M51-R0-MB	250.00	300.00
matt white		
CAM-M51-R0-MW	250.00	300.00
NEW pewter		
CAM-M51-R0-PEW	250.00	300.00
satin brass		
CAM-M51-R0-SBR	250.00	300.00




600mm round illuminated mirror
separate power / demister controls
adjustable light intensity and colour from bright to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted

satin chrome	£ ex-vat	£ inc-vat
CAM-M61-R0-SC	291.67	350.00
matt black		
CAM-M61-R0-MB	291.67	350.00
matt white		
CAM-M61-R0-MW	291.67	350.00
NEW pewter		
CAM-M61-R0-PEW	291.67	350.00
satin brass		
CAM-M61-R0-SBR	291.67	350.00




800mm round illuminated mirror
separate power / demister controls
adjustable light intensity and colour from bright to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted

satin chrome	£ ex-vat	£ inc-vat
CAM-M81-R0-SC	333.33	400.00
matt black		
CAM-M81-R0-MB	333.33	400.00
matt white		
CAM-M81-R0-MW	333.33	400.00
NEW pewter		
CAM-M81-R0-PEW	333.33	400.00
satin brass		
CAM-M81-R0-SBR	333.33	400.00




500mm soft square illuminated mirror
separate power / demister controls
adjustable light intensity and colour from bright
to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted

satin chrome	£ ex-vat	£ inc-vat
CAM-M51-SQ-SC	291.67	350.00
matt black		
CAM-M51-SQ-MB	291.67	350.00
matt white		
CAM-M51-SQ-MW	291.67	350.00
satin brass		
CAM-M51-SQ-SBR	291.67	350.00



600mm soft square illuminated mirror
separate power / demister controls
adjustable light intensity and colour from bright
to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted


satin chrome	£ ex-vat	£ inc-vat
CAM-M61-SQ-SC	333.33	400.00
matt black		
CAM-M61-SQ-MB	333.33	400.00
matt white		
CAM-M61-SQ-MW	333.33	400.00
satin brass		
CAM-M61-SQ-SBR	333.33	400.00



800mm soft square illuminated mirror
separate power / demister controls
adjustable light intensity and colour from bright
to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted

satin chrome	£ ex-vat	£ inc-vat
CAM-M81-SQ-SC	458.33	550.00
matt black		
CAM-M81-SQ-MB	458.33	550.00
matt white		
CAM-M81-SQ-MW	458.33	550.00
satin brass		
CAM-M81-SQ-SBR	458.33	550.00


NEW



500mm x 700mm rectangular portrait
illuminated mirror
separate power / demister controls
adjustable light intensity and colour from bright
to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted

satin chrome	£ ex-vat	£ inc-vat
SAF-M5I-REC-P-SC	270.83	325.00
matt black		
SAF-M5I-REC-P-MB	270.83	325.00
pewter		
SAF-M5I-REC-P-PEW	270.83	325.00
satin brass		
SAF-M5I-REC-P-SBR	270.83	325.00


NEW



600mm x 800mm rectangular portrait
illuminated mirror
separate power / demister controls
adjustable light intensity and colour from bright
to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted

satin chrome	£ ex-vat	£ inc-vat
SAF-M6I-REC-P-SC	312.50	375.00
matt black		
SAF-M6I-REC-P-MB	312.50	375.00
pewter		
SAF-M6I-REC-P-PEW	312.50	375.00
satin brass		
SAF-M6I-REC-P-SBR	312.50	375.00


NEW



800mm x 600mm rectangular landscape
illuminated mirror
separate power / demister controls
adjustable light intensity and colour from bright
to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted

satin chrome	£ ex-vat	£ inc-vat
SAF-M8I-REC-L-SC	333.33	400.00
matt black		
SAF-M8I-REC-L-MB	333.33	400.00
pewter		
SAF-M8I-REC-L-PEW	333.33	400.00
satin brass		
SAF-M8I-REC-L-SBR	333.33	400.00

NEW




500mm x 700mm rectangular portrait
wireless illuminated mirror
separate power / light / demister controls
adjustable light intensity and colour from bright
to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted mirror

fluted globe pendant lights
lights adjust with mirror settings for consistent
colour and brightness
spring clip light fixing
integrated LEDs: 50,000 hours product life
energy class: E
adjustable light wire length: 2 meters

12m wireless range between mirror and lights

satin chrome	£ ex-vat	£ inc-vat
SAF-M5W-REC-P+GL-SC	604.17	725.00
matt black		
SAF-M5W-REC-P+GL-MB	604.17	725.00
pewter		
SAF-M5W-REC-P+GL-PEW	604.17	725.00
satin brass		
SAF-M5W-REC-P+GL-SBR	604.17	725.00

NEW




600mm x 800mm rectangular portrait
wireless illuminated mirror
separate power / demister controls
adjustable light intensity and colour from bright
to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted mirror

fluted globe pendant lights
lights adjust with mirror settings for consistent
colour and brightness
spring clip light fixing
integrated LEDs: 50,000 hours product life
energy class: E
adjustable light wire length: 2 meters

12m wireless range between mirror and lights

satin chrome	£ ex-vat	£ inc-vat
SAF-M6W-REC-P+GL-SC	645.83	775.00
matt black		
SAF-M6W-REC-P+GL-MB	645.83	775.00
pewter		
SAF-M6W-REC-P+GL-PEW	645.83	775.00
satin brass		
SAF-M6W-REC-P+GL-SBR	645.83	775.00

NEW




800mm x 600mm rectangular landscape
wireless illuminated mirror
separate power / demister controls
adjustable light intensity and colour from bright
to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted mirror

fluted globe pendant lights
lights adjust with mirror settings for consistent
colour and brightness
spring clip light fixing
integrated LEDs: 50,000 hours product life
energy class: E
adjustable light wire length: 2 meters

12m wireless range between mirror and lights

satin chrome	£ ex-vat	£ inc-vat
SAF-M8W-REC-L+GL-SC	666.67	800.00
matt black		
SAF-M8W-REC-L+GL-MB	666.67	800.00
pewter		
SAF-M8W-REC-L+GL-PEW	666.67	800.00
satin brass		
SAF-M8W-REC-L+GL-SBR	666.67	800.00

NEW




500mm x 700mm rectangular portrait
wireless illuminated mirror
separate power / demister controls
adjustable light intensity and colour from bright
to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted mirror

disc pendant lights
lights adjust with mirror settings for consistent
colour and brightness
spring clip light fixing
integrated LEDs: 50,000 hours product life
energy class: E
adjustable light wire length: 2 meters

12m wireless range between mirror and lights

satin chrome	£ ex-vat	£ inc-vat
SAF-M5W-REC-P+DI-SC	604.17	725.00
matt black		
SAF-M5W-REC-P+DI-MB	604.17	725.00
pewter		
SAF-M5W-REC-P+DI-PEW	604.17	725.00
satin brass		
SAF-M5W-REC-P+DI-SBR	604.17	725.00

NEW




600mm x 800mm rectangular portrait
wireless illuminated mirror
separate power / demister controls
adjustable light intensity and colour from bright
to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted mirror

disc pendant lights
lights adjust with mirror settings for consistent
colour and brightness
spring clip light fixing
integrated LEDs: 50,000 hours product life
energy class: E
adjustable light wire length: 2 meters

12m wireless range between mirror and lights

satin chrome	£ ex-vat	£ inc-vat
SAF-M6W-REC-P+DI-SC	645.83	775.00
matt black		
SAF-M6W-REC-P+DI-MB	645.83	775.00
pewter		
SAF-M6W-REC-P+DI-PEW	645.83	775.00
satin brass		
SAF-M6W-REC-P+DI-SBR	645.83	775.00

NEW



800mm x 600mm rectangular landscape
wireless illuminated mirror
separate power / demister controls
adjustable light intensity and colour from bright
to warm white
30 minute auto turn off timer on the demister
IP44 Rating
wall mounted mirror

disc pendant lights
lights adjust with mirror settings for consistent
colour and brightness
spring clip light fixing
integrated LEDs: 50,000 hours product life
energy class: E
adjustable light wire length: 2 meters

12m wireless range between mirror and lights

satin chrome	£ ex-vat	£ inc-vat
SAF-M8W-REC-L+DI-SC	666.67	800.00
matt black		
SAF-M8W-REC-L+DI-MB	666.67	800.00
pewter		
SAF-M8W-REC-L+DI-PEW	666.67	800.00
satin brass		
SAF-M8W-REC-L+DI-SBR	666.67	800.00

HOW TO ORDER H₂ECO®

VADO H₂ECO® flow regulators can provide immediate savings on water and energy bills without compromising on performance.

Many VADO products are fitted as standard with our new Neoperl aerators, look out for this symbol **H₂ECO®** throughout the catalogue.

For products that do not have **H₂ECO®** fitted as standard, look out for the **H₂ECO®** and the appropriate flow regulator product code for you to order.

For example:

To see immediate savings in energy bills products fitted as standard are displayed like this:



chrome	€ ex-vat	€ inc-vat
PHA-200F/SB-C/P	200.00	240.00
H₂ECO™		
5 l/m flow regulator fitted as standard		

To save up to 75% water usage on an **AQUABLADE** shower head you order:



stainless steel / chrome	€ ex-vat	€ inc-vat
AQB-R0/20-C/P	170.83	205.00
and		
H₂ECO™		
FR-SHOWER/9-PLA	8.33	10.00

EVERY DROP MATTERS.

VADO H₂ECO® flow regulators both protect the environment and effectively reduce your carbon footprint.



replaces aerator in most mono basin mixers regulating flow to 5 litres per minute

	€ ex-vat	€ inc-vat
FR-100/5-PLA	11.67	14.00
FR-100/5-B-PLA	11.67	14.00



placed in tails of basin pillar taps or between shower head and fixed arm regulating flow to between 4 and 9 litres per minute

	€ ex-vat	€ inc-vat
FR-106/4-PLA (tails)	8.33	10.00
FR-106/5-PLA (tails)	8.33	10.00
FR-106/6-PLA (tails)	8.33	10.00
FR-106/9-PLA (tails)	8.33	10.00
FR-SHOWER/9-PLA (shower)	8.33	10.00



placed in flexible tails of some VADO mixers regulating flow to between 5 and 9 litres per minute

	€ ex-vat	€ inc-vat
FR-FLEXI/5-PLA	8.33	10.00
FR-FLEXI/8-PLA	8.33	10.00
FR-FLEXI/9-PLA	8.33	10.00



placed on shower outlet of all bath and shower mixers or handset inlets regulating flow to 6 or 9 litres per minute


	€ ex-vat	€ inc-vat
FR-SHOWER/6-C/P	13.33	16.00
FR-SHOWER/9-C/P	13.33	16.00

EVERY DROP MATTERS

In addition to our water and energy saving product offering, we have some more helpful hints and tips to help your customers start their journey to a water-smart life.



SCAN TO
READ MORE



[illegible]

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

LAST CHANCE TO BUY

As part of our commitment to continuous innovation, some products in this catalogue are marked with an hourglass timer icon, highlighting those which are due to be discontinued from our portfolio and are last chance to purchase. Please speak with your VADO Area Sales Manager for more information.

RETURNS PROCEDURE

Note to retailers: We do not operate a sale or return policy. However in the event that you need to return products to us for any reason the following procedure should help to ensure that we handle your request efficiently.

Please note goods which are no longer required and that have been held by you for longer than three months from date of invoice cannot be considered for return and credit.

A Collection Request in the form of a Debit Note or VADO Collection Request Note should be emailed to our Collections Department:

- e-mail: collections@vado.com
 - Direct Telephone No: 01934 745154

We require the following details in order to process the necessary paperwork: Item stock code, finish & quantity of item(s) to be returned. The relevant Invoice Number or Delivery Note Number and the reason for return of the item(s).

- Our Collections Department will process the paperwork and after the collection request has been authorised, we will forward by post a self-adhesive label(s) for you to confirm all details and attach to the parcel(s). You will also receive a Returned Goods Authorisation Note. The details of this note need to be checked and signed by you. This note is to be enclosed in the parcel being returned. A copy of the Returned Goods Authorisation Note for your records will also be enclosed with the label. If you have any queries whatsoever, regarding the collection, please

- telephone our Collections Department, on receipt of label(s) 01934 745154. All goods are to be suitably packaged before despatch to VADO, i.e. presentation boxes packed inside an outer box. Goods received back in anything other than re-saleable condition, may result in a request for credit being refused.
- With the exception of faulty or damaged goods, all goods being returned will be subject to a 25% re-stocking charge with a minimum £15 charge being applicable.
- If items are received damaged or faulty, no charge is made for returning the goods to us. Please note: shortages and damages must be notified within 2 days of receipt of goods. Notification outside of the 2-day period will void any claim. If after our inspection a product is found to be defective due to a manufacturing fault, we will issue a credit or a free of charge replacement.
- Our collections department will liaise with your designated contact, confirming the total number of boxes packed ready for collection and a mutually convenient collection date will be arranged.

CLAIMS FOR RE-FIXING

In the event that you have a claim for re-fitting or repair of a faulty product, please contact our Technical department on 01934 745163. All claims for re-fixing charges must be authorised by us before any work is undertaken. Claims for re-fixing that are made after work has been undertaken will be rejected.

GUARANTEE

All VADO products come with a 2 year guarantee as standard. Within this guarantee period VADO will provide replacement parts and any labour [SEE NOTE 1] needed to complete the product repair.

This standard guarantee may be extended by registering your product to give up to a 15 year guarantee period. Once registered:

VADO ceramic basins and toilets have a 25 year guarantee.

Booth & Co. chrome and nickel brassware products have a 15 year guarantee (2 years parts and labour plus 13 years parts only).

VADO chromed brassware and stainless steel products have a 15 year guarantee (2 years parts and labour plus 13 years parts only).

Brassware products from the Individual by VADO collection have a 15 year guarantee (2 years parts and labour plus 13 years parts only).

Powder coated brassware products from the VADO collection have a 10 year guarantee.

VADO mineral basins, worktops, furniture, mirror parts, flush plates and towel warmers have a 6 year guarantee.

VADO toilet seats have a 5 year guarantee.

VADO mirror electronics have a 2 year guarantee.

VADO Identity and i-tech products have a 5 year guarantee (2 year parts and labour plus 3 years parts only).

Axces by VADO products have a 10 year guarantee (2 years parts and labour plus 8 years parts only). Axces by VADO electric showers have a 2 years parts and labour guarantee.

All other VADO products have a 3 year guarantee (2 years parts and labour plus 1 year parts only) [SEE NOTE 2].

GUARANTEE CONDITIONS

Our products are guaranteed against manufacturing defects from the date of purchase until the expiry of the relevant guarantee period shown above.

The guarantee is only valid if:

- The product has been installed, used and maintained (maintenance guidelines can be viewed here) in accordance with VADO's instructions and subjected to normal use only.
- The defect is not due to use of an unsuitable or inadequate water or power supply.

3. The defect is not due to accident, misuse, neglect or incorrect/inappropriate repair (other than by VADO or VADO authorised agents) or damage caused by foreign objects or substances.

4. The extended guarantee is only available if you have completed the Guarantee Registration Process. This can be done via the VADO website or via phone to our aftersales team. Registration must be completed within 6 months from date of purchase. Under the extended guarantee period VADO will, at its option, offer to supply any replacement product (or component part) assessed to be defective [SEE NOTE 3]. The guarantee (whether standard or extended) is non-transferable to any subsequent owner.

All claims under the guarantee should be notified in the first instance to our Aftersales department, contact details below, this must be done no later than the last day of the relevant guarantee period. All claims must be accompanied by proof of purchase (sales receipt or delivery note) from an official VADO dealer.

The guarantee does not extend to any consequential loss or damage.

After repair or replacement, the relevant guarantee period will be calculated from the original date of purchase.

VADO operates a policy of continuous product development and therefore reserves the right to change the product, packaging and documentation specifications without notice.

NOTES:

[1] Labour via our engineer network is only available in the UK. Attendance by a VADO engineer or sub-contract engineer will be under our standard terms and conditions.

[2] VADO spare parts and shower hoses are under a parts only guarantee.

[3] VADO reserves the right to charge in advance for a product (or replacement part) pending collection and investigation (at VADO expense) to confirm a defect is due to a manufacturing issue. If a defect is found the charge will be refunded or cancelled.

This guarantee is in addition to and does not affect your statutory rights as a consumer.

CLAIMS:

Tel: 01934 745163 **Email:** aftersales@vado.com

GUARANTEE:

Tel: 01934 315699 **Email:** guarantee@vado.com

RETURNS AND RE-FIXING

DEFINITIONS

In these conditions 'the Company' shall mean VADO, a division of Norcros Group (Holdings) Limited, 'the purchaser' shall mean the person, firm or company to whom any quotation is addressed or with whom any contract is made and 'the goods' shall mean the goods and/or services agreed to be sold by the Company to the purchaser.

1. QUOTATION AND ACCEPTANCE

- (a) All quotations are given and all orders are accepted on these terms which shall apply to the exclusion of and shall override any other terms stipulated or referred to by the purchaser whether in its order or any other document, or in any negotiations or communication or course of dealing established between the Company and the purchaser;
- (b) No modification or amendment of these terms or addition thereto shall be effective unless made in writing and signed by a director of the Company.

2. DESCRIPTION OF AND STATEMENTS AS TO GOODS

- (a) Save where the goods are stated to be sold as complying with a recognised trade or industry standard, all descriptions, specifications, drawings and particulars of weights and dimensions submitted by the Company or otherwise contained in the Company's catalogues, brochures, price lists, quotations and publicity materials are approximate only and the Company shall not be liable for their accuracy unless they are expressly incorporated into the contract in writing;
- (b) These terms represent the entire agreement between the Company and the purchaser relating to the goods and such terms supersede and the purchaser shall not place any reliance upon any statements, recommendations and advice whether oral or in writing given (whether before or after the acceptance by the Company of the purchaser's order) by the Company, its servants or agents as to any matter relating to the goods save where such statement, recommendations or advice is given in writing and signed by a director of the Company in response to a specific written request from the purchaser before or at the time of the Company's acceptance of the order.

3. PRICES

Prices quoted by the Company are those in effect at the date of quotation. Unless otherwise agreed in writing, the Company reserves the right to increase prices when it accepts the purchaser's order so as to reflect one or more of the following:

- (a) any variation that may have occurred in the costs of labour, materials, suppliers overheads and transport;
- (b) any change in duty, tax, surcharge or levy of any kind whatsoever affecting the sale price of the goods;
- (c) any cost to the Company resulting from delay by the purchaser in giving to the Company information sufficient to enable it to supply the goods or provide the services or resulting from any alteration made at the request of the purchaser in the specification of the goods or in the place to which they are to be delivered or shipped;
- (d) any extra cost to the Company resulting from the goods being carried at the request of the purchaser by mode of transport more expensive than the Company's normal form of transport.

4. PAYMENT

- (a) Unless otherwise agreed in writing, the price for the goods will be due and payable on the last business day of the month following delivery;
- (b) The Company shall be entitled to charge interest on any part of the price which is not paid in accordance with clause [a] at the rate per annum of 3% above the Base Rate of Lloyds Banking Group from time to time;
- (c) Time of payment is of the essence and if the purchaser defaults in punctual payment of the price the Company shall be entitled to terminate the contract and recover the goods at the purchaser's expense without prejudice to any further rights which the Company may have;
- (d) Any default in payment of an invoice or an instalment payment on an invoice on the due date shall render the entire balance outstanding on all invoices from the Company to the purchaser immediately payable in full without demand being made notwithstanding any contrary provisions as to terms of payment in any one or all invoices;
- (e) If the purchaser fails to give all instructions reasonably required by the Company and all necessary document, licences, consents and authorities for forwarding the goods or is unable to accept delivery of the goods at the time when the goods are due and ready for despatch or delivery or shall otherwise cause or request delay, the purchaser shall pay to the Company all costs and expenses, including storage and insurance charges incurred or arising from such delay during which, at the Company's absolute discretion if its storage facilities permit, the goods will be stored at the purchaser's sole risk. This provision shall be in addition to and not in substitution for any other payment or damages for which the purchaser may be liable in respect of his failure to take delivery at the appropriate date;
- (f) The purchaser shall not be entitled to make any deduction from the price of goods which have been delivered to the purchaser in respect of any set off or counterclaim unless both the validity and the amount thereof have been expressly admitted in writing by the Company and such admission is signed by a director of the Company;
- (g) In the absence of any specific appropriation by the purchaser, the Company shall have the right to appropriate any payment made by the purchaser towards the satisfaction of any invoice outstanding from time to time as the Company shall in its absolute discretion think fit.

5. DELIVERY

- (a) Any time or date stated for delivery is given and intended as an estimate only and the Company shall not be liable for any loss or damage whatsoever resulting from any delay in delivery howsoever arising;
- (b) Unless otherwise stated in writing delivery shall be deemed to take place upon the occurrence of the first in time of the following, namely:
 - i. the physical delivery of the goods to the purchaser at the Company's works;
 - ii. the physical delivery of the goods to the purchaser's carrier or agent for the purpose of transmission to the purchaser or his nominee;
 - iii. the physical delivery of the goods to the purchaser's place of business or such other place as he may direct by the Company, its carrier or agent, the purchaser being responsible for unloading;
- (c) Signature of the Company's delivery note by any employee, representative or agent of the purchaser shall be conclusive proof of delivery;
- (d) Where the contract provides for delivery by the Company, its carrier or agent:
 - i. any claims for non-delivery must be made in writing to the Company within three days of receipt of invoice or advice note whichever is the earlier;
 - ii. any claims in respect of goods damaged in transit or shortages in delivery must be made in writing to the Company within three days of delivery; shortages in delivery shall not give rise to a right to reject the goods delivered;
- (e) The Company shall be entitled to make partial deliveries or deliveries by instalments and all the provisions of these terms shall apply to such deliveries;

6. PROPERTY AND RISK

- (a) Risk in the goods shall pass to the purchaser at the time at which delivery takes place in accordance with clause 5 above and the purchaser shall be solely responsible for insuring the goods thereafter;
- (b) The Company shall retain ownership of and title in the goods delivered until full payment has been made in respect of all such goods. Until such time the goods shall be:
 - i. stored separately from other goods in the possession of the purchaser;
 - ii. marked or otherwise rendered identifiable as being the property of the Company;
 - iii. held by the purchaser as bailee of the Company;
 - iv. held by the purchaser free from any charge, lien or other encumbrance;

- (c) Provided the Company has not requested their return and notwithstanding that payment in full has not been made for all of the goods delivered, the purchaser as principal and not as agent for the Company shall be entitled to use the goods or offer for sale and sell them in the ordinary course of his business;
- (d) Where the purchaser sells the goods prior to paying for them in full:
 - i. the Company shall be legally and beneficially entitled to the proceeds of sale;
 - ii. the purchaser shall hold the proceeds of sale on trust for the Company and shall not mingle them with other monies and shall not pay them into an overdrawn bank account;
 - iii. he shall deposit the proceeds of sale in a separate bank account, the location and number of which he has previously notified to the Company, and he shall not be entitled to use or deal with the proceeds of sale until payment in full for the goods has been made to the Company;
- (e) The Company shall have the right at any time by its servants or agents to enter the purchaser's premises where the goods are stored, or are thought the Company to be stored, so as to:
 - i. retake possession of the goods when the Company has requested their return and the purchaser has not immediately complied with the request, such retaking or return to be without prejudice to any other rights the Company may have arising therefrom;
 - ii. inspect the storage of the Company's goods which have not been paid for in full;
 - iii. investigate and ascertain whether all these terms are being complied with;

7. GUARANTEE AND LIABILITY

- (a) The Company guarantees all goods which have been manufactured by the Company against any defect of work or materials which can be proved to the Company's satisfaction to have been caused before delivery provided that;
 - i. the goods are used for their normal purpose,
 - ii. full details of any such defect are notified to the Company within thirty days of its first appearance and
 - iii. the goods in which the defect arises are returned at the purchaser's expense to the Company;
- (b) The guarantee shall be for a period of twelve years from the date of delivery for all product except pumps which are 3 years for Monsoon and 1 year for Showermate and products with any other finish that is not chrome, such as gold, which are guaranteed for 3 years. The liability of the Company shall be limited at its option either to supply replacement goods, which will be supplied subject to these terms, or refunding of the goods;
- (c) The Company gives no guarantee in respect of goods not manufactured by it but shall use all reasonable endeavours to procure for the purchaser or assign to the purchaser the benefit of any guarantee obtained by it from the manufacturer or supplier thereof; however the Company shall not be required to commence litigation against such manufacturer or supplier or to incur any expense in connection with any such claim by the purchaser;
- (d) The above guarantee is given in lieu of and to the exclusion of all other warranties, conditions, representations and undertakings express or implied by statute or otherwise in respect of the quality or fitness for purpose of the goods or as to their condition or performance or as to any other matter except where such warranty or condition is implied by statute and by reason of a statutory provision, cannot be excluded;
- (e) Save as provided herein and save in any case where death or personal injury has been caused by the Company's negligence or any case where the Company is liable for a defect in the goods pursuant to Part 1 of the Consumer Protection Act 1987 or any statutory replacement thereof, the Company shall be under no liability whatsoever to the purchaser for any loss or damage whether direct, indirect or consequential arising out of any defect in, failure of or unsuitability for any purpose of the goods or any part thereof whether the same be due to any act, omission, breach of contract, negligence or wilful default in design, workmanship or materials or any other cause.

8. INDEMNITY AS TO INDUSTRIAL PROPERTY RIGHTS

- (a) The purchaser shall indemnify the Company against all loss, damages, costs and expenses suffered or incurred by the Company or to which the Company may become liable as a result of any work carried out in accordance with the purchaser's specification(s) which involves infringement or alleged infringement of a patent, registered design or other industrial property right;
- (b) If the purchaser uses or sells the goods in such a manner as to infringe any such rights the company shall not be responsible for such infringement and the purchaser agrees to indemnify the Company from and against all liability arising therefrom.

9. TERMINATION

- The Company shall have the right forthwith to cancel the purchaser's order if any of the following events occur and subject to enforcement of the Company's rights to recover the goods and to receive payment of the price or damages, the contract shall be deemed to have terminated:
- (a) the purchaser commits any breach of its obligations to the Company;
 - (b) any distress or execution is levied upon any property of the purchaser;
 - (c) the purchaser makes or offers to make any arrangement or composition with creditors or commits any act of bankruptcy or insolvency;
 - (d) any resolution is passed or petition presented to wind up the purchaser;
 - (e) a receiver or administrator is appointed or any chargee takes possession of all or any part of the undertaking or assets of the purchaser;
 - (f) the purchaser stops payment or ceases or threatens to cease to carry on its business or to pay its debts as and when they fall due;
 - (g) any remittance for payment of the whole or any part of the purchase price of the goods is dishonoured by the purchaser's bankers.

10. ASSIGNMENT

- The purchaser shall not assign or transfer or purport to assign or transfer any contract to which these terms apply to any other person without the Company's prior written consent. The Company reserves the right to subcontract the performance of the contract or any part of it.

11. FORCE MAJEURE

- If the Company is prevented or delayed (directly or indirectly) from making delivery of the goods or any part thereof or from otherwise performing the contract or any part thereof by reason of war, embargo, riot, strike, lock-out, trade dispute, fire, breakdown of plant or machinery, inclement weather, interruption of transport, Government action, delay in delivery to the Company of any goods or materials, or by any cause whatsoever (whether or not of a like nature to the foregoing) outside its control, it shall be under no liability whatsoever to the purchaser and shall be entitled at its option either to cancel the contract or without any liability to extend the time or times for delivery by a period equivalent to that during which such delivery has been prevented.

12. PROPER LAW

- The contract and these terms shall be governed by English law and the purchaser shall submit to the sole jurisdiction of the English Courts.

WHERE INSPIRATION FLOWS




OTHER CATALOGUES AVAILABLE



CONSUMER CATALOGUE

VADO's tap, showering and accessory collection, the perfect catalogue to give to consumers visiting bathroom showrooms.



BOOTH & CO.

Inspired by Victorian design, Booth & Co. introduces a distinctive collection of traditional taps, showers and accessories.



BATHROOM SOLUTIONS

A comprehensive collection of brassware, bathroom furniture, basins and mirrors that delivers a seamless finish across the whole bathroom.

By partnering with the World Land Trust's Carbon Balanced Paper programme, we have offset any emissions produced from the production of the paper whilst making this brochure.



www.carbonbalancedpaper.com
CBP025301



VADO Wedmore Road Cheddar Somerset England BS27 3EB
tel 01934 744466
www.vado.com
sales@vado.com

due to our policy of continual improvement, VADO reserve the right to change product specification.
the colours indicated are an approximation of the actual finishes on VADO products. e&oe.
©2025 VADO LIT-VADO/SPEC-26-V1



*Guarantees vary by product.